

# Panasonic

## Residential Solutions Catalogue 2021



# Panasonic Residential Solutions

One-stop shop for all your project needs

With its over 100 years of manufacturing history, Panasonic offers a wide range of residential products and solutions, from living space appliances and indoor air quality to electric construction materials and facility management solutions. Our expert team of project engineers is ready to design and propose the right solutions for your project needs.



**Quality You Can Trust**



At Panasonic we are proud of our solid understanding of quality. We ensure excellent Japanese craftsmanship and stay uncompromised on the latest innovations, offering a premium range of products that meet to every lifestyle need. Japan's manufacturing excellence has become a Panasonic engineer's global standard. Delivering quality has always been at the core of our manufacturing principles. No matter where we manufacture our products, we make sure that these products have passed our strict quality standards.

# Living Space Appliances

Televisions	04
Washing Machines	07
Refrigerators	09
Water Dispensers	11
Irons & Garment Steamers	12
Vacuum Cleaners	14
Hair Dryers	16
Microwave Ovens	19
Kitchen Appliances	22
Air Conditioners	23
Air Purifiers	32
Telephones	34
Video Intercom	37




**TH-65JZ1000M** 65 inch  
**TH-55JZ1000M** 55 inch

- 4K OLED/ Master HDR OLED
- HCX Pro AI Processor
- Hexa Chroma Drive Pro
- Dolby Atmos & Cinema Surround Pro
- Easy Mirroring
- Google Assistant
- My Home Screen 6.0



**TH-65JX850M** 65 inch  
**TH-55JX850M** 55 inch

- 4K HDR TV
- Android TV
- Hexa Chroma drive
- Dolby Atmos & DTS Studio sound
- Chromecast built-in
- Google Assistant
- Bezel-less Design



**TH-65JZ950M/MF** 65 inch  
**TH-55JZ950M/MF** 55 inch

- OLED 4K HDR TV
- Android TV
- Hexa Chroma Drive
- Dolby Atmos & DTS Studio sound
- Chromecast built-in
- Google Assistant
- Premium center-stand design/ Bezel-less Design



**TH-65HX750M** 65 inch  
**TH-55HX750M** 55 inch

- 4K HDR TV
- Android TV
- Hexa Chroma drive
- Dolby Audio & DTS Studio sound
- Chromecast built-in
- Google Assistant
- Bezel-less Design





## TH-75JX660M 75 inch


- 4K HDR TV
- Android TV
- Hexa Chroma drive
- Dolby Audio & DTS Studio sound
- Chromecast built-in
- Google Assistant
- Slim Bezel



HEXA  
CHROMA DRIVE



androidtv



## TH-50HX650MF 50 inch

- 4K HDR TV
- Android TV
- Hexa Chroma drive
- Dolby Audio & DTS Studio sound
- Chromecast built-in
- Google Assistant
- Slim Bezel



HEXA  
CHROMA DRIVE



androidtv



## TH-43GS655M 43 inch

- Full HD
- Android TV
- Noise Reduction / 2K HDR
- Dolby Audio
- Chromecast built-in
- Google Assistant
- Slim Bezel

androidtv



General	CATEGORY		OLED		4K HDR			FULL HD/HD READY		
	Series		JZ1000	JZ950	JX850	HX750	JX660	HX650	6S655	
	Size		65" (165cm) / 55" (139cm)	65" (165cm) / 55" (139cm)	65" (165cm) / 55" (139cm)	65" (165cm) / 55" (139cm)	75" (190cm)	50" (127cm)	32" (81cm) / 43" (109cm)	
	Operating System		my Home Screen 6.0	Android OS (Ver. 10)	Android OS (Ver. 10)	Android OS (Ver. 10)	Android OS (Ver. 10)	Android OS (Ver. 10)	Android OS (Ver. 9)	
	Resolution		4K	4K	4K	4K	4K	4K	FHD (43") HD (32")	
	Processor		HXC Pro AI Processor	4K Colour Engine	4K Colour Engine	4K Colour Engine	4K Colour Engine	4K Colour Engine	QUADCORE	
Picture	Display	Type	OLED	OLED	LCD(Direct LED)	LCD(Direct LED)	LCD(Direct LED)	LCD(Direct LED)	LCD(Direct LED)	
		Viewing Angle	Wide angle	Wide angle	Wide angle	Wide angle	Wide angle	Wide angle	Wide angle	
	Vibrant colour	Colour engine	Hexa Chroma Drive PRO	Hexa Chroma Drive	Hexa Chroma Drive	Hexa Chroma Drive	Hexa Chroma Drive	Hexa Chroma Drive	Hexa Chroma Drive	-
		Colour Gamut	Wide Colour Gamut	Wide Colour Gamut	Wide Colour Gamut	Wide Colour Gamut	Wide Colour Gamut	-	-	-
	Absolute contrast	Dimming	OLED/Ultimate Contrast	Dynamic Back Light Switch	Dynamic Back Light Switch	Micro Dimming	Micro Dimming	Micro Dimming	Micro Dimming	Micro Dimming
		HDR	HDR	HDR	HDR	HDR	HDR	HDR	HDR	2K HDR
		Dolby Vision	Dolby Vision IQ	Y	Y	Y	-	-	-	-
Infinite clarity	HDR10+ , HDR10	HDR10+ , HDR10	HDR10+ Adaptive	HDR10	HDR10	HDR10	HDR10	HDR10	-	
	Noise reduction	Y	Y	Y	Y	Y	Y	Y	Y	
	4K upscaling	Y	Y	Y	Y	Y	Y	Y	-	
Sound	Speaker		Cinema Surround Pro	Home Theatre Built-in with Tweeter	Home Theatre Built-in with Tweeter	Home Theatre Built-in	-	-	-	
	Output		30 W	20 W	20 W	20 W	20 W	20 W	16W	
	Dolby Atmos		Y	Y	Y	-	-	-	-	
	Cinema Surround Pro		Y	-	-	-	-	-	-	
	DTS Studio Sound		-	Y	Y	Y	-	-	-	
Entertainment	Media Player		Y	Y	Y	Y	Y	Y	Y	
	Internet Apps		Y	Y	Y	Y	Y	Y	Y	
	Top3 OTTs		Netflix	Netflix	Netflix	Netflix	Netflix	Netflix	Netflix	Netflix
			Amazon Prime	Amazon Prime	Amazon Prime	Amazon Prime	Amazon Prime	Amazon Prime	Amazon Prime	Amazon Prime
			Youtube	Youtube	Youtube	Youtube	Youtube	Youtube	Youtube	Youtube
	Voice Control		Google Assistant Built in	Google Assistant	Google Assistant	Google Assistant	Google Assistant	Google Assistant	Google Assistant	
	Hands-free voice control		-	Y	Y	-	-	-	-	
	Compatibility with Google Assistant enabled devices		Y	Y	Y	Y	Y	Y	Y	
	Screen Sharing		Easy Mirroring	Chromecast built-in	Chromecast built-in	Chromecast built-in	Chromecast built-in	Chromecast built-in	Chromecast built-in	Chromecast built-in
				& iCast	& iCast	& iCast	& iCast	& iCast	& iCast	-
ROM (Internal Memory)		8 GB	32 GB	32 GB	8 GB	8 GB	8 GB	4 GB		
Design	'Less is Perfection' Concept		Y (Bezel-less)	Y (Bezel-less)	Y (Bezel-less)	Y (Bezel-less)	Slim Bezel and Premium Pedestal	Slim Bezel	Slim Bezel	
Connectivity	Built-in Wifi		Y	Y	Y	Y	Y	Y	Y	
	Audio Link (Bluetooth)		2-way	2-way	2-way	2-way	2-way	2-way	2-way	
	HDMI		4	3	3	3	3	3	3	
		Audio Out (ARC)		Y	Y	Y	Y	-	-	-
		HDMI version	HDMI 2.1	HDMI 2.0	HDMI 2.0	HDMI 2.0	HDMI 2.0	HDMI 2.0	HDMI 1.4	
	USB		3	2	2	2	2	2	2	
	Optical Out		1	1	1	1	1	1	1	
Remote		Y	BT Remote with Google Assistant	BT Remote with Google Assistant	BT Remote with Google Assistant	BT Remote with Google Assistant	BT Remote with Google Assistant	BT Remote with Google Assistant		
Dimensions*	Height	mm	1448/1227	1447/1226	907.5/774	898.6/770	1015	726	956.1	
	Width	mm	895/771	859/735	1447.7/1227	1447.7/1227	1675	1121	606.8	
	Depth	mm	348/348	237/237	271.7/233	289.7/280	335	274	226.2	
	Weight	kg	21.5/19.0	24.8/19.2	17.9/10.65	17.7/10.62	29.07	9.3	6.7	
Availability			KSA,UAE,KUWAIT,OMAN QATAR, BAHRAIN	KSA,UAE,KUWAIT,OMAN QATAR, BAHRAIN	KSA,UAE,KUWAIT,OMAN QATAR, BAHRAIN	KSA,UAE,KUWAIT,OMAN QATAR, BAHRAIN	KSA,UAE,KUWAIT,OMAN QATAR, BAHRAIN	KSA,UAE,KUWAIT,OMAN QATAR, BAHRAIN	KSA,UAE,KUWAIT,OMAN QATAR, BAHRAIN	



## NA-S128M2 12kg WASH 8kg DRY

- 16 Programs
- 1 Hour Wash + dry
- Rapid Wash 15
- My Cycle
- Speed Wash
- Pause & Add
- Tub Hygiene
- LED Touch Panel



## NA-S086M3 8kg WASH 6kg DRY

- 16 Programs
- 1 Hour Wash + dry
- Rapid Wash 15
- My Cycle
- Speed Wash
- Pause & Add
- Tub Hygiene



## NA-148MG2 8kg WASH

- 15 Programs
- Pause & Add
- Quick Wash 15
- Tub Hygiene
- Big Touch LED Display



## NA-127XB1 7kg WASH

- 12 Programs
- Rapid Wash 15
- ECO Wash
- Tub Clean
- Big LED Button Display



## NA-127VB7LEG

- Hand Wash Course
- Eco-logic System
- Overflow Protection
- Wide Door Opening
- Twin Jet System



## NA-148VB7LEG

- Hand Wash Course
- Eco-logic System
- Overflow Protection
- Wide Door Opening
- Twin Jet System





Model No.			NA-S128M2	NA-S086M3	NA-148MG2	NA-127XB1	NA-127VB7LEG	NA-148VB7LEG
Category			Washer & Dryer	Washer & Dryer	Front Load	Front Load	Front Load	Front Load
Wash Capacity (KG)			12	8	8	7	7	8
Colour			White/Silver	White/Silver	White/Silver	White/Silver	Silver	Silver
Inverter			Yes	Yes	No	No	No	No
Program No.			16	16	15	12	15	15
Abaya Wash			Yes	Yes	Yes	No	No	No
Rapid Wash			Yes	Yes	Yes	Yes	Yes	Yes
Control Panel			LED Touch Display	LED Button Display	LED Touch Display	LED Button Display	LED Button Display	LED Button Display
Power rating		W	2000	2000	2050	2050	2200	2200
Voltage		V	220-240	220-240	220-240	220-240	220-240	220-240
Net Dimension (Wx DxH)		mm	595 x 585 x 850	595 x 470 x 850	595 x 565 x 850	595 x 470 x 845	595 x 527 x 845	897 x 557 x 845
Net Weight		kg	73	64	68	60	70	72
Availability			UAE/KSA/KWT/QAT	UAE/KSA/KWT/OMN	UAE/KSA/KWT/OMN	UAE/KSA/KWT/OMN	Egypt	Egypt

## ABAYA WASH TECHNOLOGY

PROTECTS WHAT YOU EXPRESS



## NR-BS700 527L

- Surround Cooling Air flow
- Vacation Mode
- Chiller Box
- Quick Freezing
- External Touch Panel
- ECO LED Lights
- Twist Ice Tray
- Ice Tray
- Inox look
- Tempered Glass Shelves



**INVERTER** **Surround**  
Cooling Airflow

## NR-BC833 650L

- Surround Cooling Air flow
- Chiller Box
- External Touch Panel
- LED Lights
- Dual Crisper & Humidity Controller
- Temperature Control Panel
- Twist Ice Tray
- Cosmetic Box
- Inox look
- Tempered Glass Shelves



**INVERTER** **Surround**  
Cooling Airflow **JUMBO**  
FREEZER

## NR-BC752DS 575L

- Surround Cooling Air flow
- Chiller Box
- Super Freeze
- Water Dispenser
- External Touch Panel
- Dual LED Lights
- Dual Crisper with Humidity Control
- Twist Ice Tray
- Inox look
- Tempered Glass Shelves



**INVERTER**

## NR-BC572VS 432L

- Surround Cooling Air flow
- Chiller Box
- Inside Temperature Controller
- Tempered Glass Shelves
- Dual Crisper & Humidity Controller
- Reversible Door
- Dual LED Lights
- Twist Ice Tray
- Inox look



## NR-AF166 151L

- Chiller Tray
- Ice Tray
- Egg Tray
- Vegetable Crisper
- LED Light
- Temperature Control Panel
- Tempered Glass Shelves
- Inox look



## Specifications

Model No.	Features/Specs	NR-BS700	NR-BC833	NR-BC752DS	NR-BC572VS	NR-AF166
Category		SBS	TMF	TMF	TMF	SINGLE DOOR
Net Capacity (in Ltr)		527	650	575	432	151
Colour		Stainless Steel	Dark Grey	Inox look	Inox look	Shining Silver
Inverter		Yes	Yes	Yes	Yes	No
Cooling Technology	Surround Cooling Air flow	Yes	Yes	Yes	Yes	Yes
	Quick / Super Freezing	Yes	No	Yes	No	No
Storage	Jumbo Freezer	-	Yes	Yes	-	-
	Chiller Box	-	Yes	Yes	Yes	-
	Temperature Control Panel	-	Yes	Yes	Yes	-
Design	Dual Crisper & Humidity Controller	External Touch Panel	External Touch Panel	External Touch Panel	Inside Temperature Controller	Inside Temperature Controller
	LED Light	Eco LED Light	Yes	Yes	Yes	Yes
	Ice Tray	Twist type	Twist type	Twist type	Twist type	Normal
	Water Dispenser	-	-	Yes	-	-
DIMENSIONS	Net (in mm)	W895 x D745 x H1788	W834 x D820 x H1860	W840 x D750 x H1860	W700 x D720 x H1830	W525 x D509 x H1102
WEIGHT	Kg (Net )	90	102.5	114	78	26
LOAD CAPACITY	40'GP/40'HQ	48	28	39	59	168
Availability		UAE/ OMN/ KSA	UAE/ OMN/ KSA/ KWT/ QTR	Egypt	Egypt	UAE/ OMN/ KWT



## SDM-WD3438

- Bottom Loading Water Dispenser
- Black/ Stainless Steel Finish
- Anti finger print stainless steel door
- Hot, Cold & Normal Water options
- Child safety lock for hot water faucet
- Stainless steel for hot water tank



## SDM-WD3128

- Top Loading Water Dispenser
- Hot, Cold & Normal Water options
- Child safety lock for hot water faucet
- Stainless steel for hot water tank



## Specifications

Model No.	SDM-WD3438	SDM-WD3128
Category	Bottom Loading	Top Loading
Faucet	Hot, Cold, Normal	Hot, Cold, Normal
Child Lock	Yes	Yes
Finish/ Color	Black and Stainless Steel	Black and Silver
Button	Piano Type Push Button	Piano Type Push Button
Made In	China	China
Package Dimension (Hx WxD)	35.8 x 38.6 x 106 cm	35.8 x 38.6 x 112 cm
Product Dimension (HxWxD)	31 x 36 x 104 cm	31 x 36 x 105 cm
Wight (Approx)	15.5 kg	14.5 kg
Power	220-240V, 50/60Hz	220-240V, 50/60Hz
Plug	3 PIN	3 PIN
Availability	ME + AF	ME + AF



## NI-WL41

- Cordless Steam Iron
- 1550W
- Digital Control Temperature
- Anti Drip System
- Detachable Water Tank
- Multi-direction Soleplate



## NI-U400

- Steam iron
- Powerful 2300W
- Big & Easy soleplate for quick results
- Continuous Powershot @ 120g/min
- 3 way cleaning system



## NI-M250T

- Steam Iron
- 1550W
- Advanced Titanium Coated Soleplate
- Powershot (75g/min)
- Anti-Calc System



## NI-GWF150

- Garment Steamer
- Powerful Steam for Hygiene
- 2400W of high power with twin boilers
- 6+1 levels of Variable steam Adjustment
- Easy positioning with adjustable board
- Anti-Calc system
- Calc clean Function



## NI-GWE080

- Garment Steamer
- Powerful Steam for Hygiene
- 2140W of High Power
- Lightweight Steamer head
- 2x2 variable steam for a variety of Fabrics
- Detachable 2L Large Water tank
- Easy handling with dual Poles, Fabric Board & 3D hanger
- Quick startup in about 50 sec



## NI-GSE050

- Garment Steamer
- Powerful Steam for Hygiene
- 1800W of High Power
- Lightweight Steamer head
- Detachable 2L Large Water tank
- Quick startup in about 50 sec



## Specifications

Model No.	NI-WL41	NI-U400	NI-M250T	NI-GWF150	NI-GWE080	NI-GSE050
Category	Cordless Steam Iron	Steam Cord Iron	Steam Iron	Garment Steamer	Garment Steamer	Garment Steamer
Colour	Black/Purple	Black/Pink	Pink/Green	White	Pink	Blue
Wattage	1550-1300W	1930 - 2300W	1300-1550W	2400W	2140W	1800W
Sole Plate	Ceramic	Ceramic	Titanium Coated Soleplate	Ceramic	Not Applicable	Not Applicable
Anti Calc	Yes	Yes	Yes	Yes	Yes	Yes
Water Capacity	135 cc	300 cc	210ml	1.6L	2L	2L
Made In	China	China	China	China	China	China
Package Dimension	Not available	Not available	Not available	Not available	Not available	Not available
Product Dimension (HxWxD)	21 x 18 x 29 cm	29.7 x 12.5 x 14.2 cm	26.7 x 11.1 x 13.3 cm	165 x 43 x 25 cm	168 x 43 x 31 cm	166 x 24 x 24 cm
Weight (Approx)	1.9 kg (without power base 0.97 kg)	1.6kg	1.17kg	7.2kg	3.9kg	3.2kg
Voltage	240-220 V / 60-50 Hz	240 - 220 V	240-220 V / 60-50 Hz	240-220 V / 60-50 Hz	240-220 V / 60-50 Hz	240-220 V / 60-50 Hz
Plug	3 PIN & 2 PIN	3 PIN & 2 PIN	3 PIN & 2 PIN	3 PIN Only	3 PIN Only	3 PIN Only
Availability	ME + AF	ME + AF	ME + AF	ME + AF	ME + AF	ME + AF



**MC-YL798** 21L

- Extreme Series Drum Vacuum Cleaner
- Max. Input 2300W
- 21L Large Dust Capacity
- Detachable Drum for easy cleaning
- Anti-Bacterial Filter
- Full Capture nozzle



**EXTREME**  
SERIES  
**TOUGH STYLE PLUS+**

**MC-YL633** 18L

- Drum Vacuum Cleaner
- Max. Input 2000W
- 18L Dust Capacity
- 2-Step Floor Nozzle
- Anti-Bacterial Filter
- Suitable for Large Residential Units



**EXTREME**  
SERIES  
**TOUGH STYLE PLUS+**

**MC-CJ919** 6.0L

- Premium Series Bagged Vacuum Cleaner
- Max. Input Power 2500W
- 6.0L Big Capacity & Washable Dust Bag
- HEPA Filter
- Quiet Operation (63 decibels)
- Variable Power control



**MC-CG713** 6.0L

- Deluxe Series Bagged Vacuum Cleaner
- Max. Input Power 2000W
- 6.0L Dust Bag Capacity
- HEPA Filter
- Long Reach Total 8m
- Variable power control



## MC-CL575

2.2L

- Bagless Canister Vacuum Cleaner
- Max. Input Power 2000W
- 2.2L Large Capacity Dust Box
- 6-Layer Filtration System with Double HEPA
- Long Lasting Suction Power
- Curtain Nozzle for Stress-Free Fabric Cleaning



**ADVANCED**  
**MEGACYCLONE**

## MC-CL571

2.2L

- Bagless Canister Vacuum Cleaner
- Max. Input Power 1600W
- 2.2L Large Capacity Dust Box
- 5-Layer Filtration System with Double HEPA
- Long Lasting Suction Power
- Mega Cyclone



**ADVANCED**  
**MEGACYCLONE**

## Specifications

Model No.	MC-YL798	MC-YL633	MC-CJ919	MC-CG713	MC-CL575	MC-CL571
Category	Drum Vacuum Cleaner	Drum Vacuum Cleaner	Bagged Vacuum Cleaner	Bagged Vacuum Cleaner	Bagless Canister Vacuum Cleaner	Bagless Canister Vacuum Cleaner
Colour	Black	Black	Red	Blue	Black	Blue
Input Power	Max. Input 2300W	Max. Input 2000W	Max. Input Power 2500W	Max. Input Power 2000W	Max. Input Power 2000W	Max. Input Power 1600W
Dust Capacity	21L Dust Capacity	18L Dust Capacity	6.0L Dust Bag Capacity	6.0L Dust Bag Capacity	2.2L Dust Box Capacity	2.2L Dust Box Capacity
Noise Level	Not Available	Not Available	63 decibels	65 decibels	Not Available	Not Available
Filter	Anti-Bacterial Filter	Anti-Bacterial Filter	HEPA Filter	HEPA Filter	6-Layer Filtration System with Double HEPA	5-layer Filtration System with HEPA Filter
Accessories	Step nozzle/Crevice Nozzle/ Dusting Brush	Step nozzle/Crevice Nozzle/ Dusting Brush	4 (Crevice/Dusting/ EZ Crevice/EZ Upholstery)	2 (Crevice/Dusting)	Full Capture Nozzle/ Curtain Nozzle / Crevice nozzle / Dusting Brush	Step nozzle/Crevice Nozzle/ Dusting Brush
Made In	Malaysia	Malaysia	Japan	Malaysia	Malaysia	Malaysia
Package Dimension	67 x 46 x 44 cm	41 x 37 x 60 cm	Not Available	Not Available	34 x 33 x 56 cm	34 x 33 x 56 cm
Product Dimension (HxWxD)	60.2 x 34.7 x 39.6 cm	36.3 x 35.3 x 52.4 cm	26.5 x 32 x 50 cm	26.5 x 32 x 50 cm	25 x 26.7 x 40 cm	25 x 26.7 x 40 cm
Weight (Approx)	7.4kg	5.5kg	2.54 kg	6.1kg	5.1kg	4.8kg
Power	2300W	2000W	2500W	2000W	2000W	1600W
Plug	3 PIN Only	3 PIN & 2 PIN	3 PIN & 2 PIN	3 PIN & 2 PIN	3 PIN & 2 PIN	3 PIN & 2 PIN
Availability	ME + AF	ME + AF	ME + AF	ME + AF	ME + AF	ME + AF

## EH-NA65

- 2000W
- External nanoe™ Outlet
- nanoe™ Charge Panel
- 3 Speed Settings
- 4 Temperature Settings
- Cool Shot Button
- Removable Filter
- 2 Nozzles
- 1 Diffuser



## EH-NE84

- 2500W for a powerful airflow that dries fast
- Smart hair-care with Advanced Heat Protection Sensor
- External Ion Outlet
- Cool-Shot Button
- 3 temperature settings ( Hot / Advanced Heat Protection / Cool ); 2 speed settings
- Removable filter

ionity



## EH-N2500

- 2500W Fast Drying Hair Dryer with Powerful Airflow
- Heat Protection Mode
- 9 mm Concentrator Nozzle
- 6 Airflow settings - 3 temperatures (Hot, Heat Protection & Cool) and 2 speed settings
- Cool Shot Button
- Removable Filter



6 airflow settings



Cool shot



Heat protection



## EH-ND30

- Equivalent to 2000 W for powerful, fast drying\*
- 3 temperature settings (Turbo/Heat Protection/Strong Cool)
- Foldable handle
- Light and compact




## ND21

- 1200W
- 3 Temperature Settings
- Quick-dry Nozzle
- Foldable Handle
- Diamond Cut Design



## EH-NE66

- Equivalent to 2300 W for powerful, fast drying\*  
\* Compared to the drying performance of a 2300 W Panasonic Hair Dryer
- Ion conditioning with moisture retaining design
- New 11 mm concentrator nozzle for precise & perfect styling
- Heat Protection Mode
- 3 temperature settings (Turbo/Heat Protection/Strong Cool)
- Foldable handle
- Light and compact



Model No.	EH-NA65	EH-NE84	EH-N2500	EH-ND30	ND21	EH-NE66
Wattage	2000W	2500W	2500W	1800W	1200W	2000W
nanoe™	●	-	-	-	-	-
nanoe™ Charge Panel	●	-	-	-	-	-
IONITY	-	●	●	-	-	●
Heat Protection Mode	-	Advanced Heat Protection Mode	●	●	-	●
Temperature Selections	4	3	3	3	3	3
Speed Selections	3	2	2	-	-	-
Cool Shot	●	●	●	-	-	-
Diffuser	●	●	-	-	-	-
Quick-dry Nozzle	●	Concentrator	Concentrator	-	●	Concentrator
Foldable	-	-	-	●	●	●
Voltage	220-240V	220-240V	220-240V	220-240V	220-240V	240-220V
Country of Origin	Thailand	Thailand	Thailand	Thailand	Thailand	Thailand
Availability	ME & AF	ME (Except KSA) & AF	KSA Only	ME + AF	ME + AF	ME + AF





## NN-CD87K

34L

NEW

- 34L Inverter Convection Microwave Oven
- Healthy Air Frying
- 1000W Inverter Microwave Power
- One Push Sensor Reheating
- Re-Bake Bread Programs
- High-Grade Stainless-Steel Design
- Inverter Turbo Defrost

the  
**Genius**  
sensor



**INVERTER**



Convection  
1300W



Grill  
1100W



Microwave  
1000W

## NN-CT65

27L

NEW

- 27L Convection Microwave Oven
- Healthy Air Frying
- Re-Bake Bread Programs
- 315mm Turntable
- 101 Auto Menus
- Stainless Interior



Convection  
2300W



Grill  
1350W



Microwave  
900W

## NN-GT67S

31L

- 31L Inverter Grill Microwave Oven
- 1100W Quartz Heater for Crispy Cuisine
- Quick 30 and Add Time Function
- Eco & Bright Lamp
- Sleek and Stylish Silver Design

**INVERTER**



Grill  
1100W



Microwave  
1000W

## NN-GD37H

23L

- 23L Compact Grill Microwave Oven
- 1000W Quartz Heater for Crispy Cuisine
- Quick 30 Function
- Inverter Turbo Defrost
- Eco & Bright Lamp
- Black Color



Grill  
1000W



Microwave  
1000W

**INVERTER**



+ Combination

## NN-ST65J

32L

- 32L Inverter Microwave Oven
- 1000W Quick 30 Functions
- Add Time Function
- Auto Reheat and 19 Auto Menus
- Inverter Turbo Defrost
- Eco & Bright Lamp
- Sleek and Stylish Black Design



Microwave  
1000W

**INVERTER**

## NN-ST67J

32L

- 32L Inverter Microwave Oven
- 1000W Quick 30 Functions
- Add Time Function
- Sensor Reheat and 19 Auto Menus
- Inverter Turbo Defrost
- Eco & Bright Lamp
- Sleek and Stylish Silver Design / Stainless-Steel  
Only Available in KSA



Microwave  
1000W

**INVERTER**

## NN-ST34H

25L

- 25L Microwave Oven
- 800W Microwave
- Turbo Defrost
- Auto Cook Menu - 8 Categories
- 288Mm Turntable



Microwave  
800W

Model No.			NN-CD87K	NN-CT65	NN-GT67S	NN-GD37H	NN-ST65J	NN-ST67J	NN-ST34H
Category			Convection	Convection	Grill	Grill	Solo	Solo	Solo
Oven Capacity			34	27	31	23	32	32	25
Colour			Stainless Steel	Silver	Silver with Black Glass Mirror	Black	Black	Stainless Steel	Black and Silver body
Inverter			Yes	No	Yes	Yes	Yes	Yes	No
Power Source	Convection ( Temperature )		220 °C	200 °C	-	-	-	-	-
Cooking Functions	MW Power Level		7	5	6	6	6	6	5
	Reheat		One push sensor reheat	Auto Reheat	Sensor Reheat	Auto Reheat	Auto Reheat	Sensor Reheat	Auto Reheat
	Defrost Mode		Inverter turbo defrost	Auto Defrost	Inverter turbo defrost	Inverter turbo defrost	Inverter turbo defrost	Inverter turbo defrost	Turbo Defrost
	Auto Menu		30	101	20	15	19	19	8
User-Friendly Features	Control Panel		Dial and Button	Touch	Membrane	Dial + Touch	Membrane	Membrane	Membrane
	Word Prompting Display		Yes	No	No	No	No	No	-
	Child Safety Lock		Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Oven Interior		Stainless Steel	Stainless Steel	Paint (Gray)	Paint (Grey)	Paint (Grey)	Paint (Grey)	Epoxy
	Turntable		360mm	315mm	340mm	285mm	340mm	340mm	288mm
Cookign	Microwave	W	1000W	900W	1000W	1000W	1000W	1000W	800W
	Grill Heater	W	1300W	1350W	1100W	1000W	-	-	-
	Convection Heater	W	1300W	2300W	-	-	-	-	-
Outside Dimension (Hx WxD)		mm	343 x 560 x 450	306 x 513 x 471	310 x 525 x 401	279 x 488 x 395	310 x 525 x 388	310 x 525 x 388	287 x 485 x 400
Oven Dimension (HxWxD)		mm	228.4 x 380 x 390	239 x 330 x 348	247 x 359 x 362	178 x 315 x 353	251 x 355 x 365	251 x 355 x 365	227 x 315 x 349
Wight (Approx)		kg	18	17	13	10	15	12	13
Power			50Hz	50Hz	50Hz	50Hz	50Hz (KSA model is 60/50Hz)	60/50Hz (KSA model only)	50Hz (KSA model is 60/50Hz)
Plug			3 PIN	3 PIN	3 PIN	3 PIN	3 PIN	3 PIN	3 & 2 PIN (KSA model only 3 Pin)
Availability			ME + AFRICA	ME + AFRICA	ME + AFRICA	ME + AFRICA	ME + AFRICA	KSA only	ME + AFRICA



## NC-K301 1.7L

- New Cylindrical Stainless steel body and lid
- Easy one push button for opening the lid with one hand
- Easy to read water level indicator
- High intensity LED Light
- Removable Anti-scale filter keeps water hygienic
- Easy to keep clean with large lid diameter



## NC-K101 1.7L

- New Cylindrical body with matte finish
- Easy one push button for opening the lid with one hand
- Easy to read water level indicator
- High intensity LED Light
- Removable Anti-scale filter keeps water hygienic
- Easy to keep clean with large lid diameter



## NT-H900 9L

- Upper & Lower Heaters
- °230-70C Wide Temperature Control
- Compact Exterior, Large Interior
- Heat Installation & Protection




## Specifications

Model No.		NC-K301	NC-K101
Power supply		240-220 V - 50-60 Hz	
Power Consumption		2200-1850W	
WDH (Approx.)	Body only	241 x 218 x 144 (mm)	225 x 232 x 144 (mm)
	With bottom parts	241 x 239 x 144 (mm)	225 x 255 x 144 (mm)
Weight (Approx.)	Body only	0.88 kg	0.73 kg
	With bottom parts	1.12 kg	0.98 kg
Capacity (Approx.)		1.7 L	
Power code length (Approx.)		0.70 m	
Availability		UAE, OMAN, BAHRAIN, KUWAIT	QATAR, BAHRAIN, KUWAIT

Model No.		NT-H900
Max.Locked Wattage	w	1000
Timer		15 Minutes timer with bell
Dimension (Approx) (WxDxH)	mm	366 x 274 x 204 (Outer) 296 x 202 x 169 (Inner)
Weight(Approx)	kg	3.1
Availability		KUWAIT,UAE, AFRICA

**CS/CU-V18XKF, CS/CU-V18VKF** | 18k BTU Fixed Speed Split AC  
**CS/CU-V24XKF, CS/CU-V24VKF** | 24k BTU Fixed Speed Split AC

- **Type:** Cool Only
- **Compressor Type:** Rotary
- **Piping Length (Maxim / Height Difference):** 40 Mtr / 30 Mtr




**55°C AMBIENT**



**CS/CU-PV18XK, CS/CU-PV18VKF** | 18k BTU Fixed Speed Split AC  
**CS/CU-PV24XK, CS/CU-PV24VKF** | 24k BTU Fixed Speed Split AC  
**CS/CU-PV30XKF, CS/CU-PV30VKF** | 30k BTU Fixed Speed Split AC

- **Type:** Cool Only
- **Compressor Type:** Rotary
- **Piping Length (Maxim / Height Difference):** 40 Mtr / 30 Mtr



**55°C AMBIENT**

**52°C AMBIENT**  
(CS/CU-PV30VKF)



**CS/CU-TU18WKY-5** | 18k BTU Inverter Split AC  
**CS/CU-TU24WKY-5** | 24k BTU Inverter Split AC

- **Type:** Cool Only
- **Compressor Type:** Twin Rotary
- **Piping Length (Maxim / Height Difference):** CS/CU-TU18WKY-5 (15 Mtr / 7.5 Mtr)  
CS/CU-TU24WKY-5 (20 Mtr / 7.5 Mtr)




**54°C AMBIENT**



**CS/CU-RV18XKF, CS/CU-RV18VKF** | 18k BTU Fixed Speed Split AC  
**CS/CU-RV24XKF, CS/CU-RV24VKF** | 24k BTU Fixed Speed Split AC  
**CS/CU-RV30XKF, CS/CU-RV30VKF** | 30k BTU Fixed Speed Split AC

- **Type:** Cool Only
- **Compressor Type:** Reciprocating
- **Piping Length (Maxim / Height Difference):** 10 Mtr / 5 Mtr



**55°C AMBIENT**





## CS/CU-KV18UKF-5 | 18k BTU Fixed Speed Split AC

## CS/CU-KV24UKF-5 | 24k BTU Fixed Speed Split AC

- **Type:** Cool Only
- **Compressor Type:** Rotary
- **Piping Length (Maxim / Height Difference):** 15 Mtr / 7.5 Mtr



## CS/CU-KV30UKF-5 | 30k BTU Fixed Speed Split AC


- **Type:** Cool Only
- **Compressor Type:** Rotary
- **Piping Length (Maxim / Height Difference):** 15 Mtr / 7.5 Mtr



## CS/CU-UV18WKF | 18k BTU Fixed Speed Split AC

## CS/CU-UV24WKF | 24k BTU Fixed Speed Split AC

- **Type:** Cool Only
- **Compressor Type:** Rotary
- **Piping Length (Maxim / Height Difference):** 15 Mtr / 5 Mtr




## CS/CU-UV30WKF | 30k BTU Fixed Speed Split AC

- **Type:** Cool Only
- **Compressor Type:** Rotary
- **Piping Length (Maxim / Height Difference):** 15 Mtr / 5 Mtr



\*UV30 Silver : For UAE & OMAN



**CS/CU-UV30WKF** | 30k BTU Fixed Speed Split AC

- **Type:** Cool Only
- **Compressor Type:** Rotary
- **Piping Length (Maxim / Height Difference):** 15 Mtr / 5 Mtr



**55°C**  
AMBIENT



**CW-SV18WS** | 18k BTU Window AC

**CW-SV24US** | 24k BTU Window AC

- **Type:** Cool Only
- **Compressor Type:** Rotary
- **Piping Length (Maxim / Height Difference):** NA

**52°C**  
AMBIENT



**CS/CU-YV18UKS** | 18k BTU Fixed Speed Split AC

**CS/CU-YV24WKS** | 24k BTU Fixed Speed Split AC

**CS/CU-YV30WKS** | 30k BTU Fixed Speed Split AC


**CS/CU-YW18UKS** | 18k BTU Fixed Speed Split AC

**CS/CU-YW24WKS** | 24k BTU Fixed Speed Split AC

**CS/CU-YW30WKS** | 30k BTU Fixed Speed Split AC

- **Type:** YV Cool Only | Yw Heat & Cool
- **Compressor Type:** Rotary
- **Piping Length (Maxim / Height Difference):** 15 Mtr / 5 Mtr

**52°C**  
AMBIENT



## CS/CU-UE12WKF-9 | 12K BTU Inverter Heat & Cool

- **Type:** Heat Pump
- Tropical T3 Compressor
- Fire-proof PCB



## CS/CU-UE18WKF-9 | 18K BTU Inverter Heat & Cool CS/CU-UE24WKF-9 | 24K BTU Inverter Heat & Cool

- **Type:** Heat Pump
- **Compressor Type:** Inverter Twin Rotary Compressor
- **Piping Length (Maxim / Height Difference):** 15



Model No.	CS/CU-V18XKF, CS/CU-V18VKF	CS/CU-V24XKF, CS/CU-V24VKF	CS/CU-PV18XKF, CS/CU-PV18VKF	CS/CU-PV24XKF, CS/CU-PV24VKF	CS/CU-PV30XKF, CS/CU-PV30VKF	CS/CU-TU18WKY-5	CS/CU-TU24WKY-5	
Type	Cool Only	Cool Only	Cool Only	Cool Only	Cool Only	Cool Only	Cool Only	
Compressor	Fixed Speed, Rotary		Fixed Speed, Rotary			Inverter, Twin Rotary		
Cooling Capacity [Btu/h] (T1/T3)	18300/16000	24000/20500	18300/16000	24000/20500	28000/24200	18200/15250	21630/17900	
Heating Capacity [Btu/h] (T1/T3)	-	-	-	-	-	-	-	
EER [Btu/hW] (T1/T3)	12.12/8.84	11.94/8.72	12.12/8.84	11.94/8.72	11.91/8.64	12.13/8.52	11.69/8.52	
Electrical Data (T1/T3)	Voltage (V)	220-240	220-240	220-240	220-240	220-240	220-240	
	Running current (A)	6.8 / 8.1	9.2/10.6	6.8/8.1	9.2/10.6	10.3/12.5	6.9/8.2	8.5/9.6
	Power input (W)	1510/1810	2010/2350	1510/1810	2010/2350	2350/2800	1500/1790	1850/2100
Pipe Extension (m)	Maximum Pipe Length	40	40	40	40	40	15	20
	Maximum Height Difference	30	30	30	30	30	7.5	7.5
Operating (Ambient) Temperature	55°C	55°C	55°C	55°C	52°C	54°C	54°C	
Net Dimension (IDU / ODU) WxDxH (mm)	302x1120x244 619x824x299	302x1120x244 695x875x320	302x1120x244 619x824x299	302x1120x244 695x875x320	302x1120x244 996x980x370	290x1070x235 619x824x299	290x1070x235 619x824x299	
Gross Dimension (IDU / ODU) WxDxH (mm)	305x1172x378 717x999x446	305x1190x378 783x1049x485	305x1172x378 717x999x446	305x1172x378 783x1049x485	305x1172x378 1138x1095x529	369x1160x281 700x970x416	369x1160x281 700x970x416	
Net / Gross Weight (Kg) (IDU / ODU)	12/41 (N) 14/44 (G)	13/49 (N) 15/53 (G)	12/41 (N) 14/44 (G)	13/49 (N) 15/53 (G)	13/71 (N) 15/79 (G)	12/31 (N) 14/35 (G)	12/34 (N) 14/37.5 (G)	
Country of Origin	Malaysia	Malaysia	Malaysia	Malaysia	Malaysia	India	India	
Applicable Markets	OMAN, UAE	OMAN, UAE	OMAN, Kuwait, UAE, IRAQ	OMAN, Kuwait, UAE, IRAQ	OMAN, Kuwait, UAE, IRAQ	OMAN, UAE	OMAN, UAE	

Model No.	CS/CU-RV18XKF, CS/CU-RV18VKF	CS/CU-RV24XKF, CS/CU-RV24VKF	CS/CU-RV30XKF, CS/CU-RV30VKF	CS/CU-KV18UKF-5	CS/CU-KV24UKF-5	CS/CU-KV30UKF-5	CS/CU-UV18WKF	
Type	Cool Only	Cool Only	Cool Only	Cool Only	Cool Only	Cool Only	Cool Only	
Compressor	Fixed Speed, Rotary			Fixed Speed, Rotary		Fixed Speed, Rotary		
Cooling Capacity [Btu/h] (T1/T3)	18000/16600	25000/22100	30000/26500	17500/15000	21500/18500	27300/23500	18000/16167	
Heating Capacity [Btu/h] (T1/T3)	-	-	-	-	-	-	-	
EER [Btu/hW] (T1/T3)	12.08/8.5	12.08/8.5	12.05/8.5	11.67/8.52	11.50/8.33	11.77/8.55	12.07/9.0	
Electrical Data (T1/T3)	Voltage (V)	220-240	220-240	220-240	230-240	230-240	220-240	220-240
	Running current (A)	6.7/8.8	9.3/11.7	11.1/13.3	6.8/8	8.5/10.1	10.5/12.5	6.4/8.0
	Power input (W)	1490/1953	2070/2600	2483/2962	1500/1760	1870/2220	2320/2750	1491/1796
Pipe Extension (m)	Maximum Pipe Length	15	15	15	15	15	15	15
	Maximum Height Difference	5	5	5	10	10	10	5
Operating (Ambient) Temperature	55°C	55°C	55°C	52°C	52°C	52°C	55°C	
Net Dimension (IDU / ODU) WxDxH (mm)	220x1020x315/ 699x920x380	260x1186x340/ 808x953x433	260x1186x340/ 808x953x433	296x1070x241/ 619x824x299	296x1070x241/ 750x870x320	330x1110x250/ 755x928x328	220x1020x315/ 699x920x380	
Gross Dimension (IDU / ODU) WxDxH (mm)	297x1096x390/ 732x960x430	337x1262x420/ 845x1020x475	337x1262x420/ 845x1020x475	-	-	-	297x1096x390/ 732x960x400	
Net / Gross Weight (Kg) (IDU / ODU)	13/45 (N) 16/54 (G)	19/62 (N) 23/71 (G)	24/72 (N) 31/81 (G)	41/12 (N)	50/12 (N)	56/13 (N)	13/43 (N) 16/47 (G)	
Country of Origin	China	China	China	India	India	India	China	
Applicable Markets	OMAN, UAE,QATAR	OMAN, UAE,QATAR	OMAN, UAE,QATAR	OMAN, UAE	OMAN, UAE	OMAN, UAE	OMAN, UAE	



Model No.	CS/CU-UV24WKF	CS/CU-UV24WKF	CS/CU-UV30WKF	CW-SV18WS	CW-SV24US	CS/CU-YV18UKS	CS/CU-YV24WKS
Type	Cool Only	Cool Only	Cool Only	Cool Only	Cool Only	Cool Only	Cool Only
Compressor	Fixed Speed, Rotary			Rotary		Fixed Speed, Rotary	
Cooling Capacity [Btu/h] (T1/T3)	22800/20248	28000/25000	28000/25000	18000/15000	20000/16100	18000/15500	21000/19200
Heating Capacity [Btu/h] (T1/T3)	-	-	-	-	-	-	-
EER [Btu/hW] (T1/T3)	12.01/9.0	12.12/9.1	12.12/9.1	10.0/7.0	10.3/7.05	11.85/8.35	12.0/8.7
Electrical Data (T1/T3)	Voltage [V]	220-240	220-240	220-240	230-240	230-240	220-240
	Running current [A]	8.1/10.2	10.2/12.2	10.2/12.2	6.8.0/9.6	8.7/10.2	6.8/8.3
	Power input [W]	1898/2249	2310/2775	2310/2775	1800/2143	1942/2284	1519/1856
Pipe Extension (m)	Maximum Pipe Length	15	15	15	-	-	15
	Maximum Height Difference	5	5	5	-	-	5
Operating [Ambient] Temperature	55°C	55°C	55°C	-	-	52°C	52°C
Net Dimension (IDU / ODU) WxDxH (mm)	258x1186x340/ 699x920x380	271x1277x360/ 808x953x433	271x1277x360/ 808x953x433	430x660x680	430x660x680	330x1110x250/ 755x928x328	220x1020x315/ 699x920x380
Gross Dimension (IDU / ODU) WxDxH (mm)	337x1262x420/ 732x960x400	350x1332x437/ 845x1020x475	350x1332x437/ 845x1020x475	468x740x795	468x740x795	1,096x390x312/ 960x400x732	1,265x415x338/ 960x400x732
Net / Gross Weight [Kg] (IDU / ODU)	18/43 (N) 22/47 (G)	22/64 (N) 27/68 (G)	22/64 (N) 27/68 (G)	50 (N)/ 54 (G)	54 (N)/ 58 (G)	13/43 (N) 16/47 (G)	18/43 (N) 26/47 (G)
Country of Origin	China	China	China	India	India	India	China
Applicable Markets	OMAN, UAE,QATAR	OMAN, UAE,QATAR	OMAN, UAE,QATAR	OMAN, UAE	OMAN, UAE	OMAN, UAE	OMAN, UAE

Model No.	CS/CU-UV24WK	CS/CU-UV24WK	CS/CU-UV30WK	CW-SV18WS	CW-SV24US	CS/CU-YV18UKS	CS/CU-YV24WKS
Type	Cool Only	Cool Only	Cool Only	Cool Only	Cool Only	Cool Only	Cool Only
Compressor	Fixed Speed, Rotary			Rotary		Fixed Speed, Rotary	
Cooling Capacity [Btu/h] (T1/T3)	22800/20248	28000/25000	28000/25000	18000/15000	20000/16100	18000/15500	21000/19200
Heating Capacity [Btu/h] (T1/T3)	-	-	-	-	-	-	-
EER [Btu/hW] (T1/T3)	12.01/9.0	12.12/9.1	12.12/9.1	10.0/7.0	10.3/7.05	11.85/8.35	12.0/8.7
Electrical Data (T1/T3)	Voltage [V]	220-240	220-240	220-240	230-240	230-240	220-240
	Running current [A]	8.1/10.2	10.2/12.2	10.2/12.2	6.8.0/9.6	8.7/10.2	6.8/8.3
	Power input [W]	1898/2249	2310/2775	2310/2775	1800/2143	1942/2284	1519/1856
Pipe Extension (m)	Maximum Pipe Length	15	15	15	-	-	15
	Maximum Height Difference	5	5	5	-	-	5
Operating (Ambient) Temperature	55°C	55°C	55°C	-	-	52°C	52°C
Net Dimension (IDU / ODU) WxDxH (mm)	258x1186x340/ 699x920x380	271x1277x360/ 808x953x433	271x1277x360/ 808x953x433	430x660x680	430x660x680	330x1110x250/ 755x928x328	220x1020x315/ 699x920x380
Gross Dimension (IDU / ODU) WxDxH (mm)	337x1262x420/ 732x960x400	350x1332x437/ 845x1020x475	350x1332x437/ 845x1020x475	468x740x795	468x740x795	1,096x390x312/ 960x400x732	1,265x415x338/ 960x400x732
Net / Gross Weight (Kg) (IDU / ODU)	18/43 (N) 22/47 (G)	22/64 (N) 27/68 (G)	22/64 (N) 27/68 (G)	50 (N)/ 54 (G)	54 (N)/ 58 (G)	13/43 (N) 16/47 (G)	18/43 (N) 26/47 (G)
Country of Origin	China	China	China	India	India	India	China
Applicable Markets	OMAN, UAE, QATAR	OMAN, UAE, QATAR	OMAN, UAE, QATAR	OMAN, UAE	OMAN, UAE	OMAN, UAE	OMAN, UAE

Model No.	CS/CU-YV30WKS	CS/CU-YW18UKS	CS/CU-YW24WKS	CS/CU-YW30WKS	
Type	Cool Only	Heat & Cool	Heat & Cool	Heat & Cool	
Compressor	Fixed Speed, Rotary				
Cooling Capacity (Btu/h) (T1/T3)	28600/23600	18000/15500	21000/19200	28600/24800	
Heating Capacity (Btu/h) (T1/T3)	-	18243	18925	27280	
EER (Btu/hW) (T1/T3)	12.4/8.7	11.85/8.35	12.2/8.7	12.4/8.7	
Electrical Data (T1/T3)	Voltage (V)	220-240	220-240	220-240	230-240
	Running current (A)	10.2/12.0	6.7/8.2	7.6/9.8	10.2/12.6
	Power input (W)	2306/2713	1519/1856	1721/2207	2306/2851
Pipe Extension (m)	Maximum Pipe Length	15	15	15	15
	Maximum Height Difference	5	5	5	5
Operating (Ambient) Temperature	52°C	52°C	52°C	52°C	
Net Dimension (IDU / ODU) WxDxH (mm)	1,186x340x258/ 953x433x808	1,020x315x220/ 920x380x699	1,186x340x258/ 920x380x699	1,186x340x258/ 953x433x808	
Gross Dimension (IDU / ODU) WxDxH (mm)	1,265x415x338/ 1,020x475x845	1,094x386x300/ 960x400x732	1,265x415x338/ 960x400x732	1,265x415x338/ 1,020x475x845	
Net / Gross Weight (Kg) (IDU / ODU)	18/60 (N) 26/66 (G)	13/43 (N) 16/47 (G)	18/44 (N) 26/48 (G)	18/62 (N) 26/68 (G)	
Country of Origin	China	China	China	India	
Applicable Markets	OMAN, UAE, QATAR	OMAN, UAE, QATAR	OMAN, UAE, QATAR	OMAN, UAE	

CS/CU-UE12WKF-9	CS/CU-UE18WKF-9	CS/CU-UE24WKF-9
Heat & Cool	Heat & Cool	Heat & Cool
Inverter Twin Rotary Compressor	Inverter Twin Rotary Compressor	Inverter Twin Rotary Compressor
12000	18000	24000
12150	18000	26000
3.05 / 3.15 (T1 Cooling / Heating)	3.05 / 3.21 (T1 Cooling / Heating)	3.05 / 3.15 (T1 Cooling / Heating)
220-240	220-240	230-240
5.1 / 5.0 (T1 Cooling / Heating)	7.8 / 7.6 (T1 Cooling / Heating)	10.3 / 10.8 (T1 Cooling / Heating)
1154 / 1130 (T1 Cooling / Heating)	1730 / 1645 (T1 Cooling / Heating)	2307 / 2420 (T1 Cooling / Heating)
15	15	15
5	5	5
-15 ~60°C	-15 ~60°C	-15 ~60°C
777x250x201 / 754x300x552	1010x315x220 / 849x360x605	1010x315x220/ 927x380x699
840x308x272 / 792x318x575	1096x390x297 / 890x385x628	1096x390x297 / 960x430x732
8/25 (N) 11/29 (G)	13/32 (N) 16/37 (G)	13/41 (N) 16/51 (G)
China	China	India
PAKISTAN	PAKISTAN	PAKISTAN

## F-VXK70M 52 m<sup>2</sup>

- Air Purifier and Humidifier
- nanoe™ air purification for inhibition of 99.9% of bacteria, virus and effective deodorization
- HEPA composite filter for advanced 5 step filtration
- ECONAVI Technology for energy saving
- Powerful circulation with Mega Catcher, 3D Circulation Airflow & Direct Front Suction
- Intelligent dirt, odor & humidity sensor



## F-VXR50M 40 m<sup>2</sup>

- Air Purifier and Humidifier
- nanoe™ air purification for inhibition of 99.9% of bacteria, virus and effective deodorization
- HEPA composite filter for advanced 4 step filtration
- ECONAVI Technology for energy saving
- Powerful circulation with Mega Catcher, 3D Circulation Airflow & Direct Front Suction
- Intelligent dirt, odor, humidity & light sensor



## F-VXL40M 30 m<sup>2</sup>

- Air Purifier and Humidifier
- nanoe™ air purification for inhibition of 99.9% of bacteria, virus and effective deodorization
- 2 in 1 HEPA composite & deodorizing filter
- ECONAVI Technology for energy saving
- Powerful Circulation with House Dust Catcher, 3D circulation airflow & Direct Front Suction
- Intelligent dirt, humidity & light sensor



## F-PBJ30M 20 m<sup>2</sup>

- Compact Air Purifier
- Composite filter for inhibition of virus & bacteria
- Super Nano technology deodorizing filter
- Allergy UK seal of approval
- Powerful Circulation with House Dust Catcher, 3D circulation airflow & Direct Front Suction
- Intelligent odor sensor



Model	F-VXK70	F-VXR50M	F-VXL40	F-PBJ30
Colour	White	Silver	Silver	Red
Applicable Area [m <sup>2</sup> (ff <sup>2</sup> )]	52 (560)	40 (431)	30 (323)	20 (215)
nanoe Purification	nanoe™	nanoe™	nanoe™	-
Air Purifying	High Medium Low	High Medium Low	High Low	High Medium Low
Air Volume [m <sup>3</sup> /min]	6.8 2.8 1.2	5.1 1.9 0.9	4 1.1	2.8 1.8 0.8
Power Consumption [W]	70 10 6	46 9 6	52 6.5	28 20 13
Noise [dB(A)]	54 33 18	51 29 18	49 23	44 35 21
Air Purifying & Humidifying	600 300 150	500 230 150	350 100	
Humidifying Capacity [ml/h]				
Air Volume [m <sup>3</sup> /min]	6.0 2.8 1.2	4.9 2.3 1.3	3.7 1	
Power Consumption [W]	50 12 8	46 13 9	48 6.5	
Noise [dB(A)]	52 33 18	51 34 23	49 23	
HEPA Filter	-	HEPA Composite	-	-
2 in 1 HEPA Composite and Deodorizing Filter	-	-	●	-
Deformaldehyde Filter	-	●	-	-
Large Particle Pre-filter	-	-	-	-
Filter Replace Indicator / Filter Life Check	●	-	●	-
Motor Type	DC	●	DC	AC
3D Circulation Airflow	●	DC	●	●
Twin Airflow Louver	-	●	-	-
Mega Catcher	●	●	-	-
House Dust Catcher	-	●	●	●
ECONAVI (Eco Mode)	ECONAVI	ECONAVI	ECONAVI	-
Auto Mode	●	●	●	-
Turbo Mode	-	●	-	●
Clothes Refresh Mode	-	●	-	-
Sleep Mode (8 hours)	●	2,4,8,Sleep	-	●
Spot Air Mode	-	●	-	-
Sensor	Dirt / Odor / Humidity	Dirt / Odor / Humidity	Dirt / Humidity	-
Light Sensor	-	●	●	-
Clean Sign	●	●	●	-
PM2.5 Indicator	-	-	●	-
Remote Control	-	-	-	-
Humidity Indicator	Digital Indication	●	●	-
Humidity Setting	-	-	-	-
Child Lock	●	●	●	-
Seamless Drive	●	●	●	-
Tank Capacity [L]	3.4	2.3	1.6	-
Auto Resume Function	-	-	-	●
Dimension (HxWxD) [mm]	608 x 390 x 295	560 x 360 x 240	590 x 330 x 250	540 x 311 x 210
Weight [kg]	10.2	8.6	7.2	4.2
Composite Air Filter [Lifespan]	F-ZXFP70Z	F-ZXMP55Z (10 years)	F-ZXLS40Z	F-ZXJD30Z (3 years)
Deodorizing Filter [Lifespan]	F-ZXFD70Z (10 years)	F-ZXHD55Z (10 years)	-	F-ZXJD30Z (3 years)
Humidifying Filter [Lifespan]	F-ZXFE70Z	F-ZXHE50Z (10 years)	F-ZXLE40Z	-
Large Particle Pre-filter [Lifespan]	-	-	-	-
Deformaldehyde Filter [Lifespan]	-	-	-	-
Availability	ME + AF	ME + AF	ME + AF	ME + AF



## KX-TG1611 | KX-TG1711

- 50-Item Caller ID Memory
- 1.25-inch Easy-to-Read Illuminated LCD
- 50-Name & Number Phonebook
- Redial Memory (Up to 10)
- Intercom between Handsets
- Alarm & Clock
- Any Key Answer



## KX-TG6811

- 50-Item Caller ID Memory
- 1.8-inch Backlit LCD on Handset
- Illuminated Keypad & LCD on Handset
- Power Back-Up Operation
- One Touch Eco Mode
- Hands-Free Speakerphone on Handset
- Night Mode (Block Call for Specific Periods)
- Noise Reduction



## KX-TGC220

- Digital Answering System
- 1.6-inch Backlit LCD on Handset
- Shared Phonebook (50 items)
- Nuisance Call Block
- One Touch Eco Mode
- Hands-Free Speakerphone on Handset
- Advanced Alarm
- Clear Sound



## KX-TGC410

---

- 1.6-inch Backlit LCD on Handset
- Hands-Free Speakerphone on Handset
- Key lock
- Power Back-Up Operation
- One Touch Eco Mode
- Nuisance Call Block
- Any Key Answer
- 10 Ringer Melodies / 5 Ringer Tones



## KX-TGD510

---

- 1.6-inch Backlit LCD on Handset
- Illuminated Keypad on Handset
- Power Back-Up Operation
- Eco Mode
- Talking Caller ID
- Key Lock with Password
- Noise Reduction
- Hands-Free Speakerphone on Handset



## KX-TGK210

---

- 1.5-inch Backlit LCD on Handset
- Illuminated Keypad & LCD on Handset
- One Touch Eco Mode
- Nuisance Call Block
- Any Key Answer
- Redial Memory (Up to 10)
- Hands-Free Speakerphone on Handset
- Key Lock



## KX-TGF310

---

- 2 Phones in 1 (Cordless Handset & Corded Handset)
- 1.8-inch Backlit LCD on Handset
- Power Back-Up Operation
- One Touch Eco Mode
- Nuisance Call Block
- Noise Reduction on Cordless Handset
- Customized Sound System on Cordless Handset



Model No.		KX-TG1611 KX-TG1711	KX-TG6811	KX-TGC220	KX-TGC410	KX-TGD510	KX-TGK210	KX-TGF310
Caller ID Memory		50 items	50 items	50 items	50 items	50 items	50 items	50 items
Smart Function Key		-	√ (NR Key)	-	-	-	-	-
Baby Monitor		-	-	-	-	√	-	√
Do Not Disturb Mode (Night mode)		-	√	-	-	√	-	√
Bypassing Do Not Disturb Mode		-	-	-	-	√	√	√
Advanced Alarm Clock A day of the week / Snooze		-	√/√	√/√	√/√	√/√	√/√	√/√
LCD Size		-	1.8 inch	1.8 inch	1.6 inch	1.8 inch	1.5 inch	1.8 inch
Digital Cordless Answering System		-	-	√	-	-	-	-
Total Recording Time (About)		-	-	18 min.	-	-	-	-
Hands-Free Speakerphone		-	√	√	√	√	√	√
Clear Sound		-	√	√	√	√	√	√
Noise Reduction		-	√	-	-	-	-	√
Customized Sound System		-	√	-	-	√	√	√
DECT Security Mode		-	-	-	-	√	-	√
Power Back-Up Operation		-	√	-	√	√	-	√
Nuisance Call Block (Incoming Call Baring)		-	√	√	-	√	-	√
Block Range of Numbers		-	-	√	√	√	√	√
Talk Time		Up to 15 hours	Up to 15 hours	Up to 16 hours	Up to 18 hours	Up to 18 hours	Up to 18 hours	Up to 17 hours
Standby Time		Up to 170 hours	Up to 170 hours	Up to 200 hours	Up to 200 hours	Up to 200 hours	Up to 200 hours	Up to 330 hours
Standby Power Consumption		0.6 W	0.6 W	0.54 W	0.5 W	0.52 W	0.5 W	0.5 W
Rechargeable Batteries		√	√	√	√	√	√	√
One Touch Eco Mode / Eco Mode		-	√	√	√	√	√	√
Dimensions (W x D x H)	Base Unit	90 mm x 100 mm x 50 mm 100 mm x 96 mm x 53 mm	107 mm x 86 mm x 77 mm	107 mm x 96 mm x 77 mm	126 mm x 87 mm x 63 mm	126 mm x 101 mm x 87 mm	64 mm x 70 mm x 193 mm	222 mm x 163 mm x 103 mm
	Handset	49 mm x 30 mm x 159 mm 47 mm x 30 mm x 159 mm	48 mm x 29 mm x 164 mm	47 mm x 30 mm x 164 mm	48 mm x 32 mm x 165 mm	48 mm x 30 mm x 170 mm	51 mm x 31 mm x 177 mm	48 mm x 30 mm x 168 mm
	Charger	72 mm x 76 mm x 43 mm 72 mm x 76 mm x 43 mm	70 mm x 70 mm x 39 mm	70 mm x 70 mm x 37 mm	71 mm x 70 mm x 42 mm	72 mm x 74 mm x 41 mm	72 mm x 74 mm x 41 mm	70 mm x 70 mm x 39 mm
Weight	Base Unit	98 g / 100 g	98 g	100 g	90 g	90 g	140 g	580 g
	Handset	126 g / 130 g	129 g	130 g	130 g	130 g	150 g	140 g
	Charger	50 g / 50 g	39 g	40 g	40 g	40 g	40 g	40 g
Availability		ME + AF	ME + AF	ME + AF	ME + AF	ME + AF	ME + AF	ME

## VL-SWD275

---

- 7 inch LCD DECT Monitor
- 1.3 MP Door Camera
- DECT Wireless monitor
- Voice Changer
- Arabic Language
- Expandable



## VL-SWD272

---

- 7 inch LCD DECT Monitor
- VGA Door Camera
- DECT Wireless monitor
- Expandable
- Arabic Language
- E-lock control



## VL-SV74

---

- 7 inch LCD Monitor
- 1.3 MP Door Camera
- Touch Key
- Expandable
- Arabic Language
- E-lock control



## VL-SV71

---

- 7 inch LCD Monitor
- VGA Door Camera
- 2 wire
- Expandable
- Arabic Language
- E-lock control



## VL-SV70

---

- 7 inch LCD Monitor
- VGA Door Camera
- 2 wire
- Voice Changer
- Arabic Language
- E-lock control



## VL-SVN511

---

- 5 inch LCD Monitor
- VGA Door Camera
- Smartphone connectivity(upto 4)
- Wifi connectivity
- Arabic Language
- Email alert





Model No.	VL-SWD272	VL-SV71, VL-SV70	VL-SWD275, VL-SV74	VL-SVN511
Power source	VL-MWD272: 240-220 V / AC (60/50 Hz)	VL-MV71: 240-220 V AC (60/50 Hz)	VL-MWD275: 240-220 V AC (60/50 Hz) VL-MV74: 240-220 V AC (60/50 Hz)	Power supply unit (VL-PS240) 24 V DC, 0.5 A
Power consumption (approx.) Standby: Operating:	VL-MWD272: 2.5 W	VL-MV71: 2.0 W	VL-MWD275BX/CX/CX1/ML: 2.9 W*4 VL-MV74: 2.3 W*5	1.8 W
	VL-MWD272: 10.0 W	VL-MV71: 10.5 W	VL-MWD275: 13.7 W*4 VL-MV74: 11.3 W*5	10 W
Operating environment	Ambient temperature: Approx. 0 °C to 40+ °C, Relative humidity (non-condensing): up to 90 %			
Display	7-inch wide colour / WVGA	7-inch wide colour / WVGA	7-inch wide colour / WVGA	5-inch wide colour / WVGA
Display language	English, Arabic	English, Arabic	VL-MWD275: English, Arabic VL-MV74: English, Arabic	English, Arabic
Frequency range	VL-MWD272: 1.88 GHz to 1.90 GHz	-	-	IEEE 802.11 b/g/n 2.4 GHz
Installation method	Wall mount (mounting bracket supplied)			
Door station Doorbell	1 door station input 1 doorbell input	1 door station input 1 doorbell input(not for SV70)	1 door station input 1 doorbell input	1 door station input 1 doorbell input
Electric lock release support	Up to 2 (for individual x 1, for public x 1)	Up to 2(for SV71) (for individual x 1, for public x 1)	Up to 2 (for individual x 1, for public x 1)	Up to 3 (for individual x 8*1, for public x 1)
Picture recording	Up to 400 images (up to 50 visitors)	Up to 200 images (up to 50 visitors)	Up to 400 images (up to 50 visitors)	Up to 400 images (up to 50 visitors)
Voice changer	Yes	Yes	Yes	Yes
Wireless monitor	Up to 6 VL-WD613	-	Up to 6 VL-WD619 for VL-SWD275	-
Extension monitor	Up to 3 (VL-MWD272)	Up to 3 (VL-MV71)	Up to 3	-
Repeater	Up to 2 (VL-FKD2)	-	Up to 2 (VL-FKD2) for VL-SWD275	-
Smartphone connect	-	-	-	Up to 4
E-mail notification	-	-	-	Up to 4*10
Intercom call	Yes (between main, sub and extension monitor)	Yes(for SV71) (between main and extension monitor)	Yes (between main and extension monitor)	-
Availability	ME + AF	ME + AF	ME + AF	ME + AF

