

# Commercial Panel

## GM Series

Giant Screen with RS232 Control



Distributed by  
**Panasonic**

## Application

Ultra HD TV, with high-end design and multiple functions, is suitable for **conference rooms, high-end residences, etc.**, greatly enhancing the interactive entertainment experience and supporting RS232 control.



## Key Features


- 4K Resolution
- ADSDS Technology
- 500nits
- DP Daisy Chain
- RS232 Control
- Super Wide Viewing Angle
- Mounting Bracket Included
- Structure Strengthened for Commercial Use
- 24/7 Operation
- Landscape or Portrait Orientation

## Specifications


Model	GM98A-M	GM110B-M
<b>Display</b>		
Screen Size (Diagonal)	98"	110"
Native Resolution	3840 × 2160	3840 × 2160
Refresh Rate	60Hz	120Hz
Color Depth	1.07G (8Bit+FRC)	1.07G (8Bit+Hi FRC)
Aspect Ratio	16:9	16:9
Brightness	500 cd/m <sup>2</sup>	500 cd/m <sup>2</sup>
Pixel Pitch	0.562x0.562mm	-
Display Area	2158.85(H) x 1214.35(V) mm	2436.48 (H) x 1370.52(V) mm
Contrast	1300:1	1200:1
View Angle	178°(H) / 178°(V)	178°(H) / 178°(V)
Life Time (Light Source)	50,000 Hrs	50,000 Hrs
Operation Time (Hr/Day)	24/7	24/7
<b>Interface</b>		
O/S	Monitor	Monitor
<b>Interface</b>		
A/V Input	HDMI × 4 (1.4 × 2, 2.0 × 2) / DP × 2 (1.2 × 2)	HDMI × 4 (1.4 × 2, 2.0 × 2) / DP × 2 (1.2 × 2)
A/V Output	DP × 1 (1.2)	DP × 1 (1.2)
External Control	RS232 × 2 (RJ45, Daisy Chain)	RS232 × 2 (RJ45, Daisy Chain)
USB	-	-
Networks	LAN × 2	LAN × 2
Built-In Speaker	15W x 2 (6Ω)	10W × 2 (8Ω)
<b>Power</b>		
Power supply	AC 100-240V 50/60Hz	AC 100-240V 50/60Hz
Power Consumption (Typ.)	≤ 600 W	≤ 500 W
Power Consumption (Standby)	≤ 0.5 W	≤ 0.5 W
<b>Environment</b>		
Operation Temperature	0°C-40°C	0°C-40°C
Operation Humidity	10%-80% RH	10%-80% RH
<b>Physical</b>		
Bezel	17 mm (Even Bezel)	17 mm (Even Bezel)
Body Dimension	2198 (W) × 1253 (H) × 79.2 (D) mm	2474 (W) × 1408 (H) × 90 (D) mm
Set Weight	80 Kg	80 Kg
Package Dimension	2450 (W) × 1590 (H) × 500 (D) mm	2680 (W) × 1730 (H) × 320 (D) mm
Package Weight	103 Kg	110 Kg
Wall hanging screws	M8	M8, 30
VESA Mounting	800 × 800	1500 × 600 mm
Mounted Bracket Included	Yes	Yes

## GM Series - Giant Screen with RS232 Control

GM98A-M 98"



GM110B-M 110"



\*Stand is not provided as default