

**Panasonic
R32 Cooling &
Heating Multi-Split
Air Conditioning
System Combination
Capacity Table**

CU-2Z52WBH-8: Only Wall-Mounted Indoor Combination

Indoor unit capacity		COOLING OPERATION										HEATING OPERATION										
		Cooling Capacity (kW)					Input Power (W)		Current (A)			Heating Capacity (kW)					Input Power (W)		Current (A)			
		Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V
1 Room	16	1.60	-	-	-	1.60	1.1 ~ 2.3	430	220 ~ 620	2.20	2.00	2.60	-	-	-	-	2.60	0.7 ~ 3.8	730	170 ~ 1150	3.60	3.30
	20	2.00	-	-	-	2.00	1.1 ~ 2.9	540	220 ~ 790	2.70	2.50	3.20	-	-	-	-	3.20	0.7 ~ 4.8	890	170 ~ 1450	4.30	4.00
	25	2.50	-	-	-	2.50	1.1 ~ 3.5	690	220 ~ 1020	3.40	3.10	3.60	-	-	-	-	3.60	0.7 ~ 5.5	1070	170 ~ 1740	5.20	4.80
	35	3.50	-	-	-	3.50	1.1 ~ 4.0	1030	220 ~ 1240	5.10	4.60	4.50	-	-	-	-	4.50	0.7 ~ 6.2	1290	170 ~ 1850	6.30	5.70
	42	4.20	-	-	-	4.20	1.1 ~ 4.5	1380	220 ~ 1520	6.80	6.20	5.00	-	-	-	-	5.00	1.1 ~ 6.4	1590	210 ~ 2220	7.70	7.10
	50	5.00	-	-	-	5.00	1.2 ~ 5.1	1710	230 ~ 1810	8.30	7.60	5.30	-	-	-	-	5.30	1.1 ~ 6.8	1680	210 ~ 2330	8.10	7.50
2 Rooms	16 + 16	1.60	1.60	-	-	3.20	1.5 ~ 4.0	680	250 ~ 990	3.30	3.00	2.60	2.60	-	-	-	5.20	1.1 ~ 7.0	1210	210 ~ 1910	5.70	5.20
	16 + 20	1.60	2.00	-	-	3.60	1.5 ~ 4.5	780	250 ~ 1150	3.80	3.50	2.40	3.00	-	-	-	5.40	1.1 ~ 7.0	1260	210 ~ 1890	5.90	5.40
	16 + 25	1.60	2.50	-	-	4.10	1.5 ~ 5.2	900	250 ~ 1370	4.40	4.00	2.20	3.40	-	-	-	5.60	1.1 ~ 7.0	1310	210 ~ 1890	6.20	5.70
	16 + 35	1.65	3.55	-	-	5.20	1.5 ~ 6.0	1350	250 ~ 1620	6.40	5.90	1.90	4.20	-	-	-	6.10	1.1 ~ 7.0	1430	210 ~ 1890	6.70	6.20
	16 + 42	1.45	3.75	-	-	5.20	1.5 ~ 6.0	1350	250 ~ 1620	6.40	5.90	1.70	4.40	-	-	-	6.10	1.1 ~ 7.2	1430	210 ~ 1900	6.70	6.20
	16 + 50	1.25	3.95	-	-	5.20	1.5 ~ 6.0	1350	250 ~ 1620	6.40	5.90	1.50	4.60	-	-	-	6.10	1.1 ~ 7.2	1430	210 ~ 1900	6.70	6.20
	20 + 20	2.00	2.00	-	-	4.00	1.5 ~ 5.0	890	250 ~ 1310	4.30	4.00	2.80	2.80	-	-	-	5.60	1.1 ~ 7.0	1310	210 ~ 1870	6.20	5.70
	20 + 25	2.00	2.50	-	-	4.50	1.5 ~ 5.2	1030	250 ~ 1370	4.90	4.50	2.60	3.20	-	-	-	5.80	1.1 ~ 7.0	1360	210 ~ 1870	6.40	5.90
	20 + 35	1.90	3.30	-	-	5.20	1.5 ~ 6.0	1350	250 ~ 1620	6.40	5.90	2.20	3.90	-	-	-	6.10	1.1 ~ 7.2	1430	210 ~ 1900	6.70	6.20
	20 + 42	1.70	3.50	-	-	5.20	1.5 ~ 6.0	1350	250 ~ 1620	6.40	5.90	1.95	4.15	-	-	-	6.10	1.1 ~ 7.2	1430	210 ~ 1900	6.70	6.20
	20 + 50	1.50	3.70	-	-	5.20	1.5 ~ 6.0	1350	250 ~ 1620	6.40	5.90	1.75	4.35	-	-	-	6.10	1.1 ~ 7.2	1430	210 ~ 1900	6.70	6.20
	25 + 25	2.60	2.60	-	-	5.20	1.5 ~ 6.0	1350	250 ~ 1620	6.40	5.90	3.05	3.05	-	-	-	6.10	1.1 ~ 7.2	1430	210 ~ 1900	6.70	6.20
	25 + 35	2.15	3.05	-	-	5.20	1.5 ~ 6.0	1350	250 ~ 1620	6.40	5.90	2.55	3.55	-	-	-	6.10	1.1 ~ 7.2	1430	210 ~ 1900	6.70	6.20
	25 + 42	1.95	3.25	-	-	5.20	1.5 ~ 6.0	1350	250 ~ 1620	6.40	5.90	2.30	3.80	-	-	-	6.10	1.1 ~ 7.2	1430	210 ~ 1900	6.70	6.20
	25 + 50	1.75	3.45	-	-	5.20	1.5 ~ 6.0	1350	250 ~ 1620	6.40	5.90	2.05	4.05	-	-	-	6.10	1.1 ~ 7.2	1430	210 ~ 1900	6.70	6.20
	35 + 35	2.60	2.60	-	-	5.20	1.5 ~ 6.0	1350	250 ~ 1620	6.40	5.90	3.05	3.05	-	-	-	6.10	1.1 ~ 7.2	1430	210 ~ 1900	6.70	6.20
35 + 42	2.35	2.85	-	-	5.20	1.5 ~ 6.0	1350	250 ~ 1620	6.40	5.90	2.75	3.35	-	-	-	6.10	1.1 ~ 7.2	1430	210 ~ 1900	6.70	6.20	

CU-2Z52WBH-8: Free Multi Indoor Combination

Indoor unit capacity		COOLING OPERATION										HEATING OPERATION										
		Cooling Capacity (kW)					Input Power (W)		Current (A)			Heating Capacity (kW)					Input Power (W)		Current (A)			
		Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V
1 Room	16	1.60	-	-	-	1.60	1.1 ~ 2.3	460	220 ~ 650	2.30	2.10	2.60	-	-	-	-	2.60	0.7 ~ 3.8	760	170 ~ 1180	3.70	3.40
	20	2.00	-	-	-	2.00	1.1 ~ 2.9	570	220 ~ 820	2.80	2.60	3.20	-	-	-	-	3.20	0.7 ~ 4.8	920	170 ~ 1480	4.50	4.10
	25	2.50	-	-	-	2.50	1.1 ~ 3.5	720	220 ~ 1050	3.60	3.30	3.60	-	-	-	-	3.60	0.7 ~ 5.5	1100	170 ~ 1770	5.30	4.90
	35	3.50	-	-	-	3.50	1.1 ~ 4.0	1060	220 ~ 1270	5.20	4.80	4.50	-	-	-	-	4.50	0.7 ~ 6.2	1320	170 ~ 1880	6.40	5.90
	42	4.20	-	-	-	4.20	1.1 ~ 4.5	1410	220 ~ 1550	6.90	6.40	5.00	-	-	-	-	5.00	1.1 ~ 6.4	1620	210 ~ 2250	7.90	7.20
	50	5.00	-	-	-	5.00	1.2 ~ 5.1	1740	230 ~ 1840	8.40	7.70	5.30	-	-	-	-	5.30	1.1 ~ 6.8	1710	210 ~ 2360	8.30	7.60
2 Rooms	16 + 16	1.60	1.60	-	-	3.20	1.5 ~ 4.0	740	250 ~ 1050	3.60	3.30	2.60	2.60	-	-	-	5.20	1.1 ~ 7.0	1270	210 ~ 1970	6.00	5.50
	16 + 20	1.60	2.00	-	-	3.60	1.5 ~ 4.5	840	250 ~ 1210	4.10	3.70	2.40	3.00	-	-	-	5.40	1.1 ~ 7.0	1320	210 ~ 1950	6.20	5.70
	16 + 25	1.60	2.50	-	-	4.10	1.5 ~ 5.2	960	250 ~ 1430	4.70	4.30	2.20	3.40	-	-	-	5.60	1.1 ~ 7.0	1370	210 ~ 1950	6.40	5.90
	16 + 35	1.65	3.55	-	-	5.20	1.5 ~ 6.0	1410	250 ~ 1680	6.70	6.10	1.90	4.20	-	-	-	6.10	1.1 ~ 7.0	1490	210 ~ 1950	7.00	6.40
	16 + 42	1.45	3.75	-	-	5.20	1.5 ~ 6.0	1410	250 ~ 1680	6.70	6.10	1.70	4.40	-	-	-	6.10	1.1 ~ 7.2	1490	210 ~ 1960	7.00	6.40
	16 + 50	1.25	3.95	-	-	5.20	1.5 ~ 6.0	1410	250 ~ 1680	6.70	6.10	1.50	4.60	-	-	-	6.10	1.1 ~ 7.2	1490	210 ~ 1960	7.00	6.40
	20 + 20	2.00	2.00	-	-	4.00	1.5 ~ 5.0	950	250 ~ 1370	4.60	4.20	2.80	2.80	-	-	-	5.60	1.1 ~ 7.0	1370	210 ~ 1930	6.40	5.90
	20 + 25	2.00	2.50	-	-	4.50	1.5 ~ 5.2	810	250 ~ 1430	3.90	3.50	2.60	3.20	-	-	-	5.80	1.1 ~ 7.0	1420	210 ~ 1930	6.70	6.10
	20 + 35	1.90	3.30	-	-	5.20	1.5 ~ 6.0	1410	250 ~ 1680	6.70	6.10	2.20	3.90	-	-	-	6.10	1.1 ~ 7.2	1490	210 ~ 1960	7.00	6.40
	20 + 42	1.70	3.50	-	-	5.20	1.5 ~ 6.0	1410	250 ~ 1680	6.70	6.10	1.95	4.15	-	-	-	6.10	1.1 ~ 7.2	1490	210 ~ 1960	7.00	6.40
	20 + 50	1.50	3.70	-	-	5.20	1.5 ~ 6.0	1410	250 ~ 1680	6.70	6.10	1.75	4.35	-	-	-	6.10	1.1 ~ 7.2	1490	210 ~ 1960	7.00	6.40
	25 + 25	2.60	2.60	-	-	5.20	1.5 ~ 6.0	1410	250 ~ 1680	6.70	6.10	3.05	3.05	-	-	-	6.10	1.1 ~ 7.2	1490	210 ~ 1960	7.00	6.40
	25 + 35	2.15	3.05	-	-	5.20	1.5 ~ 6.0	1410	250 ~ 1680	6.70	6.10	2.55	3.55	-	-	-	6.10	1.1 ~ 7.2	1490	210 ~ 1960	7.00	6.40
	25 + 42	1.95	3.25	-	-	5.20	1.5 ~ 6.0	1410	250 ~ 1680	6.70	6.10	2.30	3.80	-	-	-	6.10	1.1 ~ 7.2	1490	210 ~ 1960	7.00	6.40
	25 + 50	1.75	3.45	-	-	5.20	1.5 ~ 6.0	1410	250 ~ 1680	6.70	6.10	2.05	4.05	-	-	-	6.10	1.1 ~ 7.2	1490	210 ~ 1960	7.00	6.40
	35 + 35	2.60	2.60	-	-	5.20	1.5 ~ 6.0	1410	250 ~ 1680	6.70	6.10	3.05	3.05	-	-	-	6.10	1.1 ~ 7.2	1490	210 ~ 1960	7.00	6.40
35 + 42	2.35	2.85	-	-	5.20	1.5 ~ 6.0	1410	250 ~ 1680	6.70	6.10	2.75	3.35	-	-	-	6.10	1.1 ~ 7.2	1490	210 ~ 1960	7.00	6.40	

• Specification based on JIS C 9612 standard.
 • A minimum of 2 indoor units must be connected.

CU-3Z54WBH-8: Only Wall-Mounted Indoor Combination

Indoor unit capacity		COOLING OPERATION										HEATING OPERATION										
		Cooling Capacity (kW)					Input Power (W)		Current (A)			Heating Capacity (kW)					Input Power (W)		Current (A)			
		Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V
1 Room	16	1.60	-	-	-	1.60	1.3 ~ 2.3	420	250 ~ 660	2.2	2.0	2.60	-	-	-	-	2.60	1.2 ~ 3.2	640	290 ~ 1000	3.3	3.0
	20	2.00	-	-	-	2.00	1.8 ~ 2.9	520	340 ~ 830	2.7	2.5	3.20	-	-	-	-	3.20	1.2 ~ 4.1	780	290 ~ 1270	4.0	3.7
	25	2.50	-	-	-	2.50	1.8 ~ 2.9	650	340 ~ 830	3.2	2.9	3.60	-	-	-	-	3.60	1.2 ~ 4.3	980	290 ~ 1270	4.9	4.5
	35	3.50	-	-	-	3.50	1.8 ~ 3.8	960	340 ~ 1380	4.5	4.2	4.50	-	-	-	-	4.50	1.2 ~ 5.8	1270	290 ~ 2140	6.3	5.8
	42	4.20	-	-	-	4.20	1.8 ~ 4.3	1390	340 ~ 2010	6.5	6.0	5.60	-	-	-	-	5.60	1.2 ~ 6.8	1760	290 ~ 2970	8.2	7.5
	50	5.00	-	-	-	5.00	1.9 ~ 5.4	1630	340 ~ 2150	7.9	7.3	6.80	-	-	-	-	6.80	1.2 ~ 6.9	2350	290 ~ 2840	11.3	10.4
2 Rooms	16 + 16	1.60	1.60	-	-	3.20	1.8 ~ 6.2	630	330 ~ 2130	3.2	3.0	2.60	2.60	-	-	-	5.20	1.4 ~ 7.0	1340	340 ~ 2070	6.4	5.9
	16 + 20	1.60	2.00	-	-	3.60	1.8 ~ 6.2	770	330 ~ 2090	3.8	3.5	2.58	3.22	-	-	-	5.80	1.4 ~ 7.0	1520	330 ~ 2030	7.3	6.7
	16 + 25	1.60	2.50	-	-	4.10	1.8 ~ 6.2	920	330 ~ 2090	4.5	4.1	2.42	3.78	-	-	-	6.20	1.4 ~ 7.0	1650	330 ~ 2030	7.9	7.2
	16 + 35	1.60	3.50	-	-	5.10	1.8 ~ 6.3	1350	330 ~ 2100	6.4	5.9	2.20	4.80	-	-	-	7.00	1.4 ~ 7.3	1900	290 ~ 2130	9.0	8.2
	16 + 42	1.49	3.91	-	-	5.40	1.9 ~ 6.4	1500	350 ~ 2140	7.2	6.6	1.93	5.07	-	-	-	7.00	1.4 ~ 7.3	1890	310 ~ 2120	8.9	8.2
	16 + 50	1.31	4.09	-	-	5.40	1.9 ~ 6.8	1320	340 ~ 2080	6.3	5.8	1.70	5.30	-	-	-	7.00	1.4 ~ 8.0	1710	270 ~ 2230	8.2	7.5
	20 + 20	2.00	2.00	-	-	4.00	1.8 ~ 6.2	890	330 ~ 2050	4.4	4.0	3.20	3.20	-	-	-	6.40	1.4 ~ 7.0	1710	320 ~ 2030	8.2	7.5
	20 + 25	2.00	2.50	-	-	4.50	1.8 ~ 6.2	1080	330 ~ 2050	5.2	4.8	3.02	3.78	-	-	-	6.80	1.4 ~ 7.0	1840	290 ~ 2030	8.7	8.0
	20 + 35	1.96	3.44	-	-	5.40	1.8 ~ 6.3	1470	330 ~ 2060	7.0	6.4	2.55	4.45	-	-	-	7.00	1.4 ~ 7.3	1890	280 ~ 2120	8.9	8.2
	20 + 42	1.74	3.66	-	-	5.40	1.9 ~ 6.4	1470	350 ~ 2100	7.0	6.4	2.26	4.74	-	-	-	7.00	1.4 ~ 7.3	1850	300 ~ 2080	8.7	8.0
	20 + 50	1.54	3.86	-	-	5.40	1.9 ~ 6.8	1280	340 ~ 2080	6.1	5.6	2.00	5.00	-	-	-	7.00	1.4 ~ 8.0	1700	270 ~ 2230	8.1	7.4
	25 + 25	2.50	2.50	-	-	5.00	1.8 ~ 6.2	1320	330 ~ 2050	6.3	5.8	3.50	3.50	-	-	-	7.00	1.4 ~ 7.2	1900	290 ~ 2100	9.0	8.2
	25 + 35	2.25	3.15	-	-	5.40	1.9 ~ 6.3	1470	350 ~ 2060	7.0	6.4	2.92	4.08	-	-	-	7.00	1.4 ~ 7.3	1890	280 ~ 2120	8.9	8.2
	25 + 42	2.01	3.39	-	-	5.40	1.9 ~ 6.4	1470	350 ~ 2100	7.0	6.4	2.61	4.39	-	-	-	7.00	1.4 ~ 7.3	1850	280 ~ 2080	8.7	8.0
	25 + 50	1.80	3.60	-	-	5.40	1.9 ~ 6.8	1280	340 ~ 2080	6.1	5.6	2.33	4.67	-	-	-	7.00	1.4 ~ 8.0	1700	240 ~ 2230	8.1	7.4
	35 + 35	2.70	2.70	-	-	5.40	1.9 ~ 6.4	1430	350 ~ 2060	6.8	6.3	3.50	3.50	-	-	-	7.00	1.4 ~ 7.5	1840	270 ~ 2140	8.7	8.0
35 + 42	2.45	2.95	-	-	5.40	1.9 ~ 6.5	1430	350 ~ 2110	6.8	6.3	3.18	3.82	-	-	-	7.00	1.4 ~ 7.5	1830	260 ~ 2140	8.7	7.9	
35 + 50	2.22	3.18	-	-	5.40	1.9 ~ 6.9	1280	360 ~ 2080	6.1	5.6	2.88	4.12	-	-	-	7.00	1.4 ~ 8.0	1680	240 ~ 2160	8.0	7.4	
42 + 42	2.70	2.70	-	-	5.40	1.9 ~ 6.5	1430	350 ~ 2110	6.8	6.3	3.50	3.50	-	-	-	7.00	1.4 ~ 7.6	1790	260 ~ 2170	8.5	7.8	
42 + 50	2.47	2.93	-	-	5.40	1.9 ~ 6.9	1280	360 ~ 2080	6.1	5.6	3.20	3.80	-	-	-	7.00	1.4 ~ 8.0	1680	240 ~ 2160	8.0	7.4	
3 Rooms	16 + 16 + 16	1.60	1.60	1.60	-	4.80	1.8 ~ 7.2	930	360 ~ 2140	4.5	4.2	2.33	2.33	2.33	-	-	6.99	1.5 ~ 8.1	1550	290 ~ 2270	7.3	6.9
	16 + 16 + 20	1.66	1.66	2.08	-	5.40	1.8 ~ 7.3	1120	360 ~ 2180	5.4	5.1	2.15	2.15	2.70	-	-	7.00	1.6 ~ 9.0	1540	320 ~ 2630	7.3	6.8
	16 + 16 + 25	1.52	1.52	2.36	-	5.40	1.9 ~ 7.2	1120	390 ~ 2090	5.4	5.1	1.96	1.96	3.08	-	-	7.00	1.6 ~ 9.0	1540	320 ~ 2630	7.3	6.8
	16 + 16 + 35	1.29	1.29	2.82	-	5.40	1.9 ~ 7.2	1120	390 ~ 2050	5.4	5.1	1.67	1.67	3.66	-	-	7.00	1.6 ~ 9.0	1520	340 ~ 2610	7.2	6.7
	16 + 16 + 42	1.17	1.17	3.06	-	5.40	1.8 ~ 7.3	1120	390 ~ 2090	5.4	5.1	1.51	1.51	3.98	-	-	7.00	1.6 ~ 9.0	1510	310 ~ 2560	7.1	6.7
	16 + 16 + 50	1.05	1.05	3.30	-	5.40	1.8 ~ 7.3	1050	420 ~ 1920	5.1	4.7	1.37	1.37	4.26	-	-	7.00	1.6 ~ 9.0	1410	330 ~ 2410	6.7	6.2
	16 + 20 + 20	1.54	1.93	1.93	-	5.40	1.9 ~ 7.2	1120	390 ~ 2090	5.4	5.1	2.00	2.50	2.50	-	-	7.00	1.6 ~ 9.0	1530	310 ~ 2620	7.2	6.8
	16 + 20 + 25	1.42	1.77	2.21	-	5.40	1.9 ~ 7.2	1120	390 ~ 2090	5.4	5.1	1.84	2.30	2.86	-	-	7.00	1.6 ~ 9.0	1530	310 ~ 2620	7.2	6.8
	16 + 20 + 35	1.22	1.52	2.66	-	5.40	1.9 ~ 7.2	1120	390 ~ 2010	5.4	5.1	1.58	1.97	3.45	-	-	7.00	1.6 ~ 9.0	1510	340 ~ 2560	7.1	6.7
	16 + 20 + 42	1.11	1.38	2.91	-	5.40	1.8 ~ 7.3	1120	390 ~ 2090	5.4	5.1	1.44	1.79	3.77	-	-	7.00	1.6 ~ 9.0	1510	310 ~ 2550	7.1	6.7
	16 + 20 + 50	1.00	1.26	3.14	-	5.40	1.8 ~ 7.3	1050	420 ~ 1880	5.1	4.7	1.30	1.63	4.07	-	-	7.00	1.6 ~ 9.0	1410	340 ~ 2400	6.7	6.2
	16 + 25 + 25	1.30	2.05	2.05	-	5.40	1.9 ~ 7.2	1120	390 ~ 2090	5.4	5.1	1.70	2.65	2.65	-	-	7.00	1.6 ~ 9.0	1530	310 ~ 2620	7.2	6.8
	16 + 25 + 35	1.14	1.78	2.48	-	5.40	1.8 ~ 7.3	1120	390 ~ 2090	5.4	5.1	1.47	2.30	3.23	-	-	7.00	1.6 ~ 9.0	1510	340 ~ 2560	7.1	6.7
	16 + 25 + 42	1.04	1.63	2.73	-	5.40	1.8 ~ 7.3	1120	390 ~ 2090	5.4	5.1	1.35	2.11	3.54	-	-	7.00	1.6 ~ 9.0	1510	310 ~ 2550	7.1	6.7
	16 + 25 + 50	0.95	1.48	2.97	-	5.40	1.8 ~ 7.3	1050	420 ~ 1880	5.1	4.7	1.23	1.92	3.85	-	-	7.00	1.6 ~ 9.0	1410	340 ~ 2400	6.7	6.2
	16 + 35 + 35	1.00	2.20	2.20	-	5.40	1.8 ~ 7.3	1090	390 ~ 2050	5.3	4.9	1.30	2.85	2.85	-	-	7.00	1.6 ~ 9.0	1500	320 ~ 2530	7.1	6.6
	16 + 35 + 42	0.93	2.03	2.44	-	5.40	1.8 ~ 7.3	1090	390 ~ 2050	5.3	4.9	1.20	2.63	3.17	-	-	7.00	1.6 ~ 9.0	1490	320 ~ 2520	7.0	6.6
	20 + 20 + 20	1.80	1.80	1.80	-	5.40	1.9 ~ 7.2	1120	390 ~ 2050	5.4	5.1	2.33	2.33	2.33	-	-	6.99	1.6 ~ 9.0	1530	310 ~ 2610	7.2	6.8
	20 + 20 + 25	1.66	1.66	2.08	-	5.40	1.9 ~ 7.2	1120	390 ~ 2050	5.4	5.1	2.15	2.15	2.70	-	-	7.00	1.6 ~ 9.0	1530	310 ~ 2610	7.2	6.8
	20 + 20 + 35	1.44	1.44	2.52	-	5.40	1.9 ~ 7.2	1120	390 ~ 2010	5.4	5.1	1.87	1.87	3.26	-	-	7.00	1.6 ~ 9.0	1510	340 ~ 2550	7.1	6.7
	20 + 20 + 42	1.32	1.32	2.76	-	5.40	1.8 ~ 7.3	1090	390 ~ 2050	5.3	4.9	1.71	1.71	3.58	-	-	7.00	1.6 ~ 9.0	1500	320 ~ 2540	7.1	6.6
	20 + 20 + 50	1.20	1.20	3.00	-	5.40	1.8 ~ 7.3	1050	420 ~ 1880	5.1	4.7	1.56	1.56	3.88	-	-	7.00	1.6 ~ 9.0	1400	340 ~ 2390	6.6	6.2
	20 + 25 + 25	1.54	1.93	1.93	-	5.40	1.9 ~ 7.2	1120	390 ~ 2050	5.4	5.1	2.00	2.50	2.50	-	-	7.00	1.6 ~ 9.0	1530	310 ~ 2610	7.2	6.8
	20 + 25 + 35	1.35	1.69	2.36	-	5.40	1.9 ~ 7.2	1120	390 ~ 2010	5.4	5.1	1.75	2.19	3.06	-	-	7.00	1.6 ~ 9.0	1510	340 ~ 2550	7.1	6.7
20 + 25 + 42	1.24	1.55	2.61	-	5.40	1.8 ~ 7.3	1090	390 ~ 2050	5.3	4.9	1.61	2.01	3.38	-	-	7.00	1.6 ~ 9.0	1500	320 ~ 2540	7.1	6.6	
20 + 25 + 50	1.14	1.42	2.84	-	5.40	1.8 ~ 7.3	1050	420 ~ 1880	5.1	4.7	1.47	1.84	3.69	-	-	7.00	1.6 ~ 9.0	1400	340 ~ 2390	6.6	6.2	
25 + 35 + 35	1.20	2.10																				

CU-3Z54WBH-8: Free Multi Indoor Combination

Indoor unit capacity		COOLING OPERATION										HEATING OPERATION										
		Cooling Capacity (kW)					Input Power (W)		Current (A)			Heating Capacity (kW)					Input Power (W)		Current (A)			
		Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V
1 Room	16	1.60	-	-	-	1.60	1.3 ~ 2.3	450	250 ~ 690	2.4	2.2	2.60	-	-	-	-	2.60	1.2 ~ 3.2	700	290 ~ 1060	3.5	3.2
	20	2.00	-	-	-	2.00	1.8 ~ 2.9	550	340 ~ 860	2.8	2.6	3.20	-	-	-	-	3.20	1.2 ~ 4.1	840	290 ~ 1330	4.3	3.9
	25	2.50	-	-	-	2.50	1.8 ~ 2.9	680	340 ~ 860	3.4	3.1	3.60	-	-	-	-	3.60	1.2 ~ 4.3	1040	290 ~ 1330	5.2	4.7
	35	3.50	-	-	-	3.50	1.8 ~ 3.8	990	340 ~ 1410	4.7	4.3	4.50	-	-	-	-	4.50	1.2 ~ 5.8	1330	290 ~ 2200	6.6	6.1
	42	4.20	-	-	-	4.20	1.8 ~ 4.3	1420	340 ~ 2040	6.7	6.1	5.60	-	-	-	-	5.60	1.2 ~ 6.8	1820	290 ~ 3030	8.4	7.7
	50	5.00	-	-	-	5.00	1.9 ~ 5.4	1630	340 ~ 2150	7.9	7.3	6.80	-	-	-	-	6.80	1.2 ~ 6.9	2350	290 ~ 2840	11.3	10.4
2 Rooms	16 + 16	1.60	1.60	-	-	3.20	1.8 ~ 6.2	690	330 ~ 2190	3.5	3.2	2.60	2.60	-	-	-	5.20	1.4 ~ 7.0	1460	340 ~ 2190	7.0	6.4
	16 + 20	1.60	2.00	-	-	3.60	1.8 ~ 6.2	830	330 ~ 2150	4.1	3.7	2.58	3.22	-	-	-	5.80	1.4 ~ 7.0	1640	330 ~ 2150	7.8	7.2
	16 + 25	1.60	2.50	-	-	4.10	1.8 ~ 6.2	980	330 ~ 2150	4.8	4.4	2.42	3.78	-	-	-	6.20	1.4 ~ 7.0	1770	330 ~ 2150	8.4	7.7
	16 + 35	1.60	3.50	-	-	5.10	1.8 ~ 6.3	1410	330 ~ 2160	6.7	6.2	2.20	4.80	-	-	-	7.00	1.4 ~ 7.3	2020	290 ~ 2250	9.6	8.8
	16 + 42	1.49	3.91	-	-	5.40	1.9 ~ 6.4	1560	350 ~ 2200	7.5	6.8	1.93	5.07	-	-	-	7.00	1.4 ~ 7.3	2010	310 ~ 2240	9.5	8.7
	16 + 50	1.31	4.09	-	-	5.40	1.9 ~ 6.8	1380	340 ~ 2140	6.6	6.0	1.70	5.30	-	-	-	7.00	1.4 ~ 8.0	1830	270 ~ 2350	8.7	7.9
	20 + 20	2.00	2.00	-	-	4.00	1.8 ~ 6.2	950	330 ~ 2110	4.6	4.2	3.20	3.20	-	-	-	6.40	1.4 ~ 7.0	1830	320 ~ 2150	8.7	7.9
	20 + 25	2.00	2.50	-	-	4.50	1.8 ~ 6.2	1140	330 ~ 2110	5.5	5.0	3.02	3.78	-	-	-	6.80	1.4 ~ 7.0	1960	290 ~ 2150	9.3	8.5
	20 + 35	1.96	3.44	-	-	5.40	1.8 ~ 6.3	1530	330 ~ 2120	7.3	6.7	2.55	4.45	-	-	-	7.00	1.4 ~ 7.3	2010	280 ~ 2240	9.5	8.7
	20 + 42	1.74	3.66	-	-	5.40	1.9 ~ 6.4	1530	350 ~ 2160	7.3	6.7	2.26	4.74	-	-	-	7.00	1.4 ~ 7.3	1970	300 ~ 2200	9.3	8.5
	20 + 50	1.54	3.86	-	-	5.40	1.9 ~ 6.8	1340	340 ~ 2140	6.4	5.9	2.00	5.00	-	-	-	7.00	1.4 ~ 8.0	1820	270 ~ 2350	8.6	7.9
	25 + 25	2.50	2.50	-	-	5.00	1.8 ~ 6.2	1380	330 ~ 2110	6.6	6.0	3.50	3.50	-	-	-	7.00	1.4 ~ 7.2	2020	290 ~ 2220	9.6	8.8
	25 + 35	2.25	3.15	-	-	5.40	1.9 ~ 6.3	1530	350 ~ 2120	7.3	6.7	2.92	4.08	-	-	-	7.00	1.4 ~ 7.3	2010	280 ~ 2240	9.5	8.7
	25 + 42	2.01	3.39	-	-	5.40	1.9 ~ 6.4	1530	350 ~ 2160	7.3	6.7	2.61	4.39	-	-	-	7.00	1.4 ~ 7.3	1970	280 ~ 2200	9.3	8.5
	25 + 50	1.80	3.60	-	-	5.40	1.9 ~ 6.8	1340	340 ~ 2140	6.4	5.9	2.33	4.67	-	-	-	7.00	1.4 ~ 8.0	1820	240 ~ 2350	8.6	7.9
	35 + 35	2.70	2.70	-	-	5.40	1.9 ~ 6.4	1490	350 ~ 2120	7.1	6.5	3.50	3.50	-	-	-	7.00	1.4 ~ 7.5	1960	270 ~ 2260	9.3	8.5
35 + 42	2.45	2.95	-	-	5.40	1.9 ~ 6.5	1490	350 ~ 2170	7.1	6.5	3.18	3.82	-	-	-	7.00	1.4 ~ 7.5	1950	260 ~ 2260	9.2	8.5	
35 + 50	2.22	3.18	-	-	5.40	1.9 ~ 6.9	1340	360 ~ 2140	6.4	5.9	2.88	4.12	-	-	-	7.00	1.4 ~ 8.0	1800	240 ~ 2280	8.5	7.8	
42 + 42	2.70	2.70	-	-	5.40	1.9 ~ 6.5	1490	350 ~ 2170	7.1	6.5	3.50	3.50	-	-	-	7.00	1.4 ~ 7.6	1910	260 ~ 2290	9.0	8.3	
42 + 50	2.47	2.93	-	-	5.40	1.9 ~ 6.9	1340	360 ~ 2140	6.4	5.9	3.20	3.80	-	-	-	7.00	1.4 ~ 8.0	1800	240 ~ 2280	8.5	7.8	
3 Rooms	16 + 16 + 16	1.60	1.60	1.60	-	4.80	1.8 ~ 7.2	1020	360 ~ 2230	5.0	4.6	2.33	2.33	2.33	-	-	6.99	1.5 ~ 8.1	1730	290 ~ 2450	8.2	7.6
	16 + 16 + 20	1.66	1.66	2.08	-	5.40	1.8 ~ 7.3	1210	360 ~ 2270	5.8	5.5	2.15	2.15	2.70	-	-	7.00	1.6 ~ 9.0	1720	320 ~ 2810	8.1	7.6
	16 + 16 + 25	1.52	1.52	2.36	-	5.40	1.9 ~ 7.2	1210	390 ~ 2180	5.8	5.5	1.96	1.96	3.08	-	-	7.00	1.6 ~ 9.0	1720	320 ~ 2810	8.1	7.6
	16 + 16 + 35	1.29	1.29	2.82	-	5.40	1.9 ~ 7.2	1210	390 ~ 2140	5.8	5.5	1.67	1.67	3.66	-	-	7.00	1.6 ~ 9.0	1700	340 ~ 2790	8.0	7.5
	16 + 16 + 42	1.17	1.17	3.06	-	5.40	1.8 ~ 7.3	1210	390 ~ 2180	5.8	5.5	1.51	1.51	3.98	-	-	7.00	1.6 ~ 9.0	1690	310 ~ 2740	8.0	7.5
	16 + 16 + 50	1.05	1.05	3.30	-	5.40	1.8 ~ 7.3	1140	420 ~ 2010	5.5	5.1	1.37	1.37	4.26	-	-	7.00	1.6 ~ 9.0	1590	330 ~ 2590	7.5	7.0
	16 + 20 + 20	1.54	1.93	1.93	-	5.40	1.9 ~ 7.2	1210	390 ~ 2180	5.8	5.5	2.00	2.50	2.50	-	-	7.00	1.6 ~ 9.0	1710	310 ~ 2800	8.1	7.6
	16 + 20 + 25	1.42	1.77	2.21	-	5.40	1.9 ~ 7.2	1210	390 ~ 2180	5.8	5.5	1.84	2.30	2.86	-	-	7.00	1.6 ~ 9.0	1710	310 ~ 2800	8.1	7.6
	16 + 20 + 35	1.22	1.52	2.66	-	5.40	1.9 ~ 7.2	1210	390 ~ 2100	5.8	5.5	1.58	1.97	3.45	-	-	7.00	1.6 ~ 9.0	1690	340 ~ 2740	8.0	7.5
	16 + 20 + 42	1.11	1.38	2.91	-	5.40	1.8 ~ 7.3	1210	390 ~ 2180	5.8	5.5	1.44	1.79	3.77	-	-	7.00	1.6 ~ 9.0	1690	310 ~ 2730	8.0	7.5
	16 + 20 + 50	1.00	1.26	3.14	-	5.40	1.8 ~ 7.3	1140	420 ~ 1970	5.5	5.1	1.30	1.63	4.07	-	-	7.00	1.6 ~ 9.0	1590	340 ~ 2580	7.5	7.0
	16 + 25 + 25	1.30	2.05	2.05	-	5.40	1.9 ~ 7.2	1210	390 ~ 2180	5.8	5.5	1.70	2.65	2.65	-	-	7.00	1.6 ~ 9.0	1710	310 ~ 2800	8.1	7.6
	16 + 25 + 35	1.14	1.78	2.48	-	5.40	1.8 ~ 7.3	1210	390 ~ 2180	5.8	5.5	1.47	2.30	3.23	-	-	7.00	1.6 ~ 9.0	1690	340 ~ 2740	8.0	7.5
	16 + 25 + 42	1.04	1.63	2.73	-	5.40	1.8 ~ 7.3	1210	390 ~ 2180	5.8	5.5	1.35	2.11	3.54	-	-	7.00	1.6 ~ 9.0	1690	310 ~ 2730	8.0	7.5
	16 + 25 + 50	0.95	1.48	2.97	-	5.40	1.8 ~ 7.3	1140	420 ~ 1970	5.5	5.1	1.23	1.92	3.85	-	-	7.00	1.6 ~ 9.0	1590	340 ~ 2580	7.5	7.0
	16 + 35 + 35	1.00	2.20	2.20	-	5.40	1.8 ~ 7.3	1180	390 ~ 2140	5.7	5.3	1.30	2.85	2.85	-	-	7.00	1.6 ~ 9.0	1680	320 ~ 2710	7.9	7.4
	16 + 35 + 42	0.93	2.03	2.44	-	5.40	1.8 ~ 7.3	1180	390 ~ 2140	5.7	5.3	1.20	2.63	3.17	-	-	7.00	1.6 ~ 9.0	1670	320 ~ 2700	7.9	7.4
	20 + 20 + 20	1.80	1.80	1.80	-	5.40	1.9 ~ 7.2	1210	390 ~ 2140	5.8	5.5	2.33	2.33	2.33	-	-	6.99	1.6 ~ 9.0	1710	310 ~ 2790	8.1	7.6
	20 + 20 + 25	1.66	1.66	2.08	-	5.40	1.9 ~ 7.2	1210	390 ~ 2140	5.8	5.5	2.15	2.15	2.70	-	-	7.00	1.6 ~ 9.0	1710	310 ~ 2790	8.1	7.6
	20 + 20 + 35	1.44	1.44	2.52	-	5.40	1.9 ~ 7.2	1210	390 ~ 2100	5.8	5.5	1.87	1.87	3.26	-	-	7.00	1.6 ~ 9.0	1690	340 ~ 2730	8.0	7.5
	20 + 20 + 42	1.32	1.32	2.76	-	5.40	1.8 ~ 7.3	1180	390 ~ 2140	5.7	5.3	1.71	1.71	3.58	-	-	7.00	1.6 ~ 9.0	1680	320 ~ 2720	7.9	7.4
	20 + 20 + 50	1.20	1.20	3.00	-	5.40	1.8 ~ 7.3	1140	420 ~ 1970	5.5	5.1	1.56	1.56	3.88	-	-	7.00	1.6 ~ 9.0	1580	340 ~ 2570	7.5	7.0
	20 + 25 + 25	1.54	1.93	1.93	-	5.40	1.9 ~ 7.2	1210	390 ~ 2140	5.8	5.5	2.00	2.50	2.50	-	-	7.00	1.6 ~ 9.0	1710	310 ~ 2790	8.1	7.6
	20 + 25 + 35	1.35	1.69	2.36	-	5.40	1.9 ~ 7.2	1210	390 ~ 2100	5.8	5.5	1.75	2.19	3.06	-	-	7.00	1.6 ~ 9.0	1690	340 ~ 2730	8.0	7.5
20 + 25 + 42	1.24	1.55	2.61	-	5.40	1.8 ~ 7.3	1180	390 ~ 2140	5.7	5.3	1.61	2.01	3.38	-	-	7.00	1.6 ~ 9.0	1680	320 ~ 2720	7.9	7.4	
20 + 25 + 50	1.14	1.42	2.84	-	5.40	1.8 ~ 7.3	1140	420 ~ 1970	5.5	5.1	1.47	1.84	3.69	-	-	7.00	1.6 ~ 9.0	1580	340 ~ 2570	7.5	7.0	
25 + 35 + 35	1.20	2.10	2.10	-	5.40	1.8 ~ 7.3	1180	390 ~ 210														

CU-4Z71WBH-8: Only Wall-Mounted Indoor Combination

Indoor unit capacity		COOLING OPERATION										HEATING OPERATION										
		Cooling Capacity (kW)					Input Power (W)		Current (A)			Heating Capacity (kW)					Input Power (W)		Current (A)			
		Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V
1 Room	16	1.60	-	-	-	1.60	1.3 ~ 2.3	420	250 ~ 660	2.2	2.0	2.60	-	-	-	-	2.60	1.2 ~ 3.2	640	290 ~ 1000	3.3	3.0
	20	2.00	-	-	-	2.00	1.8 ~ 2.9	520	340 ~ 830	2.7	2.5	3.20	-	-	-	-	3.20	1.2 ~ 4.1	780	290 ~ 1270	4.0	3.7
	25	2.50	-	-	-	2.50	1.8 ~ 2.9	650	340 ~ 830	3.4	3.1	3.60	-	-	-	-	3.60	1.2 ~ 4.3	980	290 ~ 1270	5.1	4.7
	35	3.50	-	-	-	3.50	1.8 ~ 3.8	960	340 ~ 1380	4.8	4.4	4.50	-	-	-	-	4.50	1.2 ~ 5.8	1270	290 ~ 2140	6.5	5.9
	42	4.20	-	-	-	4.20	1.8 ~ 4.3	1390	340 ~ 2010	6.8	6.2	5.60	-	-	-	-	5.60	1.2 ~ 6.8	1760	290 ~ 2970	8.5	7.8
	50	5.00	-	-	-	5.00	1.9 ~ 5.4	1630	340 ~ 2150	7.9	7.3	6.80	-	-	-	-	6.80	1.2 ~ 6.9	2350	290 ~ 2840	11.3	10.4
	60	6.00	-	-	-	6.00	1.9 ~ 6.2	2050	340 ~ 2350	9.7	8.9	8.50	-	-	-	-	8.50	1.3 ~ 9.0	2440	320 ~ 2590	11.8	10.8
2 Rooms	16 + 16	1.60	1.60	-	-	3.20	1.9 ~ 6.4	600	270 ~ 2160	3.1	2.9	2.60	2.60	-	-	-	5.20	2.7 ~ 9.8	1380	660 ~ 3090	6.6	6.0
	16 + 20	1.60	2.00	-	-	3.60	1.9 ~ 6.4	730	270 ~ 2120	3.7	3.4	2.58	3.22	-	-	-	5.80	2.7 ~ 9.8	1560	650 ~ 3100	7.5	6.8
	16 + 25	1.60	2.50	-	-	4.10	1.9 ~ 6.4	870	270 ~ 2120	4.3	3.9	2.42	3.78	-	-	-	6.20	2.7 ~ 9.8	1690	650 ~ 3100	8.1	7.4
	16 + 35	1.60	3.50	-	-	5.10	1.9 ~ 6.9	1290	270 ~ 2520	6.2	5.6	2.23	4.87	-	-	-	7.10	2.7 ~ 9.9	1980	630 ~ 3100	9.4	8.6
	16 + 42	1.60	4.20	-	-	5.80	1.9 ~ 6.9	1650	270 ~ 2480	7.9	7.2	2.26	5.94	-	-	-	8.20	2.7 ~ 9.9	2410	630 ~ 3100	11.4	10.4
	16 + 50	1.60	5.00	-	-	6.60	2.0 ~ 7.5	1860	280 ~ 2560	8.8	8.1	2.06	6.44	-	-	-	8.50	2.8 ~ 10.2	2340	560 ~ 3070	11.1	10.1
	16 + 60	1.49	5.61	-	-	7.10	2.0 ~ 7.5	2260	280 ~ 2560	10.7	9.8	1.79	6.71	-	-	-	8.50	2.8 ~ 10.2	2340	560 ~ 3070	11.1	10.1
	20 + 20	2.00	2.00	-	-	4.00	1.9 ~ 6.4	840	270 ~ 2080	4.1	3.8	3.20	3.20	-	-	-	6.40	2.7 ~ 9.8	1750	640 ~ 3100	8.3	7.6
	20 + 25	2.00	2.50	-	-	4.50	1.9 ~ 6.4	1020	270 ~ 2080	5.0	4.6	3.02	3.78	-	-	-	6.80	2.7 ~ 9.8	1880	640 ~ 3100	8.9	8.1
	20 + 35	2.00	3.50	-	-	5.50	1.9 ~ 6.9	1470	270 ~ 2480	7.0	6.4	2.80	4.90	-	-	-	7.70	2.7 ~ 9.9	2190	630 ~ 3100	10.4	9.5
	20 + 42	2.00	4.20	-	-	6.20	1.9 ~ 6.9	1890	270 ~ 2440	8.9	8.2	2.74	5.76	-	-	-	8.50	2.7 ~ 9.9	2520	620 ~ 3110	11.9	10.9
	20 + 50	2.00	5.00	-	-	7.00	2.0 ~ 7.5	2120	280 ~ 2520	10.0	9.2	2.43	6.07	-	-	-	8.50	2.8 ~ 10.2	2340	560 ~ 3070	11.1	10.1
	20 + 60	1.78	5.32	-	-	7.10	2.0 ~ 7.5	2210	280 ~ 2520	10.5	9.6	2.12	6.38	-	-	-	8.50	2.8 ~ 10.2	2340	560 ~ 3070	11.1	10.1
	25 + 25	2.50	2.50	-	-	5.00	1.9 ~ 6.8	1250	270 ~ 2470	6.0	5.5	3.60	3.60	-	-	-	7.20	2.7 ~ 9.8	2020	640 ~ 3100	9.6	8.8
	25 + 35	2.50	3.50	-	-	6.00	1.9 ~ 6.9	1770	270 ~ 2480	8.4	7.7	3.37	4.73	-	-	-	8.10	2.7 ~ 9.9	2330	630 ~ 3100	11.0	10.1
	25 + 42	2.50	4.20	-	-	6.70	1.9 ~ 6.9	2320	270 ~ 2440	11.0	10.1	3.17	5.33	-	-	-	8.50	2.7 ~ 9.9	2520	620 ~ 3110	11.9	10.9
	25 + 50	2.37	4.73	-	-	7.10	1.9 ~ 7.5	2210	260 ~ 2520	10.5	9.6	2.83	5.67	-	-	-	8.50	2.8 ~ 10.2	2340	560 ~ 3070	11.1	10.1
	25 + 60	2.09	5.01	-	-	7.10	1.9 ~ 7.5	2210	260 ~ 2520	10.5	9.6	2.50	6.00	-	-	-	8.50	2.8 ~ 10.2	2340	560 ~ 3070	11.1	10.1
	35 + 35	3.50	3.50	-	-	7.00	1.9 ~ 7.1	2510	270 ~ 2580	11.9	10.9	4.25	4.25	-	-	-	8.50	2.8 ~ 10.0	2470	640 ~ 3100	11.7	10.7
	35 + 42	3.23	3.87	-	-	7.10	1.9 ~ 7.2	2610	270 ~ 2630	12.3	11.3	3.86	4.64	-	-	-	8.50	2.8 ~ 10.0	2470	600 ~ 3100	11.7	10.7
	35 + 50	2.92	4.18	-	-	7.10	2.0 ~ 7.6	2130	280 ~ 2520	10.1	9.2	3.50	5.00	-	-	-	8.50	2.8 ~ 10.3	2280	540 ~ 3050	10.8	9.9
35 + 60	2.62	4.48	-	-	7.10	2.0 ~ 7.6	2130	280 ~ 2520	10.1	9.2	3.13	5.37	-	-	-	8.50	2.8 ~ 10.3	2280	540 ~ 3050	10.8	9.9	
42 + 42	3.55	3.55	-	-	7.10	1.9 ~ 7.2	2560	260 ~ 2630	12.1	11.1	4.25	4.25	-	-	-	8.50	2.8 ~ 10.0	2460	600 ~ 3060	11.6	10.7	
42 + 50	3.24	3.86	-	-	7.10	2.0 ~ 7.6	2130	280 ~ 2480	10.1	9.2	3.88	4.62	-	-	-	8.50	2.8 ~ 10.3	2270	540 ~ 3040	10.7	9.8	
42 + 60	2.92	4.18	-	-	7.10	2.0 ~ 7.6	2130	280 ~ 2480	10.1	9.2	3.50	5.00	-	-	-	8.50	2.8 ~ 10.3	2270	540 ~ 3040	10.7	9.8	
50 + 50	3.55	3.55	-	-	7.10	2.1 ~ 8.1	1870	320 ~ 2540	8.8	8.1	4.25	4.25	-	-	-	8.50	2.8 ~ 10.5	2130	510 ~ 2950	10.1	9.2	
50 + 60	3.23	3.87	-	-	7.10	2.1 ~ 8.1	1870	320 ~ 2540	8.8	8.1	3.86	4.64	-	-	-	8.50	2.8 ~ 10.5	2130	510 ~ 2950	10.1	9.2	
3 Rooms	16 + 16 + 16	1.60	1.60	1.60	-	4.80	1.9 ~ 8.0	1050	270 ~ 2560	5.1	4.6	2.60	2.60	2.60	-	-	7.80	3.3 ~ 10.4	2080	640 ~ 3070	9.8	9.0
	16 + 16 + 20	1.60	1.60	2.00	-	5.20	1.9 ~ 8.0	1190	270 ~ 2520	5.7	5.3	2.58	2.58	3.24	-	-	8.40	3.3 ~ 10.4	2310	640 ~ 3060	10.9	10.0
	16 + 16 + 25	1.60	1.60	2.50	-	5.70	1.9 ~ 8.0	1420	270 ~ 2520	6.8	6.2	2.39	2.39	3.72	-	-	8.50	3.3 ~ 10.4	2350	640 ~ 3060	11.1	10.2
	16 + 16 + 35	1.60	1.60	3.50	-	6.70	1.9 ~ 8.0	1880	270 ~ 2430	8.9	8.1	2.03	2.03	4.44	-	-	8.50	3.3 ~ 10.4	2280	630 ~ 3040	10.8	9.9
	16 + 16 + 42	1.54	1.54	4.02	-	7.10	1.9 ~ 8.1	2100	270 ~ 2520	9.9	9.1	1.84	1.84	4.82	-	-	8.50	3.3 ~ 10.5	2270	620 ~ 3070	10.7	9.8
	16 + 16 + 50	1.39	1.39	4.32	-	7.10	2.0 ~ 8.5	1920	320 ~ 2480	9.1	8.3	1.66	1.66	5.18	-	-	8.50	3.2 ~ 10.7	2140	600 ~ 2970	10.1	9.3
	16 + 16 + 60	1.23	1.23	4.64	-	7.10	2.0 ~ 8.5	1920	320 ~ 2480	9.1	8.3	1.48	1.48	5.54	-	-	8.50	3.2 ~ 10.7	2140	600 ~ 2970	10.1	9.3
	16 + 20 + 20	1.60	2.00	2.00	-	5.60	1.9 ~ 8.0	1340	270 ~ 2520	6.4	5.9	2.42	3.04	3.04	-	-	8.50	3.3 ~ 10.4	2340	630 ~ 3050	11.1	10.1
	16 + 20 + 25	1.60	2.00	2.50	-	6.10	1.9 ~ 8.0	1580	270 ~ 2520	7.5	6.9	2.23	2.79	3.48	-	-	8.50	3.3 ~ 10.4	2340	630 ~ 3050	11.1	10.1
	16 + 20 + 35	1.60	2.00	3.50	-	7.10	1.9 ~ 8.0	2100	270 ~ 2430	9.9	9.1	1.92	2.39	4.19	-	-	8.50	3.3 ~ 10.4	2270	620 ~ 2980	10.7	9.8
	16 + 20 + 42	1.46	1.82	3.82	-	7.10	1.9 ~ 8.1	2100	270 ~ 2480	9.9	9.1	1.74	2.18	4.58	-	-	8.50	3.3 ~ 10.5	2270	620 ~ 3020	10.7	9.8
	16 + 20 + 50	1.32	1.65	4.13	-	7.10	2.0 ~ 8.5	1920	320 ~ 2480	9.1	8.3	1.58	1.98	4.94	-	-	8.50	3.2 ~ 10.7	2130	600 ~ 2960	10.1	9.2
	16 + 20 + 60	1.18	1.48	4.44	-	7.10	2.0 ~ 8.5	1920	320 ~ 2480	9.1	8.3	1.42	1.77	5.31	-	-	8.50	3.2 ~ 10.7	2130	600 ~ 2960	10.1	9.2
	16 + 25 + 25	1.60	2.50	2.50	-	6.60	1.9 ~ 8.0	1830	270 ~ 2520	8.7	7.9	2.06	3.22	3.22	-	-	8.50	3.3 ~ 10.4	2340	630 ~ 3050	11.1	10.1
	16 + 25 + 35	1.49	2.34	3.27	-	7.10	1.9 ~ 8.0	2100	270 ~ 2430	9.9	9.1	1.79	2.80	3.91	-	-	8.50	3.3 ~ 10.4	2270	620 ~ 2980	10.7	9.8
	16 + 25 + 42	1.37	2.14	3.59	-	7.10	1.9 ~ 8.1	2100	270 ~ 2480	9.9	9.1	1.64	2.56	4.30	-	-	8.50	3.3 ~ 10.5	2270	620 ~ 3020	10.7	9.8
	16 + 25 + 50	1.25	1.95	3.90	-	7.10	2.0 ~ 8.5	1920	320 ~ 2480	9.1	8.3	1.49	2.34	4.67	-	-	8.50	3.2 ~ 10.7	2130	600 ~ 2960	10.1	9.2
	16 + 25 + 60	1.12	1.76	4.22	-	7.10	2.0 ~ 8.5	1920	320 ~ 2480	9.1	8.3	1.35	2.10	5.05	-	-	8.50	3.2 ~ 10.7	2130	600 ~ 2960	10.1	9.2
	16 + 35 + 35	1.32	2.89																			

CU-4Z71WBH-8: Only Wall-Mounted Indoor Combination

Indoor unit capacity		COOLING OPERATION										HEATING OPERATION												
		Cooling Capacity (kW)					Input Power (W)		Current (A)			Heating Capacity (kW)					Input Power (W)		Current (A)					
		Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V	
3 Rooms	20 + 20 + 20	2.00	2.00	2.00	-	-	6.00	1.9 ~ 8.0	1540	270 ~ 2470	7.4	6.7	2.83	2.83	2.83	-	-	8.49	3.3 ~ 10.4	2290	630 ~ 3040	10.8	9.9	
	20 + 20 + 25	2.00	2.00	2.50	-	-	6.50	1.9 ~ 8.0	1790	270 ~ 2470	8.5	7.8	2.62	2.62	3.26	-	-	8.50	3.3 ~ 10.4	2290	630 ~ 3040	10.8	9.9	
	20 + 20 + 35	1.89	1.89	3.32	-	-	7.10	1.9 ~ 8.0	2100	270 ~ 2380	9.9	9.1	2.27	2.27	3.96	-	-	8.50	3.3 ~ 10.4	2270	620 ~ 2970	10.7	9.8	
	20 + 20 + 42	1.73	1.73	3.64	-	-	7.10	1.9 ~ 8.1	2060	290 ~ 2480	9.7	8.9	2.07	2.07	4.36	-	-	8.50	3.3 ~ 10.5	2260	620 ~ 3010	10.7	9.8	
	20 + 20 + 50	1.58	1.58	3.94	-	-	7.10	2.0 ~ 8.5	1920	340 ~ 2440	9.1	8.3	1.89	1.89	4.72	-	-	8.50	3.2 ~ 10.7	2120	600 ~ 2950	10.0	9.2	
	20 + 20 + 60	1.42	1.42	4.26	-	-	7.10	2.0 ~ 8.5	1920	340 ~ 2440	9.1	8.3	1.70	1.70	5.10	-	-	8.50	3.2 ~ 10.7	2120	600 ~ 2950	10.0	9.2	
	20 + 25 + 25	2.00	2.50	2.50	-	-	7.00	1.9 ~ 8.0	2060	270 ~ 2470	9.7	8.9	2.42	3.04	3.04	-	-	8.50	3.3 ~ 10.4	2290	630 ~ 3040	10.8	9.9	
	20 + 25 + 35	1.78	2.22	3.10	-	-	7.10	1.9 ~ 8.0	2100	270 ~ 2380	9.9	9.1	2.12	2.66	3.72	-	-	8.50	3.3 ~ 10.4	2270	620 ~ 2970	10.7	9.8	
	20 + 25 + 42	1.63	2.04	3.43	-	-	7.10	1.9 ~ 8.1	2060	290 ~ 2480	9.7	8.9	1.95	2.44	4.11	-	-	8.50	3.3 ~ 10.5	2260	620 ~ 3010	10.7	9.8	
	20 + 25 + 50	1.49	1.87	3.74	-	-	7.10	2.0 ~ 8.5	1920	340 ~ 2440	9.1	8.3	1.79	2.24	4.47	-	-	8.50	3.2 ~ 10.7	2120	600 ~ 2950	10.0	9.2	
	20 + 25 + 60	1.35	1.69	4.06	-	-	7.10	2.0 ~ 8.5	1920	340 ~ 2440	9.1	8.3	1.62	2.02	4.86	-	-	8.50	3.2 ~ 10.7	2120	600 ~ 2950	10.0	9.2	
	20 + 35 + 35	1.58	2.76	2.76	-	-	7.10	1.9 ~ 8.1	2060	290 ~ 2390	9.7	8.9	1.88	3.31	3.31	-	-	8.50	3.3 ~ 10.5	2240	640 ~ 2990	10.6	9.7	
	20 + 35 + 42	1.46	2.56	3.08	-	-	7.10	1.9 ~ 8.2	2010	290 ~ 2480	9.5	8.7	1.75	3.07	3.68	-	-	8.50	3.3 ~ 10.5	2230	640 ~ 2980	10.5	9.7	
	20 + 35 + 50	1.35	2.37	3.38	-	-	7.10	2.0 ~ 8.5	1870	340 ~ 2390	8.8	8.1	1.62	2.83	4.05	-	-	8.50	3.2 ~ 10.7	2100	600 ~ 2920	9.9	9.1	
	20 + 35 + 60	1.23	2.16	3.71	-	-	7.10	2.0 ~ 8.5	1870	340 ~ 2390	8.8	8.1	1.48	2.59	4.43	-	-	8.50	3.2 ~ 10.7	2100	600 ~ 2920	9.9	9.1	
	20 + 42 + 42	1.36	2.87	2.87	-	-	7.10	1.9 ~ 8.2	2010	290 ~ 2430	9.5	8.7	1.64	3.43	3.43	-	-	8.50	3.3 ~ 10.5	2220	630 ~ 2980	10.5	9.6	
	20 + 42 + 50	1.27	2.66	3.17	-	-	7.10	2.0 ~ 8.5	1870	340 ~ 2390	8.8	8.1	1.52	3.19	3.79	-	-	8.50	3.2 ~ 10.6	2090	620 ~ 2870	9.9	9.1	
	25 + 25 + 25	2.36	2.36	2.36	-	-	7.08	1.9 ~ 8.0	2100	270 ~ 2470	9.9	9.1	2.83	2.83	2.83	-	-	8.49	3.3 ~ 10.4	2290	630 ~ 3040	10.8	9.9	
	25 + 25 + 35	2.09	2.09	2.92	-	-	7.10	1.9 ~ 8.0	2100	270 ~ 2380	9.9	9.1	2.50	2.50	3.50	-	-	8.50	3.3 ~ 10.4	2270	620 ~ 2970	10.7	9.8	
	25 + 25 + 42	1.93	1.93	3.24	-	-	7.10	1.9 ~ 8.1	2060	290 ~ 2480	9.7	8.9	2.31	2.31	3.88	-	-	8.50	3.3 ~ 10.5	2260	620 ~ 3010	10.7	9.8	
	25 + 25 + 50	1.78	1.78	3.54	-	-	7.10	2.0 ~ 8.5	1920	340 ~ 2440	9.1	8.3	2.13	2.13	4.24	-	-	8.50	3.2 ~ 10.7	2120	600 ~ 2950	10.0	9.2	
	25 + 25 + 60	1.61	1.61	3.88	-	-	7.10	2.0 ~ 8.5	1920	340 ~ 2440	9.1	8.3	1.93	1.93	4.64	-	-	8.50	3.2 ~ 10.7	2120	600 ~ 2950	10.0	9.2	
	25 + 35 + 35	1.86	2.62	2.62	-	-	7.10	1.9 ~ 8.1	2060	290 ~ 2390	9.7	8.9	2.24	3.13	3.13	-	-	8.50	3.3 ~ 10.5	2240	640 ~ 2990	10.6	9.7	
	25 + 35 + 42	1.74	2.44	2.92	-	-	7.10	1.9 ~ 8.2	2010	290 ~ 2480	9.5	8.7	2.08	2.92	3.50	-	-	8.50	3.3 ~ 10.5	2230	640 ~ 2980	10.5	9.7	
	25 + 35 + 50	1.61	2.26	3.23	-	-	7.10	2.0 ~ 8.5	1870	340 ~ 2390	8.8	8.1	1.93	2.70	3.87	-	-	8.50	3.2 ~ 10.7	2100	600 ~ 2920	9.9	9.1	
	25 + 42 + 42	1.62	2.74	2.74	-	-	7.10	1.9 ~ 8.2	2010	290 ~ 2430	9.5	8.7	1.94	3.28	3.28	-	-	8.50	3.3 ~ 10.5	2220	630 ~ 2980	10.5	9.6	
	35 + 35 + 35	2.36	2.36	2.36	-	-	7.08	1.9 ~ 8.2	2010	290 ~ 2390	9.5	8.7	2.83	2.83	2.83	-	-	8.49	3.3 ~ 10.5	2180	630 ~ 2970	10.3	9.5	
	35 + 35 + 42	2.22	2.22	2.66	-	-	7.10	1.9 ~ 8.2	2010	290 ~ 2390	9.5	8.7	2.66	2.66	3.18	-	-	8.50	3.3 ~ 10.5	2170	630 ~ 2920	10.3	9.4	
	4 Rooms	16 + 16 + 16 + 16	1.60	1.60	1.60	-	-	6.40	1.9 ~ 8.7	1390	340 ~ 2370	6.6	6.2	2.12	2.12	2.12	-	-	8.48	3.0 ~ 10.7	1960	500 ~ 2770	9.3	8.7
		16 + 16 + 16 + 20	1.67	1.67	1.67	2.09	-	7.10	1.9 ~ 8.8	1660	340 ~ 2470	7.9	7.4	2.00	2.00	2.00	2.50	-	8.50	3.0 ~ 10.7	1950	500 ~ 2720	9.2	8.6
16 + 16 + 16 + 25		1.56	1.56	1.56	2.42	-	7.10	1.9 ~ 8.8	1660	340 ~ 2470	7.9	7.4	1.86	1.86	1.86	2.92	-	8.50	3.0 ~ 10.7	1950	500 ~ 2720	9.2	8.6	
16 + 16 + 16 + 35		1.37	1.37	1.37	2.99	-	7.10	1.9 ~ 8.8	1660	340 ~ 2380	7.9	7.4	1.64	1.64	1.64	3.58	-	8.50	3.0 ~ 10.7	1930	500 ~ 2700	9.1	8.5	
16 + 16 + 16 + 42		1.26	1.26	1.26	3.32	-	7.10	1.9 ~ 8.8	1660	340 ~ 2380	7.9	7.4	1.51	1.51	1.51	3.97	-	8.50	3.0 ~ 10.7	1930	500 ~ 2690	9.1	8.5	
16 + 16 + 16 + 50		1.16	1.16	1.16	3.62	-	7.10	1.9 ~ 8.8	1580	400 ~ 2240	7.5	7.1	1.39	1.39	1.39	4.33	-	8.50	3.0 ~ 10.7	1890	560 ~ 2590	8.9	8.4	
16 + 16 + 16 + 60		1.05	1.05	1.05	3.95	-	7.10	1.9 ~ 8.8	1580	400 ~ 2240	7.5	7.1	1.26	1.26	1.26	4.72	-	8.50	3.0 ~ 10.7	1890	560 ~ 2590	8.9	8.4	
16 + 16 + 20 + 20		1.58	1.58	1.97	1.97	-	7.10	1.9 ~ 8.8	1660	340 ~ 2420	7.9	7.4	1.89	1.89	2.36	2.36	-	8.50	3.1 ~ 10.7	1950	520 ~ 2710	9.2	8.6	
16 + 16 + 20 + 25		1.48	1.48	1.84	2.30	-	7.10	1.9 ~ 8.8	1660	340 ~ 2420	7.9	7.4	1.77	1.77	2.20	2.76	-	8.50	3.1 ~ 10.7	1950	520 ~ 2710	9.2	8.6	
16 + 16 + 20 + 35		1.31	1.31	1.63	2.85	-	7.10	1.9 ~ 8.8	1660	340 ~ 2380	7.9	7.4	1.56	1.56	1.95	3.43	-	8.50	3.0 ~ 10.7	1930	500 ~ 2690	9.1	8.5	
16 + 16 + 20 + 42		1.21	1.21	1.51	3.17	-	7.10	1.9 ~ 8.8	1620	370 ~ 2380	7.7	7.2	1.45	1.45	1.80	3.80	-	8.50	3.0 ~ 10.7	1920	520 ~ 2680	9.1	8.5	
16 + 16 + 20 + 50		1.11	1.11	1.39	3.49	-	7.10	1.9 ~ 8.8	1580	400 ~ 2200	7.5	7.1	1.33	1.33	1.67	4.17	-	8.50	3.0 ~ 10.7	1880	570 ~ 2580	8.9	8.3	
16 + 16 + 20 + 60		1.01	1.01	1.27	3.81	-	7.10	1.9 ~ 8.8	1580	400 ~ 2200	7.5	7.1	1.21	1.21	1.52	4.56	-	8.50	3.0 ~ 10.7	1880	570 ~ 2580	8.9	8.3	
16 + 16 + 25 + 25		1.39	1.39	2.16	2.16	-	7.10	1.9 ~ 8.8	1660	340 ~ 2420	7.9	7.4	1.66	1.66	2.59	2.59	-	8.50	3.1 ~ 10.7	1950	520 ~ 2710	9.2	8.6	
16 + 16 + 25 + 35		1.23	1.23	1.93	2.71	-	7.10	1.9 ~ 8.8	1660	340 ~ 2380	7.9	7.4	1.48	1.48	2.31	3.23	-	8.50	3.0 ~ 10.7	1930	500 ~ 2690	9.1	8.5	
16 + 16 + 25 + 42		1.15	1.15	1.79	3.01	-	7.10	1.9 ~ 8.8	1620	370 ~ 2380	7.7	7.2	1.37	1.37	2.15	3.61	-	8.50	3.0 ~ 10.7	1920	520 ~ 2680	9.1	8.5	
16 + 16 + 25 + 50		1.06	1.06	1.66	3.32	-	7.10	1.9 ~ 8.8	1580	400 ~ 2200	7.5	7.1	1.27	1.27	1.99	3.97	-	8.50	3.0 ~ 10.7	1880	570 ~ 2580	8.9	8.3	
16 + 16 + 35 + 35		1.11	1.11	2.44	2.44	-	7.10	1.9 ~ 8.8	1620	370 ~ 2330	7.7	7.2	1.33	1.33	2.92	2.92	-	8.50	3.0 ~ 10.7	1910	530 ~ 2660	9.0	8.4	
16 + 16 + 35 + 42		1.04	1.04	2.28	2.74	-	7.10	1.9 ~ 8.8	1620	370 ~ 2330	7.7	7.2	1.25	1.25	2.72	3.28	-	8.50	3.0 ~ 10.7	1900	530 ~ 2650	9.0	8.4	
16 + 20 + 20 + 20		1.49	1.87	1.87	1.87	-	7.10	1.9 ~ 8.8	1660	340 ~ 2420	7.9	7.4	1.78	2.24	2.24	2.24	-	8.50	3.1 ~ 10.7	1940	520 ~ 2700	9.2	8.6	
16 + 20 + 20 + 25		1.40	1.75	1.75	2.20	-	7.10	1.9 ~ 8.8	1660	340 ~ 2420	7.9	7.4	1.68	2.10	2.10	2.62	-	8.50	3.1 ~ 10.7	1940	520 ~ 2700	9.2	8.6	
16 + 20 + 20 + 35		1.25	1.56	1.56	2.73	-	7.10	1.9 ~ 8.8	1620	370 ~ 2380	7.7	7.2	1.49	1.87	1.87	3.27	-	8.50	3.0 ~ 10.7	1920	520 ~ 2680	9.1	8.5	
16 + 20 + 20 + 42		1.16	1.45	1.45	3.04	-	7.10	1.9 ~ 8.8	1620	370 ~ 2380	7.7	7.2	1.39	1.73	1.73	3.65	-	8.50	3.0 ~ 10.7	1910	520 ~ 2670	9.0	8.4	
16 + 20 + 20 + 50		1.07	1.34	1.34	3.35	-	7.10	1.9 ~ 8.8	1580	420 ~ 2200	7.5	7.1	1.28	1.60	1.60	4.02	-	8.50	3.0 ~ 10.7	1880	590 ~ 2570	8.9	8.3	
16 + 20 + 25 + 25		1.33	1.65	2.06	2.06	-	7.10	1.9 ~ 8.8	1660	340 ~ 2420	7.9	7.4	1.58	1.98	2.47	2.47	-	8.50	3.1 ~ 10.7	1940	520 ~ 2700	9.2	8.6	
16 + 20 + 25 + 35		1.18	1.48	1.85	2.59	-	7.10	1.9 ~ 8.8	1620	370 ~ 2380	7.7</													

CU-4Z71WBH-8: Only Wall-Mounted Indoor Combination

Indoor unit capacity		COOLING OPERATION										HEATING OPERATION											
		Cooling Capacity (kW)						Input Power (W)		Current (A)		Heating Capacity (kW)					Input Power (W)		Current (A)				
		Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V
4 Rooms	16 + 25 + 35 + 35	1.02	1.60	2.24	2.24	-	7.10	1.9 ~ 8.8	1620	370 ~ 2330	7.7	7.2	1.23	1.91	2.68	2.68	-	8.50	3.0 ~ 10.7	1900	530 ~ 2650	9.0	8.4
	20 + 20 + 20 + 20	1.77	1.77	1.77	1.77	-	7.08	1.9 ~ 8.8	1620	340 ~ 2380	7.7	7.2	2.12	2.12	2.12	2.12	-	8.48	3.1 ~ 10.7	1930	520 ~ 2690	9.1	8.5
	20 + 20 + 20 + 25	1.67	1.67	1.67	2.09	-	7.10	1.9 ~ 8.8	1660	340 ~ 2380	7.9	7.4	2.00	2.00	2.00	2.50	-	8.50	3.1 ~ 10.7	1930	520 ~ 2690	9.1	8.5
	20 + 20 + 20 + 35	1.49	1.49	1.49	2.63	-	7.10	1.9 ~ 8.8	1620	370 ~ 2330	7.7	7.2	1.79	1.79	1.79	3.13	-	8.50	3.0 ~ 10.7	1910	520 ~ 2670	9.0	8.4
	20 + 20 + 20 + 42	1.39	1.39	1.39	2.93	-	7.10	1.9 ~ 8.8	1620	370 ~ 2330	7.7	7.2	1.67	1.67	1.67	3.49	-	8.50	3.0 ~ 10.7	1910	530 ~ 2660	9.0	8.4
	20 + 20 + 20 + 50	1.29	1.29	1.29	3.23	-	7.10	1.9 ~ 8.8	1580	420 ~ 2200	7.5	7.1	1.55	1.55	1.55	3.85	-	8.50	3.0 ~ 10.7	1870	590 ~ 2570	8.8	8.3
	20 + 20 + 25 + 25	1.58	1.58	1.97	1.97	-	7.10	1.9 ~ 8.8	1660	340 ~ 2380	7.9	7.4	1.89	1.89	2.36	2.36	-	8.50	3.1 ~ 10.7	1930	520 ~ 2690	9.1	8.5
	20 + 20 + 25 + 35	1.42	1.42	1.78	2.48	-	7.10	1.9 ~ 8.8	1620	370 ~ 2330	7.7	7.2	1.70	1.70	2.12	2.98	-	8.50	3.0 ~ 10.7	1910	520 ~ 2670	9.0	8.4
	20 + 20 + 25 + 42	1.33	1.33	1.66	2.78	-	7.10	1.9 ~ 8.8	1620	370 ~ 2330	7.7	7.2	1.59	1.59	1.98	3.34	-	8.50	3.0 ~ 10.7	1910	530 ~ 2660	9.0	8.4
	20 + 20 + 25 + 50	1.23	1.23	1.54	3.10	-	7.10	1.9 ~ 8.8	1580	420 ~ 2200	7.5	7.1	1.48	1.48	1.84	3.70	-	8.50	3.0 ~ 10.7	1870	590 ~ 2570	8.8	8.3
	20 + 20 + 35 + 35	1.29	1.29	2.26	2.26	-	7.10	1.9 ~ 8.8	1620	370 ~ 2330	7.7	7.2	1.55	1.55	2.70	2.70	-	8.50	3.0 ~ 10.7	1900	530 ~ 2650	9.0	8.4
	20 + 25 + 25 + 25	1.49	1.87	1.87	1.87	-	7.10	1.9 ~ 8.8	1660	340 ~ 2380	7.9	7.4	1.78	2.24	2.24	2.24	-	8.50	3.1 ~ 10.7	1930	520 ~ 2690	9.1	8.5
	20 + 25 + 25 + 35	1.35	1.69	1.69	2.37	-	7.10	1.9 ~ 8.8	1620	370 ~ 2330	7.7	7.2	1.62	2.02	2.02	2.84	-	8.50	3.0 ~ 10.7	1910	520 ~ 2670	9.0	8.4
	20 + 25 + 25 + 42	1.27	1.58	1.58	2.67	-	7.10	1.9 ~ 8.8	1620	370 ~ 2330	7.7	7.2	1.51	1.90	1.90	3.19	-	8.50	3.0 ~ 10.7	1910	530 ~ 2660	9.0	8.4
	20 + 25 + 35 + 35	1.24	1.54	2.16	2.16	-	7.10	1.9 ~ 8.8	1620	370 ~ 2330	7.7	7.2	1.47	1.85	2.59	2.59	-	8.50	3.0 ~ 10.7	1900	530 ~ 2650	9.0	8.4
	25 + 25 + 25 + 25	1.77	1.77	1.77	1.77	-	7.08	1.9 ~ 8.8	1620	340 ~ 2380	7.7	7.2	2.12	2.12	2.12	2.12	-	8.48	3.1 ~ 10.7	1930	520 ~ 2690	9.1	8.5
25 + 25 + 25 + 35	1.61	1.61	1.61	2.27	-	7.10	1.9 ~ 8.8	1620	370 ~ 2330	7.7	7.2	1.93	1.93	1.93	2.71	-	8.50	3.0 ~ 10.7	1910	520 ~ 2670	9.0	8.4	

CU-4Z71WBH-8: Free Multi Indoor Combination

Indoor unit capacity		COOLING OPERATION										HEATING OPERATION										
		Cooling Capacity (kW)						Input Power (W)		Current (A)		Heating Capacity (kW)					Input Power (W)		Current (A)			
		Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V
1 Room	16	1.60	-	-	-	1.60	1.3 ~ 2.3	450	250 ~ 690	2.4	2.2	2.60	-	-	-	-	2.60	1.2 ~ 3.2	700	290 ~ 1060	3.5	3.2
	20	2.00	-	-	-	2.00	1.8 ~ 2.9	550	340 ~ 860	2.8	2.6	3.20	-	-	-	-	3.20	1.2 ~ 4.1	840	290 ~ 1330	4.3	3.9
	25	2.50	-	-	-	2.50	1.8 ~ 2.9	680	340 ~ 860	3.5	3.2	3.60	-	-	-	-	3.60	1.2 ~ 4.3	1040	290 ~ 1330	5.4	4.9
	35	3.50	-	-	-	3.50	1.8 ~ 3.8	990	340 ~ 1410	4.9	4.5	4.50	-	-	-	-	4.50	1.2 ~ 5.8	1330	290 ~ 2200	6.8	6.2
	42	4.20	-	-	-	4.20	1.8 ~ 4.3	1420	340 ~ 2040	6.9	6.3	5.60	-	-	-	-	5.60	1.2 ~ 6.8	1820	290 ~ 3030	8.8	8.0
	50	5.00	-	-	-	5.00	1.9 ~ 5.4	1630	340 ~ 2150	7.9	7.3	6.80	-	-	-	-	6.80	1.2 ~ 6.9	2350	290 ~ 2840	11.3	10.4
	60	6.00	-	-	-	6.00	1.9 ~ 6.2	2080	340 ~ 2380	9.8	9.0	8.50	-	-	-	-	8.50	1.3 ~ 9.0	2500	320 ~ 2650	12.1	11.0
2 Rooms	16 + 16	1.60	1.60	-	-	3.20	1.9 ~ 6.4	660	270 ~ 2220	3.4	3.1	2.60	2.60	-	-	-	5.20	2.7 ~ 9.8	1500	660 ~ 3210	7.2	6.6
	16 + 20	1.60	2.00	-	-	3.60	1.9 ~ 6.4	790	270 ~ 2180	3.9	3.6	2.58	3.22	-	-	-	5.80	2.7 ~ 9.8	1680	650 ~ 3220	8.0	7.4
	16 + 25	1.60	2.50	-	-	4.10	1.9 ~ 6.4	930	270 ~ 2180	4.5	4.2	2.42	3.78	-	-	-	6.20	2.7 ~ 9.8	1810	650 ~ 3220	8.6	7.8
	16 + 35	1.60	3.50	-	-	5.10	1.9 ~ 6.9	1350	270 ~ 2580	6.4	5.9	2.23	4.87	-	-	-	7.10	2.7 ~ 9.9	2100	630 ~ 3220	9.9	9.1
	16 + 42	1.60	4.20	-	-	5.80	1.9 ~ 6.9	1710	270 ~ 2540	8.2	7.5	2.26	5.94	-	-	-	8.20	2.7 ~ 9.9	2530	630 ~ 3220	12.0	11.0
	16 + 50	1.60	5.00	-	-	6.60	2.0 ~ 7.5	1920	280 ~ 2620	9.1	8.3	2.06	6.44	-	-	-	8.50	2.8 ~ 10.2	2460	630 ~ 3190	11.6	10.7
	16 + 60	1.49	5.61	-	-	7.10	2.0 ~ 7.5	2320	280 ~ 2620	11.0	10.1	1.79	6.71	-	-	-	8.50	2.8 ~ 10.2	2460	560 ~ 3190	11.6	10.7
	20 + 20	2.00	2.00	-	-	4.00	1.9 ~ 6.4	900	270 ~ 2140	4.4	4.1	3.20	3.20	-	-	-	6.40	2.7 ~ 9.8	1870	640 ~ 3220	8.8	8.1
	20 + 25	2.00	2.50	-	-	4.50	1.9 ~ 6.4	1080	270 ~ 2140	5.2	4.8	3.02	3.78	-	-	-	6.80	2.7 ~ 9.8	2000	640 ~ 3220	9.5	8.7
	20 + 35	2.00	3.50	-	-	5.50	1.9 ~ 6.9	1530	270 ~ 2540	7.3	6.7	2.80	4.90	-	-	-	7.70	2.7 ~ 9.9	2310	630 ~ 3220	10.9	10.0
	20 + 42	2.00	4.20	-	-	6.20	1.9 ~ 6.9	1950	270 ~ 2500	9.2	8.5	2.74	5.76	-	-	-	8.50	2.7 ~ 9.9	2640	620 ~ 3230	12.5	11.4
	20 + 50	2.00	5.00	-	-	7.00	2.0 ~ 7.5	2180	280 ~ 2580	10.3	9.5	2.43	6.07	-	-	-	8.50	2.8 ~ 10.2	2460	560 ~ 3190	11.6	10.7
	20 + 60	1.78	5.32	-	-	7.10	2.0 ~ 7.5	2270	280 ~ 2580	10.7	9.8	2.12	6.38	-	-	-	8.50	2.8 ~ 10.2	2460	560 ~ 3190	11.6	10.7
	25 + 25	2.50	2.50	-	-	5.00	1.9 ~ 6.8	1310	270 ~ 2530	6.3	5.7	3.60	3.60	-	-	-	7.20	2.7 ~ 9.8	2140	640 ~ 3220	10.1	9.3
	25 + 35	2.50	3.50	-	-	6.00	1.9 ~ 6.9	1830	270 ~ 2540	8.7	7.9	3.37	4.73	-	-	-	8.10	2.7 ~ 9.9	2450	630 ~ 3220	11.6	10.6
	25 + 42	2.50	4.20	-	-	6.70	1.9 ~ 6.9	2380	270 ~ 2500	11.3	10.3	3.17	5.33	-	-	-	8.50	2.7 ~ 9.9	2640	620 ~ 3230	12.5	11.4
	25 + 50	2.37	4.73	-	-	7.10	1.9 ~ 7.5	2270	260 ~ 2580	10.7	9.8	2.83	5.67	-	-	-	8.50	2.8 ~ 10.2	2460	620 ~ 3190	11.6	10.7
	25 + 60	2.09	5.01	-	-	7.10	1.9 ~ 7.5	2270	260 ~ 2580	10.7	9.8	2.50	6.00	-	-	-	8.50	2.8 ~ 10.2	2460	560 ~ 3190	11.6	10.7
	35 + 35	3.50	3.50	-	-	7.00	1.9 ~ 7.1	2570	270 ~ 2640	12.2	11.1	4.25	4.25	-	-	-	8.50	2.8 ~ 10.0	2590	640 ~ 3220	12.2	11.2
	35 + 42	3.23	3.87	-	-	7.10	1.9 ~ 7.2	2670	270 ~ 2690	12.6	11.6	3.86	4.64	-	-	-	8.50	2.8 ~ 10.0	2590	600 ~ 3220	12.2	11.2
	35 + 50	2.92	4.18	-	-	7.10	2.0 ~ 7.6	2190	280 ~ 2580	10.4	9.5	3.50	5.00	-	-	-	8.50	2.8 ~ 10.3	2400	540 ~ 3170	11.3	10.4
	35 + 60	2.62	4.48	-	-	7.10	2.0 ~ 7.6	2190	280 ~ 2580	10.4	9.5	3.13	5.37	-	-	-	8.50	2.8 ~ 10.3	2400	540 ~ 3170	11.3	10.4
	42 + 42	3.55	3.55	-	-	7.10	1.9 ~ 7.2	2620	260 ~ 2690	12.4	11.4	4.25	4.25	-	-	-	8.50	2.8 ~ 10.0	2580	600 ~ 3180	12.2	11.2
42 + 50	3.24	3.86	-	-	7.10	2.0 ~ 7.6	2190	280 ~ 2540	10.4	9.5	3.88	4.62	-	-	-	8.50	2.8 ~ 10.3	2390	540 ~ 3160	11.3	10.4	
42 + 60	2.92	4.18	-	-	7.10	2.0 ~ 7.6	2190	280 ~ 2540	10.4	9.5	3.50	5.00	-	-	-	8.50	2.8 ~ 10.3	2390	540 ~ 3160	11.3	10.4	
50 + 50	3.55	3.55	-	-	7.10	2.1 ~ 8.1	1930	320 ~ 2600	9.1	8.4	4.25	4.25	-	-	-	8.50	2.8 ~ 10.5	2250	510 ~ 3070	10.6	9.8	
50 + 60	3.23	3.87	-	-	7.10	2.1 ~ 8.1	1930	320 ~ 2600	9.1	8.4	3.86	4.64	-	-	-	8.50	2.8 ~ 10.5	2250	510 ~ 3070	10.6	9.8	

• Specification based on JIS C 9612 standard.
 • A minimum of 2 indoor units must be connected.

CU-4Z71WBH-8: Free Multi Indoor Combination

Indoor unit capacity		COOLING OPERATION										HEATING OPERATION											
		Cooling Capacity (kW)						Input Power (W)		Current (A)		Heating Capacity (kW)						Input Power (W)		Current (A)			
		Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V
3 Rooms	16 + 16 + 16	1.60	1.60	1.60	-	-	4.80	1.9 ~ 8.0	1140	270 ~ 2650	5.5	5.0	2.60	2.60	2.60	-	-	7.80	3.3 ~ 10.4	2260	640 ~ 3250	10.7	9.8
	16 + 16 + 20	1.60	1.60	2.00	-	-	5.20	1.9 ~ 8.0	1280	270 ~ 2610	6.1	5.6	2.58	2.58	3.24	-	-	8.40	3.3 ~ 10.4	2490	640 ~ 3240	11.8	10.8
	16 + 16 + 25	1.60	1.60	2.50	-	-	5.70	1.9 ~ 8.0	1510	270 ~ 2610	7.2	6.6	2.39	2.39	3.72	-	-	8.50	3.3 ~ 10.4	2530	640 ~ 3240	12.0	11.0
	16 + 16 + 35	1.60	1.60	3.50	-	-	6.70	1.9 ~ 8.0	1970	270 ~ 2520	9.3	8.5	2.03	2.03	4.44	-	-	8.50	3.3 ~ 10.4	2460	630 ~ 3220	11.6	10.7
	16 + 16 + 42	1.54	1.54	4.02	-	-	7.10	1.9 ~ 8.1	2190	270 ~ 2610	10.4	9.5	1.84	1.84	4.82	-	-	8.50	3.3 ~ 10.5	2450	620 ~ 3250	11.6	10.6
	16 + 16 + 50	1.39	1.39	4.32	-	-	7.10	2.0 ~ 8.5	2010	320 ~ 2570	9.5	8.7	1.66	1.66	5.18	-	-	8.50	3.2 ~ 10.7	2320	600 ~ 3150	11.0	10.1
	16 + 16 + 60	1.23	1.23	4.64	-	-	7.10	2.0 ~ 8.5	2010	320 ~ 2570	9.5	8.7	1.48	1.48	5.54	-	-	8.50	3.2 ~ 10.7	2320	600 ~ 3150	11.0	10.1
	16 + 20 + 20	1.60	2.00	2.00	-	-	5.60	1.9 ~ 8.0	1430	270 ~ 2610	6.8	6.3	2.42	3.04	3.04	-	-	8.50	3.3 ~ 10.4	2520	630 ~ 3230	11.9	10.9
	16 + 20 + 25	1.60	2.00	2.50	-	-	6.10	1.9 ~ 8.0	1670	270 ~ 2610	8.0	7.3	2.23	2.79	3.48	-	-	8.50	3.3 ~ 10.4	2520	630 ~ 3230	11.9	10.9
	16 + 20 + 35	1.60	2.00	3.50	-	-	7.10	1.9 ~ 8.0	2190	270 ~ 2520	10.4	9.5	1.92	2.39	4.19	-	-	8.50	3.3 ~ 10.4	2450	620 ~ 3160	11.6	10.6
	16 + 20 + 42	1.46	1.82	3.82	-	-	7.10	1.9 ~ 8.1	2190	270 ~ 2570	10.4	9.5	1.74	2.18	4.58	-	-	8.50	3.3 ~ 10.5	2450	620 ~ 3200	11.6	10.6
	16 + 20 + 50	1.32	1.65	4.13	-	-	7.10	2.0 ~ 8.5	2010	320 ~ 2570	9.5	8.7	1.58	1.98	4.94	-	-	8.50	3.2 ~ 10.7	2310	600 ~ 3140	10.9	10.0
	16 + 20 + 60	1.18	1.48	4.44	-	-	7.10	2.0 ~ 8.5	2010	320 ~ 2570	9.5	8.7	1.42	1.77	5.31	-	-	8.50	3.2 ~ 10.7	2310	600 ~ 3140	10.9	10.0
	16 + 25 + 25	1.60	2.50	2.50	-	-	6.60	1.9 ~ 8.0	1920	270 ~ 2610	9.1	8.3	2.06	3.22	3.22	-	-	8.50	3.3 ~ 10.4	2520	630 ~ 3230	11.9	10.9
	16 + 25 + 35	1.49	2.34	3.27	-	-	7.10	1.9 ~ 8.0	2190	270 ~ 2520	10.4	9.5	1.79	2.80	3.91	-	-	8.50	3.3 ~ 10.4	2450	620 ~ 3160	11.6	10.6
	16 + 25 + 42	1.37	2.14	3.59	-	-	7.10	1.9 ~ 8.1	2190	270 ~ 2570	10.4	9.5	1.64	2.56	4.30	-	-	8.50	3.3 ~ 10.5	2450	620 ~ 3200	11.6	10.6
	16 + 25 + 50	1.25	1.95	3.90	-	-	7.10	2.0 ~ 8.5	2010	320 ~ 2570	9.5	8.7	1.49	2.34	4.67	-	-	8.50	3.2 ~ 10.7	2310	600 ~ 3140	10.9	10.0
	16 + 25 + 60	1.12	1.76	4.22	-	-	7.10	2.0 ~ 8.5	2010	320 ~ 2570	9.5	8.7	1.35	2.10	5.05	-	-	8.50	3.2 ~ 10.7	2310	600 ~ 3140	10.9	10.0
	16 + 35 + 35	1.32	2.89	2.89	-	-	7.10	1.9 ~ 8.1	2150	290 ~ 2520	10.2	9.3	1.58	3.46	3.46	-	-	8.50	3.3 ~ 10.5	2430	640 ~ 3180	11.5	10.5
	16 + 35 + 42	1.22	2.67	3.21	-	-	7.10	1.9 ~ 8.2	2150	290 ~ 2570	10.2	9.3	1.46	3.20	3.84	-	-	8.50	3.3 ~ 10.5	2420	640 ~ 3170	11.4	10.5
	16 + 35 + 50	1.12	2.46	3.52	-	-	7.10	2.0 ~ 8.5	1960	340 ~ 2530	9.3	8.5	1.34	2.95	4.21	-	-	8.50	3.2 ~ 10.7	2290	600 ~ 3110	10.8	9.9
	16 + 35 + 60	1.02	2.24	3.84	-	-	7.10	2.0 ~ 8.5	1960	340 ~ 2530	9.3	8.5	1.23	2.68	4.59	-	-	8.50	3.2 ~ 10.7	2290	600 ~ 3110	10.8	9.9
	16 + 42 + 42	1.14	2.98	2.98	-	-	7.10	1.9 ~ 8.2	2150	290 ~ 2570	10.2	9.3	1.36	3.57	3.57	-	-	8.50	3.3 ~ 10.5	2410	640 ~ 3160	11.4	10.4
	16 + 42 + 50	1.05	2.76	3.29	-	-	7.10	2.0 ~ 8.5	1960	340 ~ 2480	9.3	8.5	1.25	3.31	3.94	-	-	8.50	3.2 ~ 10.6	2280	600 ~ 3060	10.8	9.9
	20 + 20 + 20	2.00	2.00	2.00	-	-	6.00	1.9 ~ 8.0	1630	270 ~ 2560	7.8	7.1	2.83	2.83	2.83	-	-	8.49	3.3 ~ 10.4	2470	630 ~ 3220	11.7	10.7
	20 + 20 + 25	2.00	2.00	2.50	-	-	6.50	1.9 ~ 8.0	1880	270 ~ 2560	8.9	8.1	2.62	2.62	3.26	-	-	8.50	3.3 ~ 10.4	2470	630 ~ 3220	11.7	10.7
	20 + 20 + 35	1.89	1.89	3.32	-	-	7.10	1.9 ~ 8.0	2190	270 ~ 2470	10.4	9.5	2.27	2.27	3.96	-	-	8.50	3.3 ~ 10.4	2450	620 ~ 3150	11.6	10.6
	20 + 20 + 42	1.73	1.73	3.64	-	-	7.10	1.9 ~ 8.1	2150	290 ~ 2570	10.2	9.3	2.07	2.07	4.36	-	-	8.50	3.3 ~ 10.5	2440	620 ~ 3190	11.5	10.6
	20 + 20 + 50	1.58	1.58	3.94	-	-	7.10	2.0 ~ 8.5	2010	340 ~ 2530	9.5	8.7	1.89	1.89	4.72	-	-	8.50	3.2 ~ 10.7	2300	600 ~ 3130	10.9	10.0
	20 + 20 + 60	1.42	1.42	4.26	-	-	7.10	2.0 ~ 8.5	2010	340 ~ 2530	9.5	8.7	1.70	1.70	5.10	-	-	8.50	3.2 ~ 10.7	2300	600 ~ 3130	10.9	10.0
	20 + 25 + 25	2.00	2.50	2.50	-	-	7.00	1.9 ~ 8.0	2150	270 ~ 2560	10.2	9.3	2.42	3.04	3.04	-	-	8.50	3.3 ~ 10.4	2470	630 ~ 3220	11.7	10.7
	20 + 25 + 35	1.78	2.22	3.10	-	-	7.10	1.9 ~ 8.0	2190	270 ~ 2470	10.4	9.5	2.12	2.66	3.72	-	-	8.50	3.3 ~ 10.4	2450	620 ~ 3150	11.6	10.6
	20 + 25 + 42	1.63	2.04	3.43	-	-	7.10	1.9 ~ 8.1	2150	290 ~ 2570	10.2	9.3	1.95	2.44	4.11	-	-	8.50	3.3 ~ 10.5	2440	620 ~ 3190	11.5	10.6
	20 + 25 + 50	1.49	1.87	3.74	-	-	7.10	2.0 ~ 8.5	2010	340 ~ 2530	9.5	8.7	1.79	2.24	4.47	-	-	8.50	3.2 ~ 10.7	2300	600 ~ 3130	10.9	10.0
	20 + 25 + 60	1.35	1.69	4.06	-	-	7.10	2.0 ~ 8.5	2010	340 ~ 2530	9.5	8.7	1.62	2.02	4.86	-	-	8.50	3.2 ~ 10.7	2300	600 ~ 3130	10.9	10.0
	20 + 35 + 35	1.58	2.76	2.76	-	-	7.10	1.9 ~ 8.1	2150	290 ~ 2480	10.2	9.3	1.88	3.31	3.31	-	-	8.50	3.3 ~ 10.5	2420	640 ~ 3170	11.4	10.5
20 + 35 + 42	1.46	2.56	3.08	-	-	7.10	1.9 ~ 8.2	2100	290 ~ 2570	9.9	9.1	1.75	3.07	3.68	-	-	8.50	3.3 ~ 10.5	2410	640 ~ 3160	11.4	10.4	
20 + 35 + 50	1.35	2.37	3.38	-	-	7.10	2.0 ~ 8.5	1960	340 ~ 2480	9.3	8.5	1.62	2.83	4.05	-	-	8.50	3.2 ~ 10.7	2280	600 ~ 3100	10.8	9.9	
20 + 35 + 60	1.23	2.16	3.71	-	-	7.10	2.0 ~ 8.5	1960	340 ~ 2480	9.3	8.5	1.48	2.59	4.43	-	-	8.50	3.2 ~ 10.7	2280	600 ~ 3100	10.8	9.9	
20 + 42 + 42	1.36	2.87	2.87	-	-	7.10	1.9 ~ 8.2	2100	290 ~ 2520	9.9	9.1	1.64	3.43	3.43	-	-	8.50	3.3 ~ 10.5	2400	630 ~ 3160	11.3	10.4	
20 + 42 + 50	1.27	2.66	3.17	-	-	7.10	2.0 ~ 8.5	1960	340 ~ 2480	9.3	8.5	1.52	3.19	3.79	-	-	8.50	3.2 ~ 10.6	2270	620 ~ 3050	10.7	9.8	
25 + 25 + 25	2.36	2.36	2.36	-	-	7.08	1.9 ~ 8.0	2190	270 ~ 2560	10.4	9.5	2.83	2.83	2.83	-	-	8.49	3.3 ~ 10.4	2470	630 ~ 3220	11.7	10.7	
25 + 25 + 35	2.09	2.09	2.92	-	-	7.10	1.9 ~ 8.0	2190	270 ~ 2470	10.4	9.5	2.50	2.50	3.50	-	-	8.50	3.3 ~ 10.4	2450	620 ~ 3150	11.6	10.6	
25 + 25 + 42	1.93	1.93	3.24	-	-	7.10	1.9 ~ 8.1	2150	290 ~ 2570	10.2	9.3	2.31	2.31	3.88	-	-	8.50	3.3 ~ 10.5	2440	620 ~ 3190	11.5	10.6	
25 + 25 + 50	1.78	1.78	3.54	-	-	7.10	2.0 ~ 8.5	2010	340 ~ 2530	9.5	8.7	2.13	2.13	4.24	-	-	8.50	3.2 ~ 10.7	2300	600 ~ 3130	10.9	10.0	
25 + 25 + 60	1.61	1.61	3.88	-	-	7.10	2.0 ~ 8.5	2010	340 ~ 2530	9.5	8.7	1.93	1.93	4.64	-	-	8.50	3.2 ~ 10.7	2300	600 ~ 3130	10.9	10.0	
25 + 35 + 35	1.86	2.62	2.62	-	-	7.10	1.9 ~ 8.1	2150	290 ~ 2480	10.2	9.3	2.24	3.13	3.13	-	-	8.50	3.3 ~ 10.5	2420	640 ~ 3170	11.4	10.5	
25 + 35 + 42	1.74	2.44	2.92	-	-	7.10	1.9 ~ 8.2	2100	290 ~ 2570	9.9	9.1	2.08	2.92	3.50	-	-	8.50	3.3 ~ 10.5	2410	640 ~ 3160	11.4	10.4	
25 + 35 + 50	1.61	2.26	3.23	-	-	7.10	2.0 ~ 8.5	1960	340 ~ 2480	9.3	8.5	1.93	2.70	3.87	-	-	8.50	3.2 ~ 10.7	2280	600 ~ 3100	10.8	9.9	
25 + 42 + 42	1.62	2.74	2.74	-	-	7.10	1.9 ~ 8.2	2100	290 ~ 2520	9.9	9.1	1.94	3.28	3.28	-	-	8.50	3.3 ~ 10.5	2400	630 ~ 3160	11.3	10.4	
35 + 35 + 35	2.36	2.36	2.36	-	-	7.08	1.9 ~ 8.2	2100	290 ~ 2480	9.9	9.1	2.83	2.83	2.83	-	-	8.49	3.3 ~ 10.5	2360	630 ~ 3150	11.2	10.2	
35 + 35 + 42	2.22	2.22	2.66	-	-	7.10	1.9 ~ 8.2	2100	290 ~ 2480	9.9	9.1	2.66	2.66	3.18	-	-	8.50	3.3 ~ 10.5	2350	630 ~ 3100	11.1	10.2	

• Specification based on JIS C 9612 standard.
 • A minimum of 2 indoor units must be connected.

CU-4Z71WBH-8: Free Multi Indoor Combination

Indoor unit capacity		COOLING OPERATION										HEATING OPERATION											
		Cooling Capacity (kW)					Input Power (W)		Current (A)			Heating Capacity (kW)					Input Power (W)		Current (A)				
		Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V
4 Rooms	16 + 16 + 16 + 16	1.60	1.60	1.60	1.60	-	6.40	1.9 ~ 8.7	1510	340 ~ 2490	7.2	6.7	2.12	2.12	2.12	2.12	-	8.48	3.0 ~ 10.7	2200	500 ~ 3010	10.4	9.7
	16 + 16 + 16 + 20	1.67	1.67	1.67	2.09	-	7.10	1.9 ~ 8.8	1780	340 ~ 2590	8.4	7.9	2.00	2.00	2.00	2.50	-	8.50	3.0 ~ 10.7	2190	500 ~ 2960	10.4	9.7
	16 + 16 + 16 + 25	1.56	1.56	1.56	2.42	-	7.10	1.9 ~ 8.8	1780	340 ~ 2590	8.4	7.9	1.86	1.86	1.86	2.92	-	8.50	3.0 ~ 10.7	2190	500 ~ 2960	10.4	9.7
	16 + 16 + 16 + 35	1.37	1.37	1.37	2.99	-	7.10	1.9 ~ 8.8	1780	340 ~ 2500	8.4	7.9	1.64	1.64	1.64	3.58	-	8.50	3.0 ~ 10.7	2170	500 ~ 2940	10.3	9.6
	16 + 16 + 16 + 42	1.26	1.26	1.26	3.32	-	7.10	1.9 ~ 8.8	1780	340 ~ 2500	8.4	7.9	1.51	1.51	1.51	3.97	-	8.50	3.0 ~ 10.7	2170	500 ~ 2930	10.3	9.6
	16 + 16 + 16 + 50	1.16	1.16	1.16	3.62	-	7.10	1.9 ~ 8.8	1700	400 ~ 2360	8.1	7.6	1.39	1.39	1.39	4.33	-	8.50	3.0 ~ 10.7	2130	560 ~ 2830	10.1	9.4
	16 + 16 + 16 + 60	1.05	1.05	1.05	3.95	-	7.10	1.9 ~ 8.8	1700	400 ~ 2360	8.1	7.6	1.26	1.26	1.26	4.72	-	8.50	3.0 ~ 10.7	2130	560 ~ 2830	10.1	9.4
	16 + 16 + 20 + 20	1.58	1.58	1.97	1.97	-	7.10	1.9 ~ 8.8	1780	340 ~ 2540	8.4	7.9	1.89	1.89	2.36	2.36	-	8.50	3.1 ~ 10.7	2190	520 ~ 2950	10.4	9.7
	16 + 16 + 20 + 25	1.48	1.48	1.84	2.30	-	7.10	1.9 ~ 8.8	1780	340 ~ 2540	8.4	7.9	1.77	1.77	2.20	2.76	-	8.50	3.1 ~ 10.7	2190	520 ~ 2950	10.4	9.7
	16 + 16 + 20 + 35	1.31	1.31	1.63	2.85	-	7.10	1.9 ~ 8.8	1780	340 ~ 2500	8.4	7.9	1.56	1.56	1.95	3.43	-	8.50	3.0 ~ 10.7	2170	500 ~ 2930	10.3	9.6
	16 + 16 + 20 + 42	1.21	1.21	1.51	3.17	-	7.10	1.9 ~ 8.8	1740	370 ~ 2500	8.3	7.8	1.45	1.45	1.80	3.80	-	8.50	3.0 ~ 10.7	2160	520 ~ 2920	10.2	9.5
	16 + 16 + 20 + 50	1.11	1.11	1.39	3.49	-	7.10	1.9 ~ 8.8	1700	400 ~ 2320	8.1	7.6	1.33	1.33	1.67	4.17	-	8.50	3.0 ~ 10.7	2120	570 ~ 2820	10.0	9.4
	16 + 16 + 20 + 60	1.01	1.01	1.27	3.81	-	7.10	1.9 ~ 8.8	1700	400 ~ 2320	8.1	7.6	1.21	1.21	1.52	4.56	-	8.50	3.0 ~ 10.7	2120	570 ~ 2820	10.0	9.4
	16 + 16 + 25 + 25	1.39	1.39	2.16	2.16	-	7.10	1.9 ~ 8.8	1780	340 ~ 2540	8.4	7.9	1.66	1.66	2.59	2.59	-	8.50	3.1 ~ 10.7	2190	520 ~ 2950	10.4	9.7
	16 + 16 + 25 + 35	1.23	1.23	1.93	2.71	-	7.10	1.9 ~ 8.8	1780	340 ~ 2500	8.4	7.9	1.48	1.48	2.31	3.23	-	8.50	3.0 ~ 10.7	2170	500 ~ 2930	10.3	9.6
	16 + 16 + 25 + 42	1.15	1.15	1.79	3.01	-	7.10	1.9 ~ 8.8	1740	370 ~ 2500	8.3	7.8	1.37	1.37	2.15	3.61	-	8.50	3.0 ~ 10.7	2160	520 ~ 2920	10.2	9.5
	16 + 16 + 25 + 50	1.06	1.06	1.66	3.32	-	7.10	1.9 ~ 8.8	1700	400 ~ 2320	8.1	7.6	1.27	1.27	1.99	3.97	-	8.50	3.0 ~ 10.7	2120	570 ~ 2820	10.0	9.4
	16 + 16 + 35 + 35	1.11	1.11	2.44	2.44	-	7.10	1.9 ~ 8.8	1740	370 ~ 2450	8.3	7.8	1.33	1.33	2.92	2.92	-	8.50	3.0 ~ 10.7	2150	530 ~ 2900	10.2	9.5
	16 + 16 + 35 + 42	1.04	1.04	2.28	2.74	-	7.10	1.9 ~ 8.8	1740	370 ~ 2450	8.3	7.8	1.25	1.25	2.72	3.28	-	8.50	3.0 ~ 10.7	2140	530 ~ 2890	10.1	9.5
	16 + 20 + 20 + 20	1.49	1.87	1.87	1.87	-	7.10	1.9 ~ 8.8	1780	340 ~ 2540	8.4	7.9	1.78	2.24	2.24	2.24	-	8.50	3.1 ~ 10.7	2180	520 ~ 2940	10.3	9.6
	16 + 20 + 20 + 25	1.40	1.75	1.75	2.20	-	7.10	1.9 ~ 8.8	1780	340 ~ 2540	8.4	7.9	1.68	2.10	2.10	2.62	-	8.50	3.1 ~ 10.7	2180	520 ~ 2940	10.3	9.6
	16 + 20 + 20 + 35	1.25	1.56	1.56	2.73	-	7.10	1.9 ~ 8.8	1740	370 ~ 2500	8.3	7.8	1.49	1.87	1.87	3.27	-	8.50	3.0 ~ 10.7	2160	520 ~ 2920	10.2	9.5
	16 + 20 + 20 + 42	1.16	1.45	1.45	3.04	-	7.10	1.9 ~ 8.8	1740	370 ~ 2500	8.3	7.8	1.39	1.73	1.73	3.65	-	8.50	3.0 ~ 10.7	2150	520 ~ 2910	10.2	9.5
	16 + 20 + 20 + 50	1.07	1.34	1.34	3.35	-	7.10	1.9 ~ 8.8	1700	420 ~ 2320	8.1	7.6	1.28	1.60	1.60	4.02	-	8.50	3.0 ~ 10.7	2120	590 ~ 2810	10.0	9.4
	16 + 20 + 25 + 25	1.33	1.65	2.06	2.06	-	7.10	1.9 ~ 8.8	1780	340 ~ 2540	8.4	7.9	1.58	1.98	2.47	2.47	-	8.50	3.1 ~ 10.7	2180	520 ~ 2940	10.3	9.6
	16 + 20 + 25 + 35	1.18	1.48	1.85	2.59	-	7.10	1.9 ~ 8.8	1740	370 ~ 2500	8.3	7.8	1.42	1.77	2.21	3.10	-	8.50	3.0 ~ 10.7	2160	520 ~ 2920	10.2	9.5
	16 + 20 + 25 + 42	1.10	1.38	1.72	2.90	-	7.10	1.9 ~ 8.8	1740	370 ~ 2500	8.3	7.8	1.32	1.65	2.06	3.47	-	8.50	3.0 ~ 10.7	2150	520 ~ 2910	10.2	9.5
	16 + 20 + 25 + 50	1.02	1.28	1.60	3.20	-	7.10	1.9 ~ 8.8	1700	420 ~ 2320	8.1	7.6	1.23	1.53	1.91	3.83	-	8.50	3.0 ~ 10.7	2120	590 ~ 2810	10.0	9.4
	16 + 20 + 35 + 35	1.07	1.34	2.34	2.35	-	7.10	1.9 ~ 8.8	1740	370 ~ 2450	8.3	7.8	1.28	1.60	2.81	2.81	-	8.50	3.0 ~ 10.7	2140	530 ~ 2890	10.1	9.5
	16 + 20 + 35 + 42	1.01	1.26	2.20	2.63	-	7.10	1.9 ~ 8.8	1740	370 ~ 2450	8.3	7.8	1.20	1.50	2.63	3.17	-	8.50	3.0 ~ 10.7	2140	530 ~ 2890	10.1	9.5
	16 + 25 + 25 + 25	1.25	1.95	1.95	1.95	-	7.10	1.9 ~ 8.8	1780	340 ~ 2540	8.4	7.9	1.48	2.34	2.34	2.34	-	8.50	3.1 ~ 10.7	2180	520 ~ 2940	10.3	9.6
	16 + 25 + 25 + 35	1.12	1.76	1.76	2.46	-	7.10	1.9 ~ 8.8	1740	370 ~ 2500	8.3	7.8	1.35	2.10	2.10	2.95	-	8.50	3.0 ~ 10.7	2160	520 ~ 2920	10.2	9.5
	16 + 25 + 25 + 42	1.05	1.64	1.64	2.77	-	7.10	1.9 ~ 8.8	1740	370 ~ 2500	8.3	7.8	1.25	1.97	1.97	3.31	-	8.50	3.0 ~ 10.7	2150	520 ~ 2910	10.2	9.5
	16 + 25 + 35 + 35	1.02	1.60	2.24	2.24	-	7.10	1.9 ~ 8.8	1740	370 ~ 2450	8.3	7.8	1.23	1.91	2.68	2.68	-	8.50	3.0 ~ 10.7	2140	530 ~ 2890	10.1	9.5
	20 + 20 + 20 + 20	1.77	1.77	1.77	1.77	-	7.08	1.9 ~ 8.8	1740	340 ~ 2500	8.3	7.8	2.12	2.12	2.12	2.12	-	8.48	3.1 ~ 10.7	2170	520 ~ 2930	10.3	9.6
	20 + 20 + 20 + 25	1.67	1.67	1.67	2.09	-	7.10	1.9 ~ 8.8	1780	340 ~ 2500	8.4	7.9	2.00	2.00	2.00	2.50	-	8.50	3.1 ~ 10.7	2170	520 ~ 2930	10.3	9.6
	20 + 20 + 20 + 35	1.49	1.49	1.49	2.63	-	7.10	1.9 ~ 8.8	1740	370 ~ 2450	8.3	7.8	1.79	1.79	1.79	3.13	-	8.50	3.0 ~ 10.7	2150	520 ~ 2910	10.2	9.5
	20 + 20 + 20 + 42	1.39	1.39	1.39	2.93	-	7.10	1.9 ~ 8.8	1740	370 ~ 2450	8.3	7.8	1.67	1.67	1.67	3.49	-	8.50	3.0 ~ 10.7	2150	530 ~ 2900	10.2	9.5
	20 + 20 + 20 + 50	1.29	1.29	1.29	3.23	-	7.10	1.9 ~ 8.8	1700	420 ~ 2320	8.1	7.6	1.55	1.55	1.55	3.85	-	8.50	3.0 ~ 10.7	2110	590 ~ 2810	10.0	9.3
	20 + 20 + 25 + 25	1.58	1.58	1.97	1.97	-	7.10	1.9 ~ 8.8	1780	340 ~ 2500	8.4	7.9	1.89	1.89	2.36	2.36	-	8.50	3.1 ~ 10.7	2170	520 ~ 2930	10.3	9.6
20 + 20 + 25 + 35	1.42	1.42	1.78	2.48	-	7.10	1.9 ~ 8.8	1740	370 ~ 2450	8.3	7.8	1.70	1.70	2.12	2.98	-	8.50	3.0 ~ 10.7	2150	520 ~ 2910	10.2	9.5	
20 + 20 + 25 + 42	1.33	1.33	1.66	2.78	-	7.10	1.9 ~ 8.8	1740	370 ~ 2450	8.3	7.8	1.59	1.59	1.98	3.34	-	8.50	3.0 ~ 10.7	2150	530 ~ 2900	10.2	9.5	
20 + 20 + 25 + 50	1.23	1.23	1.54	3.10	-	7.10	1.9 ~ 8.8	1700	420 ~ 2320	8.1	7.6	1.48	1.48	1.84	3.70	-	8.50	3.0 ~ 10.7	2110	590 ~ 2810	10.0	9.3	
20 + 20 + 35 + 35	1.29	1.29	2.26	2.26	-	7.10	1.9 ~ 8.8	1740	370 ~ 2450	8.3	7.8	1.55	1.55	2.70	2.70	-	8.50	3.0 ~ 10.7	2140	530 ~ 2890	10.1	9.5	
20 + 25 + 25 + 25	1.49	1.87	1.87	1.87	-	7.10	1.9 ~ 8.8	1780	340 ~ 2500	8.4	7.9	1.78	2.24	2.24	2.24	-	8.50	3.1 ~ 10.7	2170	520 ~ 2930	10.3	9.6	
20 + 25 + 25 + 35	1.35	1.69	1.69	2.37	-	7.10	1.9 ~ 8.8	1740	370 ~ 2450	8.3	7.8	1.62	2.02	2.02	2.84	-	8.50	3.0 ~ 10.7	2150	520 ~ 2910	10.2	9.5	
20 + 25 + 25 + 42	1.27	1.58	1.58	2.67	-	7.10	1.9 ~ 8.8	1740	370 ~ 2450	8.3	7.8	1.51	1.90	1.90	3.19	-	8.50	3.0 ~ 10.7	2150	530 ~ 2900	10.2	9.5	
20 + 25 + 35 + 35	1.24	1.54	2.16	2.16	-	7.10	1.9 ~ 8.8	1740	370 ~ 2450	8.3	7.8	1.47	1.85	2.59	2.59	-	8.50	3.0 ~ 10.7	2140	530 ~ 2890	10.1	9.5	
25 + 25 + 25 + 25	1.77	1.77	1.77	1.77	-	7.08	1.9 ~ 8.8	1740	340 ~ 2500	8.3	7.8	2.12	2.12	2.12	2.12	-	8.48	3.1 ~ 10.7	2170	520 ~ 2930	10.3	9.6	
25 + 25 + 25 + 35	1.61	1.61	1.61	2.27	-	7.10	1.9 ~ 8.8	1740	370 ~ 2450	8.3	7.8	1.93	1.93	1.93	2.71	-	8.50	3.0 ~ 10.7	2150	520 ~ 2910	10.2	9.5	

• Specification based on JIS C 9612 standard.
 • A minimum of 2 indoor units must be connected.

CU-4Z80WBH-8: Only Wall-Mounted Indoor Combination

Indoor unit capacity	COOLING OPERATION											HEATING OPERATION										
	Cooling Capacity (kW)						Input Power (W)		Current (A)			Heating Capacity (kW)						Input Power (W)		Current (A)		
	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V
1 Room	16	1.60	-	-	-	1.60	1.3 ~ 2.3	420	250 ~ 660	2.2	2.0	2.60	-	-	-	-	2.60	1.2 ~ 3.2	640	290 ~ 1000	3.3	3.0
	20	2.00	-	-	-	2.00	1.8 ~ 2.9	520	340 ~ 830	2.7	2.5	3.20	-	-	-	-	3.20	1.2 ~ 4.1	780	290 ~ 1270	4.0	3.7
	25	2.50	-	-	-	2.50	1.8 ~ 2.9	650	340 ~ 830	3.4	3.1	3.60	-	-	-	-	3.60	1.2 ~ 4.3	980	290 ~ 1270	5.1	4.7
	35	3.50	-	-	-	3.50	1.8 ~ 4.1	960	340 ~ 1380	4.8	4.4	4.50	-	-	-	-	4.50	1.2 ~ 5.8	1270	290 ~ 2140	6.5	5.9
	42	4.20	-	-	-	4.20	1.8 ~ 4.5	1390	340 ~ 2010	6.8	6.2	5.60	-	-	-	-	5.60	1.2 ~ 6.8	1760	290 ~ 2970	8.5	7.8
	50	5.00	-	-	-	5.00	1.9 ~ 5.4	1630	340 ~ 2150	7.9	7.3	6.80	-	-	-	-	6.80	1.2 ~ 6.9	2350	290 ~ 2840	11.3	10.4
	60	6.00	-	-	-	6.00	1.9 ~ 6.2	2050	340 ~ 2350	9.7	8.9	8.50	-	-	-	-	8.50	1.3 ~ 9.0	2440	320 ~ 2590	11.8	10.8
71	7.10	-	-	-	7.10	2.0 ~ 7.2	2550	370 ~ 2790	12.1	11.1	8.70	-	-	-	-	8.70	1.4 ~ 9.2	2590	380 ~ 2760	12.5	11.4	
2 Rooms	16 + 16	1.60	1.60	-	-	3.20	2.3 ~ 5.8	770	350 ~ 2030	4.1	3.7	2.60	2.60	-	-	-	5.20	2.2 ~ 8.2	1640	430 ~ 2920	8.1	7.5
	16 + 20	1.60	2.00	-	-	3.60	2.3 ~ 5.8	910	340 ~ 2030	4.7	4.3	2.58	3.22	-	-	-	5.80	2.2 ~ 8.2	1760	430 ~ 2910	8.6	7.9
	16 + 25	1.60	2.50	-	-	4.10	2.3 ~ 5.8	1110	340 ~ 2030	5.7	5.2	2.42	3.78	-	-	-	6.20	2.2 ~ 8.2	1900	430 ~ 2910	9.3	8.6
	16 + 35	1.60	3.50	-	-	5.10	2.3 ~ 5.8	1520	340 ~ 1960	7.7	7.0	2.23	4.87	-	-	-	7.10	2.2 ~ 8.6	2070	380 ~ 2990	10.2	9.3
	16 + 42	1.60	4.20	-	-	5.80	2.3 ~ 6.7	1860	340 ~ 2520	9.3	8.5	2.26	5.94	-	-	-	8.20	2.2 ~ 9.8	2450	370 ~ 3520	12.0	11.0
	16 + 50	1.60	5.00	-	-	6.60	2.3 ~ 7.2	2100	320 ~ 2520	10.5	9.6	2.28	7.12	-	-	-	9.40	2.2 ~ 10.0	2540	330 ~ 3330	12.5	11.4
	16 + 60	1.60	6.00	-	-	7.60	2.3 ~ 8.5	2730	320 ~ 3530	13.7	12.5	1.98	7.42	-	-	-	9.40	2.2 ~ 10.0	2540	330 ~ 3330	12.5	11.4
	16 + 71	1.47	6.53	-	-	8.00	2.3 ~ 8.5	2880	320 ~ 3380	14.4	13.2	1.73	7.67	-	-	-	9.40	2.2 ~ 10.3	2480	320 ~ 3500	12.2	11.2
	20 + 20	2.00	2.00	-	-	4.00	2.3 ~ 5.8	1050	340 ~ 1970	5.4	4.9	3.20	3.20	-	-	-	6.40	2.2 ~ 8.2	1940	390 ~ 2900	9.5	8.7
	20 + 25	2.00	2.50	-	-	4.50	2.3 ~ 5.8	1280	340 ~ 1970	6.5	5.9	3.02	3.78	-	-	-	6.80	2.2 ~ 8.2	2000	390 ~ 2900	9.8	9.0
	20 + 35	2.00	3.50	-	-	5.50	2.3 ~ 5.8	1690	340 ~ 1900	8.5	7.8	2.80	4.90	-	-	-	7.70	2.2 ~ 8.6	2250	370 ~ 2930	11.1	10.1
	20 + 42	2.00	4.20	-	-	6.20	2.3 ~ 7.2	2110	340 ~ 2940	10.6	9.7	2.84	5.96	-	-	-	8.80	2.2 ~ 10.0	2500	370 ~ 3630	12.3	11.3
	20 + 50	2.00	5.00	-	-	7.00	2.3 ~ 8.1	2250	320 ~ 3140	11.3	10.3	2.69	6.71	-	-	-	9.40	2.2 ~ 10.0	2530	320 ~ 3310	12.4	11.4
	20 + 60	2.00	6.00	-	-	8.00	2.3 ~ 8.5	2950	320 ~ 3530	14.8	13.5	2.35	7.05	-	-	-	9.40	2.2 ~ 10.0	2530	320 ~ 3310	12.4	11.4
	20 + 71	1.76	6.24	-	-	8.00	2.3 ~ 8.5	2810	350 ~ 3380	14.1	12.9	2.07	7.33	-	-	-	9.40	2.2 ~ 10.3	2470	320 ~ 3480	12.1	11.1
	25 + 25	2.50	2.50	-	-	5.00	2.3 ~ 5.8	1470	340 ~ 1970	7.4	6.8	3.60	3.60	-	-	-	7.20	2.2 ~ 8.6	2130	390 ~ 3010	10.5	9.6
	25 + 35	2.50	3.50	-	-	6.00	2.3 ~ 6.7	1980	340 ~ 2520	9.9	9.1	3.37	4.73	-	-	-	8.10	2.2 ~ 9.8	2400	370 ~ 3520	11.8	10.8
	25 + 42	2.50	4.20	-	-	6.70	2.3 ~ 7.2	2450	340 ~ 2940	12.3	11.2	3.43	5.77	-	-	-	9.20	2.2 ~ 10.0	2650	370 ~ 3630	13.0	11.9
	25 + 50	2.50	5.00	-	-	7.50	2.3 ~ 8.5	2590	320 ~ 3530	13.0	11.9	3.13	6.27	-	-	-	9.40	2.2 ~ 10.0	2530	320 ~ 3310	12.4	11.4
	25 + 60	2.35	5.65	-	-	8.00	2.3 ~ 8.5	2950	320 ~ 3530	14.8	13.5	2.76	6.64	-	-	-	9.40	2.2 ~ 10.0	2530	320 ~ 3310	12.4	11.4
	25 + 71	2.08	5.92	-	-	8.00	2.3 ~ 8.5	2810	350 ~ 3380	14.1	12.9	2.45	6.95	-	-	-	9.40	2.2 ~ 10.3	2470	320 ~ 3480	12.1	11.1
	35 + 35	3.50	3.50	-	-	7.00	2.3 ~ 8.1	2590	330 ~ 3670	13.0	11.9	4.50	4.50	-	-	-	9.00	2.2 ~ 10.0	2530	360 ~ 3550	12.4	11.4
	35 + 42	3.50	4.20	-	-	7.70	2.3 ~ 8.5	3080	330 ~ 4160	15.4	14.1	4.27	5.13	-	-	-	9.40	2.2 ~ 10.0	2670	350 ~ 3540	13.1	12.0
	35 + 50	3.29	4.71	-	-	8.00	2.3 ~ 8.5	2810	320 ~ 3380	14.1	12.9	3.87	5.53	-	-	-	9.40	2.2 ~ 10.0	2460	320 ~ 3280	12.1	11.1
	35 + 60	2.95	5.05	-	-	8.00	2.3 ~ 8.5	2810	320 ~ 3380	14.1	12.9	3.46	5.94	-	-	-	9.40	2.2 ~ 10.3	2460	320 ~ 3400	12.1	11.1
	35 + 71	2.64	5.36	-	-	8.00	2.3 ~ 8.6	2740	350 ~ 3380	13.7	12.6	3.10	6.30	-	-	-	9.40	2.2 ~ 10.5	2440	310 ~ 3510	12.0	11.0
	42 + 42	4.00	4.00	-	-	8.00	2.3 ~ 8.5	3380	330 ~ 4080	16.9	15.5	4.70	4.70	-	-	-	9.40	2.2 ~ 10.0	2660	350 ~ 3530	13.1	12.0
42 + 50	3.65	4.35	-	-	8.00	2.3 ~ 8.5	2810	320 ~ 3380	14.1	12.9	4.29	5.11	-	-	-	9.40	2.2 ~ 10.3	2440	320 ~ 3390	12.0	11.0	
42 + 60	3.29	4.71	-	-	8.00	2.3 ~ 8.6	2810	320 ~ 3460	14.1	12.9	3.87	5.53	-	-	-	9.40	2.2 ~ 10.3	2440	320 ~ 3390	12.0	11.0	
42 + 71	2.97	5.03	-	-	8.00	2.3 ~ 8.6	2740	350 ~ 3300	13.7	12.6	3.49	5.91	-	-	-	9.40	2.2 ~ 10.5	2430	310 ~ 3500	11.9	10.9	
50 + 50	4.00	4.00	-	-	8.00	2.3 ~ 8.6	2460	340 ~ 2990	12.3	11.3	4.70	4.70	-	-	-	9.40	2.2 ~ 10.3	2280	310 ~ 3170	11.2	10.3	
50 + 60	3.64	4.36	-	-	8.00	2.3 ~ 8.6	2460	340 ~ 2990	12.3	11.3	4.27	5.13	-	-	-	9.40	2.2 ~ 10.5	2280	310 ~ 3230	11.2	10.3	
50 + 71	3.31	4.69	-	-	8.00	2.3 ~ 8.6	2390	340 ~ 2920	12.0	11.0	3.88	5.52	-	-	-	9.40	2.2 ~ 10.5	2260	310 ~ 3210	11.1	10.2	
60 + 60	4.00	4.00	-	-	8.00	2.3 ~ 8.6	2460	340 ~ 2990	12.3	11.3	4.70	4.70	-	-	-	9.40	2.2 ~ 10.5	2280	310 ~ 3230	11.2	10.3	
60 + 71	3.66	4.34	-	-	8.00	2.3 ~ 8.6	2390	340 ~ 2920	12.0	11.0	4.31	5.09	-	-	-	9.40	2.2 ~ 10.5	2260	310 ~ 3210	11.1	10.2	
71 + 71	4.00	4.00	-	-	8.00	2.3 ~ 8.6	2320	380 ~ 2840	11.6	10.6	4.70	4.70	-	-	-	9.40	2.2 ~ 10.5	2250	320 ~ 3200	11.1	10.1	
3 Rooms	16 + 16 + 16	1.60	1.60	1.60	-	4.80	2.3 ~ 8.5	1140	350 ~ 3170	5.8	5.3	2.60	2.60	2.60	-	-	7.80	3.0 ~ 10.4	2000	440 ~ 3460	9.8	9.0
	16 + 16 + 20	1.60	1.60	2.00	-	5.20	2.3 ~ 8.5	1240	350 ~ 3170	6.3	5.7	2.58	2.58	3.24	-	-	8.40	3.0 ~ 10.4	2230	440 ~ 3380	11.0	10.0
	16 + 16 + 25	1.60	1.60	2.50	-	5.70	2.3 ~ 8.5	1450	350 ~ 3170	7.3	6.7	2.47	2.47	3.86	-	-	8.80	3.0 ~ 10.4	2210	440 ~ 3380	10.9	10.0
	16 + 16 + 35	1.60	1.60	3.50	-	6.70	2.3 ~ 8.5	1770	340 ~ 3090	8.9	8.1	2.24	2.24	4.92	-	-	9.40	3.0 ~ 10.4	2370	440 ~ 3350	11.6	10.7
	16 + 16 + 42	1.60	1.60	4.20	-	7.40	2.3 ~ 8.5	2130	340 ~ 3010	10.7	9.8	2.03	2.03	5.34	-	-	9.40	3.0 ~ 10.4	2360	430 ~ 3330	11.6	10.6
	16 + 16 + 50	1.56	1.56	4.88	-	8.00	2.3 ~ 8.6	2160	380 ~ 2790	10.8	9.9	1.83	1.83	5.74	-	-	9.40	3.0 ~ 10.4	2250	460 ~ 3120	11.1	10.1
	16 + 16 + 60	1.39	1.39	5.22	-	8.00	2.3 ~ 8.6	2160	380 ~ 2790	10.8	9.9	1.63	1.63	6.14	-	-	9.40	3.0 ~ 10.5	2250	460 ~ 3180	11.1	10.1
	16 + 16 + 71	1.24	1.24	5.52	-	8.00	2.3 ~ 8.8	2100	380 ~ 2860	10.5	9.6	1.46	1.46	6.48	-	-	9.40	3.0 ~ 10.5	2240	460 ~ 3160	11.0	10.1
	16 + 20 + 20	1.60	2.00	2.00	-	5.60	2.3 ~ 8.5	1400	350 ~ 3090	7.1	6.5	2.58	3.21	3.21	-	-	9.00	3.0 ~ 10.4	2250	440 ~ 3370	11.1	10.1
	16 + 20 + 25	1.60	2.00	2.50	-	6.10	2.3 ~ 8.5	1610	350 ~ 3090	8.1	7.5	2.47	3.08	3.85	-	-	9.40	3.0 ~ 10.4	2390	440 ~ 3370	11.7	10.8
	16 + 20 + 35	1.60	2.00	3.50	-	7.10	2.3 ~ 8.5	1940	340 ~ 3010	9.7	8.9	2.12	2.65	4.63	-	-	9.40	3.0 ~ 10.4	2360	430 ~ 3330	11.6	10.6
	16 + 20 + 42	1.60	2.00	4.20	-	7.80	2.3 ~ 8.5	2230	340 ~ 3010	11.2	10.2	1.93	2.41	5.06	-	-	9.40	3.0 ~ 10.4	2350	430 ~ 3320	11.5	10.6
	16 + 20 + 50	1.49	1.86	4.65	-	8.00	2.3 ~ 8.6	2160	380 ~ 2790	10.8	9.9	1.75	2.19	5.46	-	-	9.40	3.0 ~ 10.5	2240	460 ~ 3170	11.0	10.1
	16 + 20 + 60	1.33	1.67	5.00	-	8.00	2.3 ~ 8.6	2160	380 ~ 2790	10.8	9.9	1.57	1.96	5.87	-	-	9.40	3.0 ~ 10.5	2			

CU-4Z80WBH-8: Only Wall-Mounted Indoor Combination

Indoor unit capacity		COOLING OPERATION										HEATING OPERATION											
		Cooling Capacity (kW)						Input Power (W)		Current (A)		Heating Capacity (kW)						Input Power (W)		Current (A)			
		Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V
3 Rooms	16 + 25 + 25	1.60	2.50	2.50	-	-	6.60	2.3 ~ 8.5	1850	350 ~ 3090	9.3	8.5	2.28	3.56	3.56	-	-	9.40	3.0 ~ 10.4	2390	440 ~ 3370	11.7	10.8
	16 + 25 + 35	1.60	2.50	3.50	-	-	7.60	2.3 ~ 8.5	2250	340 ~ 3010	11.3	10.3	1.98	3.09	4.33	-	-	9.40	3.0 ~ 10.4	2360	430 ~ 3330	11.6	10.6
	16 + 25 + 42	1.54	2.41	4.05	-	-	8.00	2.3 ~ 8.6	2350	340 ~ 3090	11.8	10.8	1.81	2.83	4.76	-	-	9.40	3.0 ~ 10.4	2350	430 ~ 3320	11.5	10.6
	16 + 25 + 50	1.41	2.20	4.39	-	-	8.00	2.3 ~ 8.6	2160	380 ~ 2790	10.8	9.9	1.65	2.58	5.17	-	-	9.40	3.0 ~ 10.5	2240	460 ~ 3170	11.0	10.1
	16 + 25 + 60	1.27	1.98	4.75	-	-	8.00	2.3 ~ 8.8	2160	380 ~ 2860	10.8	9.9	1.49	2.33	5.58	-	-	9.40	3.0 ~ 10.5	2240	460 ~ 3170	11.0	10.1
	16 + 25 + 71	1.14	1.79	5.07	-	-	8.00	2.3 ~ 8.8	2100	380 ~ 2860	10.5	9.6	1.34	2.10	5.96	-	-	9.40	3.0 ~ 10.6	2230	460 ~ 3210	11.0	10.0
	16 + 35 + 35	1.48	3.26	3.26	-	-	8.00	2.3 ~ 8.6	2290	340 ~ 3010	11.5	10.5	1.74	3.83	3.83	-	-	9.40	3.0 ~ 10.5	2330	460 ~ 3360	11.4	10.5
	16 + 35 + 42	1.38	3.01	3.61	-	-	8.00	2.3 ~ 8.6	2290	340 ~ 3010	11.5	10.5	1.62	3.54	4.24	-	-	9.40	3.0 ~ 10.5	2320	460 ~ 3280	11.4	10.4
	16 + 35 + 50	1.27	2.77	3.96	-	-	8.00	2.3 ~ 8.8	2100	380 ~ 2860	10.5	9.6	1.49	3.26	4.65	-	-	9.40	3.0 ~ 10.5	2210	490 ~ 3130	10.9	10.0
	16 + 35 + 60	1.15	2.52	4.33	-	-	8.00	2.3 ~ 8.8	2100	380 ~ 2860	10.5	9.6	1.35	2.96	5.09	-	-	9.40	3.0 ~ 10.6	2210	490 ~ 3190	10.9	10.0
	16 + 35 + 71	1.05	2.30	4.65	-	-	8.00	2.3 ~ 9.0	2100	380 ~ 2930	10.5	9.6	1.23	2.70	5.47	-	-	9.40	3.0 ~ 10.6	2200	490 ~ 3180	10.8	9.9
	16 + 42 + 42	1.28	3.36	3.36	-	-	8.00	2.3 ~ 8.8	2290	340 ~ 3160	11.5	10.5	1.50	3.95	3.95	-	-	9.40	3.0 ~ 10.5	2310	460 ~ 3270	11.3	10.4
	16 + 42 + 50	1.19	3.11	3.70	-	-	8.00	2.3 ~ 8.8	2100	380 ~ 2860	10.5	9.6	1.39	3.66	4.35	-	-	9.40	3.0 ~ 10.5	2210	490 ~ 3120	10.9	10.0
	16 + 42 + 60	1.08	2.85	4.07	-	-	8.00	2.3 ~ 9.0	2100	380 ~ 2930	10.5	9.6	1.27	3.35	4.78	-	-	9.40	3.0 ~ 10.6	2210	490 ~ 3180	10.9	10.0
	16 + 42 + 71	0.99	2.60	4.41	-	-	8.00	2.3 ~ 9.0	2040	380 ~ 2860	10.2	9.4	1.17	3.06	5.17	-	-	9.40	3.0 ~ 10.6	2190	490 ~ 3160	10.8	9.9
	16 + 50 + 50	1.10	3.45	3.45	-	-	8.00	2.3 ~ 8.8	1980	430 ~ 2640	9.9	9.1	1.30	4.05	4.05	-	-	9.40	3.0 ~ 10.6	2120	550 ~ 3050	10.4	9.5
	16 + 50 + 60	1.02	3.17	3.81	-	-	8.00	2.3 ~ 9.0	1980	430 ~ 2710	9.9	9.1	1.19	3.73	4.48	-	-	9.40	3.0 ~ 10.6	2120	550 ~ 3050	10.4	9.5
	16 + 50 + 71	0.93	2.92	4.15	-	-	8.00	2.3 ~ 9.0	1980	470 ~ 2710	9.9	9.1	1.10	3.43	4.87	-	-	9.40	3.0 ~ 10.6	2110	550 ~ 3040	10.4	9.5
	16 + 60 + 60	0.94	3.53	3.53	-	-	8.00	2.3 ~ 9.0	1980	430 ~ 2710	9.9	9.1	1.10	4.15	4.15	-	-	9.40	3.0 ~ 10.6	2120	550 ~ 3050	10.4	9.5
	16 + 60 + 71	0.87	3.27	3.86	-	-	8.00	2.3 ~ 9.0	1980	470 ~ 2710	9.9	9.1	1.02	3.84	4.54	-	-	9.40	3.0 ~ 10.6	2110	550 ~ 3040	10.4	9.5
	20 + 20 + 20	2.00	2.00	2.00	-	-	6.00	2.3 ~ 8.5	1560	340 ~ 3090	7.9	7.2	3.13	3.13	3.13	-	-	9.39	3.0 ~ 10.4	2380	440 ~ 3360	11.7	10.7
	20 + 20 + 25	2.00	2.00	2.50	-	-	6.50	2.3 ~ 8.5	1790	340 ~ 3090	9.0	8.2	2.89	2.89	3.62	-	-	9.40	3.0 ~ 10.4	2380	440 ~ 3360	11.7	10.7
	20 + 20 + 35	2.00	2.00	3.50	-	-	7.50	2.3 ~ 8.5	2120	340 ~ 3010	10.6	9.7	2.51	2.51	4.38	-	-	9.40	3.0 ~ 10.4	2350	430 ~ 3320	11.5	10.6
	20 + 20 + 42	1.95	1.95	4.10	-	-	8.00	2.3 ~ 8.6	2350	340 ~ 3090	11.8	10.8	2.29	2.29	4.82	-	-	9.40	3.0 ~ 10.4	2340	460 ~ 3310	11.5	10.5
	20 + 20 + 50	1.78	1.78	4.44	-	-	8.00	2.3 ~ 8.6	2100	380 ~ 2710	10.5	9.6	2.09	2.09	5.22	-	-	9.40	3.0 ~ 10.5	2230	460 ~ 3150	11.0	10.0
	20 + 20 + 60	1.60	1.60	4.80	-	-	8.00	2.3 ~ 8.8	2100	380 ~ 2860	10.5	9.6	1.88	1.88	5.64	-	-	9.40	3.0 ~ 10.5	2230	460 ~ 3150	11.0	10.0
	20 + 20 + 71	1.44	1.44	5.12	-	-	8.00	2.3 ~ 8.8	2100	380 ~ 2780	10.5	9.6	1.69	1.69	6.02	-	-	9.40	3.0 ~ 10.6	2220	460 ~ 3200	10.9	10.0
	20 + 25 + 25	2.00	2.50	2.50	-	-	7.00	2.3 ~ 8.5	1950	340 ~ 3090	9.8	8.9	2.68	3.36	3.36	-	-	9.40	3.0 ~ 10.4	2380	440 ~ 3360	11.7	10.7
	20 + 25 + 35	2.00	2.50	3.50	-	-	8.00	2.3 ~ 8.6	2350	340 ~ 3090	11.8	10.8	2.35	2.94	4.11	-	-	9.40	3.0 ~ 10.4	2350	430 ~ 3320	11.5	10.6
	20 + 25 + 42	1.84	2.30	3.86	-	-	8.00	2.3 ~ 8.6	2350	340 ~ 3090	11.8	10.8	2.16	2.70	4.54	-	-	9.40	3.0 ~ 10.5	2340	460 ~ 3370	11.5	10.5
	20 + 25 + 50	1.68	2.11	4.21	-	-	8.00	2.3 ~ 8.6	2100	380 ~ 2710	10.5	9.6	1.98	2.47	4.95	-	-	9.40	3.0 ~ 10.5	2230	460 ~ 3150	11.0	10.0
	20 + 25 + 60	1.52	1.90	4.58	-	-	8.00	2.3 ~ 8.8	2100	380 ~ 2860	10.5	9.6	1.79	2.24	5.37	-	-	9.40	3.0 ~ 10.5	2230	460 ~ 3150	11.0	10.0
	20 + 25 + 71	1.38	1.72	4.90	-	-	8.00	2.3 ~ 8.8	2100	380 ~ 2780	10.5	9.6	1.62	2.03	5.75	-	-	9.40	3.0 ~ 10.6	2220	460 ~ 3200	10.9	10.0
	20 + 35 + 35	1.78	3.11	3.11	-	-	8.00	2.3 ~ 8.6	2290	340 ~ 3010	11.5	10.5	2.08	3.66	3.66	-	-	9.40	3.0 ~ 10.5	2320	460 ~ 3280	11.4	10.4
	20 + 35 + 42	1.65	2.89	3.46	-	-	8.00	2.3 ~ 8.6	2290	340 ~ 3010	11.5	10.5	1.94	3.39	4.07	-	-	9.40	3.0 ~ 10.5	2310	460 ~ 3270	11.3	10.4
	20 + 35 + 50	1.52	2.67	3.81	-	-	8.00	2.3 ~ 8.8	2100	380 ~ 2860	10.5	9.6	1.79	3.13	4.48	-	-	9.40	3.0 ~ 10.5	2210	490 ~ 3120	10.9	10.0
	20 + 35 + 60	1.39	2.43	4.18	-	-	8.00	2.3 ~ 8.8	2100	380 ~ 2860	10.5	9.6	1.63	2.86	4.91	-	-	9.40	3.0 ~ 10.6	2210	490 ~ 3180	10.9	10.0
	20 + 35 + 71	1.27	2.22	4.51	-	-	8.00	2.3 ~ 9.0	2040	380 ~ 2860	10.2	9.4	1.49	2.61	5.30	-	-	9.40	3.0 ~ 10.6	2190	490 ~ 3160	10.8	9.9
	20 + 42 + 42	1.54	3.23	3.23	-	-	8.00	2.3 ~ 8.8	2290	340 ~ 3090	11.5	10.5	1.80	3.80	3.80	-	-	9.40	3.0 ~ 10.5	2300	460 ~ 3260	11.3	10.4
	20 + 42 + 50	1.43	3.00	3.57	-	-	8.00	2.3 ~ 8.8	2100	380 ~ 2780	10.5	9.6	1.68	3.53	4.19	-	-	9.40	3.0 ~ 10.6	2200	490 ~ 3170	10.8	9.9
20 + 42 + 60	1.31	2.75	3.94	-	-	8.00	2.3 ~ 9.0	2100	380 ~ 2930	10.5	9.6	1.54	3.24	4.62	-	-	9.40	3.0 ~ 10.6	2200	490 ~ 3170	10.8	9.9	
20 + 42 + 71	1.20	2.53	4.27	-	-	8.00	2.3 ~ 9.0	2040	380 ~ 2860	10.2	9.4	1.41	2.97	5.02	-	-	9.40	3.0 ~ 10.6	2190	490 ~ 3150	10.8	9.9	
20 + 50 + 50	1.33	3.33	3.33	-	-	7.99	2.3 ~ 9.0	1980	430 ~ 2710	9.9	9.1	1.56	3.92	3.92	-	-	9.40	3.0 ~ 10.6	2110	550 ~ 3040	10.4	9.5	
20 + 50 + 60	1.23	3.08	3.69	-	-	8.00	2.3 ~ 9.0	1980	430 ~ 2710	9.9	9.1	1.45	3.62	4.33	-	-	9.40	3.0 ~ 10.6	2110	550 ~ 3040	10.4	9.5	
20 + 50 + 71	1.13	2.84	4.03	-	-	8.00	2.3 ~ 9.0	1980	470 ~ 2710	9.9	9.1	1.33	3.33	4.74	-	-	9.40	3.0 ~ 10.6	2100	580 ~ 3030	10.3	9.5	
20 + 60 + 60	1.14	3.43	3.43	-	-	8.00	2.3 ~ 9.0	1980	430 ~ 2710	9.9	9.1	1.34	4.03	4.03	-	-	9.40	3.0 ~ 10.6	2110	550 ~ 3040	10.4	9.5	
25 + 25 + 25	2.50	2.50	2.50	-	-	7.50	2.3 ~ 8.5	2190	340 ~ 3090	11.0	10.0	3.13	3.13	3.13	-	-	9.39	3.0 ~ 10.4	2380	440 ~ 3360	11.7	10.7	
25 + 25 + 35	2.35	2.35	3.30	-	-	8.00	2.3 ~ 8.6	2350	340 ~ 3090	11.8	10.8	2.76	2.76	3.88	-	-	9.40	3.0 ~ 10.4	2350	430 ~ 3320	11.5	10.6	
25 + 25 + 42	2.17	2.17	3.66	-	-	8.00	2.3 ~ 8.6	2350	340 ~ 3090	11.8	10.8	2.55	2.55	4.30	-	-	9.40	3.0 ~ 10.5	2340	460 ~ 3370	11.5	10.5	
25 + 25 + 50	2.00	2.00	4.00	-	-	8.00	2.3 ~ 8.8	2100	380 ~ 2860	10.5	9.6	2.35	2.35	4.70	-	-	9.40	3.0 ~ 10.5	2230	460 ~ 3150	11.0	10.0	
25 + 25 + 60	1.82	1.82	4.36	-	-	8.00	2.3 ~ 8.8	2100	380 ~ 2860	10.5	9.6	2.14	2.14	5.12	-	-	9.40	3.0 ~ 10.5	2230	460 ~ 3150	11.0	10.0	
25 + 25 + 71	1.65	1.65	4.70	-	-	8.00	2.3 ~ 9.0	2100	380 ~ 2930	10.5	9.6	1.94	1.94	5.52	-	-	9.40	3.0 ~ 10.6	2220	460 ~ 3200	10.9	10.0	
25 + 35 + 35	2.10	2.95	2.95	-	-	8.00	2.3 ~ 8.6	2290	340 ~ 3010	11.5	10.5	2.48	3.46	3.46	-	-	9.40	3.0 ~ 10.5	2320	460 ~ 3280	11.4	10.4	
25 + 35 + 42	1.96	2.75	3.29	-	-	8.00	2.3 ~ 8.8	2290	340 ~ 3160	11.5	10.5	2.30	3.23	3.87	-	-	9.40	3.0 ~ 10.5	2310	460 ~ 3270	11.3	10.4	
25 + 35 +																							

CU-4Z80WBH-8: Only Wall-Mounted Indoor Combination

Indoor unit capacity		COOLING OPERATION										HEATING OPERATION											
		Cooling Capacity (kW)					Input Power (W)		Current (A)			Heating Capacity (kW)					Input Power (W)		Current (A)				
		Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V
3 Rooms	25 + 42 + 60	1.57	2.65	3.78	-	-	8.00	2.3 ~ 9.0	2100	380 ~ 2930	10.5	9.6	1.85	3.11	4.44	-	-	9.40	3.0 ~ 10.6	2200	490 ~ 3170	10.8	9.9
	25 + 42 + 71	1.45	2.43	4.12	-	-	8.00	2.3 ~ 9.0	2040	380 ~ 2860	10.2	9.4	1.70	2.86	4.84	-	-	9.40	3.0 ~ 10.6	2190	490 ~ 3150	10.8	9.9
	25 + 50 + 50	1.60	3.20	3.20	-	-	8.00	2.3 ~ 9.0	1980	430 ~ 2710	9.9	9.1	1.88	3.76	3.76	-	-	9.40	3.0 ~ 10.6	2110	550 ~ 3040	10.4	9.5
	25 + 50 + 60	1.48	2.96	3.56	-	-	8.00	2.3 ~ 9.0	1980	430 ~ 2710	9.9	9.1	1.74	3.48	4.18	-	-	9.40	3.0 ~ 10.6	2110	550 ~ 3040	10.4	9.5
	25 + 50 + 71	1.37	2.74	3.89	-	-	8.00	2.3 ~ 9.0	1980	470 ~ 2710	9.9	9.1	1.61	3.22	4.57	-	-	9.40	3.0 ~ 10.6	2100	580 ~ 3030	10.3	9.5
	25 + 60 + 60	1.38	3.31	3.31	-	-	8.00	2.3 ~ 9.0	1980	430 ~ 2710	9.9	9.1	1.62	3.89	3.89	-	-	9.40	3.0 ~ 10.6	2110	550 ~ 3040	10.4	9.5
	35 + 35 + 35	2.66	2.66	2.66	-	-	7.98	2.3 ~ 8.8	2230	340 ~ 3090	11.2	10.2	3.13	3.13	3.13	-	-	9.39	3.0 ~ 10.5	2300	460 ~ 3250	11.3	10.4
	35 + 35 + 42	2.50	2.50	3.00	-	-	8.00	2.3 ~ 8.8	2230	340 ~ 3090	11.2	10.2	2.94	2.94	3.52	-	-	9.40	3.0 ~ 10.6	2290	460 ~ 3290	11.3	10.3
	35 + 35 + 50	2.33	2.33	3.33	-	-	7.99	2.3 ~ 9.0	2040	380 ~ 2930	10.2	9.4	2.74	2.74	3.92	-	-	9.40	3.0 ~ 10.6	2180	490 ~ 3150	10.7	9.8
	35 + 35 + 60	2.15	2.15	3.70	-	-	8.00	2.3 ~ 9.0	2040	380 ~ 2930	10.2	9.4	2.53	2.53	4.34	-	-	9.40	3.0 ~ 10.6	2180	490 ~ 3150	10.7	9.8
	35 + 35 + 71	1.99	1.99	4.02	-	-	8.00	2.3 ~ 9.0	2040	420 ~ 2860	10.2	9.4	2.33	2.33	4.74	-	-	9.40	3.0 ~ 10.6	2170	500 ~ 3130	10.7	9.8
	35 + 42 + 42	2.36	2.82	2.82	-	-	8.00	2.3 ~ 9.0	2230	340 ~ 3160	11.2	10.2	2.76	3.32	3.32	-	-	9.40	3.0 ~ 10.6	2280	460 ~ 3280	11.2	10.3
	35 + 42 + 50	2.20	2.65	3.15	-	-	8.00	2.3 ~ 9.0	2040	380 ~ 2860	10.2	9.4	2.59	3.11	3.70	-	-	9.40	3.0 ~ 10.6	2170	500 ~ 3140	10.7	9.8
	35 + 42 + 60	2.04	2.45	3.51	-	-	8.00	2.3 ~ 9.0	2040	380 ~ 2860	10.2	9.4	2.40	2.88	4.12	-	-	9.40	3.0 ~ 10.6	2170	500 ~ 3140	10.7	9.8
	35 + 50 + 50	2.08	2.96	2.96	-	-	8.00	2.3 ~ 9.0	1980	470 ~ 2710	9.9	9.1	2.44	3.48	3.48	-	-	9.40	3.0 ~ 10.6	2090	580 ~ 3010	10.3	9.4
	35 + 50 + 60	1.93	2.76	3.31	-	-	8.00	2.3 ~ 9.0	1980	470 ~ 2710	9.9	9.1	2.27	3.24	3.89	-	-	9.40	3.0 ~ 10.6	2090	580 ~ 3010	10.3	9.4
	42 + 42 + 42	2.66	2.66	2.66	-	-	7.98	2.3 ~ 9.0	2230	340 ~ 3160	11.2	10.2	3.13	3.13	3.13	-	-	9.39	3.0 ~ 10.6	2270	460 ~ 3270	11.2	10.2
	42 + 42 + 50	2.51	2.51	2.98	-	-	8.00	2.3 ~ 9.0	2040	380 ~ 2860	10.2	9.4	2.95	2.95	3.50	-	-	9.40	3.0 ~ 10.6	2170	500 ~ 3120	10.7	9.8
	42 + 42 + 60	2.33	2.33	3.33	-	-	7.99	2.3 ~ 9.0	2040	380 ~ 2860	10.2	9.4	2.74	2.74	3.92	-	-	9.40	3.0 ~ 10.6	2170	500 ~ 3120	10.7	9.8
	42 + 50 + 50	2.36	2.82	2.82	-	-	8.00	2.3 ~ 9.0	1980	470 ~ 2710	9.9	9.1	2.78	3.31	3.31	-	-	9.40	3.0 ~ 10.6	2090	590 ~ 3000	10.3	9.4
4 Rooms	16 + 16 + 16 + 16	1.60	1.60	1.60	1.60	-	6.40	2.3 ~ 9.2	1490	420 ~ 2940	7.4	6.8	2.35	2.35	2.35	-	-	9.40	3.0 ~ 11.6	2060	490 ~ 3470	10.3	9.5
	16 + 16 + 16 + 20	1.60	1.60	1.60	2.00	-	6.80	2.3 ~ 9.2	1600	420 ~ 2870	7.9	7.3	2.21	2.21	2.21	2.77	-	9.40	3.0 ~ 11.6	2050	500 ~ 3460	10.3	9.4
	16 + 16 + 16 + 25	1.60	1.60	1.60	2.50	-	7.30	2.3 ~ 9.2	1760	420 ~ 2870	8.6	7.9	2.06	2.06	2.06	3.22	-	9.40	3.0 ~ 11.6	2050	500 ~ 3460	10.3	9.4
	16 + 16 + 16 + 35	1.54	1.54	1.54	3.38	-	8.00	2.3 ~ 9.2	1980	420 ~ 2870	9.7	8.9	1.81	1.81	1.81	3.97	-	9.40	3.0 ~ 11.6	2030	500 ~ 3420	10.2	9.3
	16 + 16 + 16 + 42	1.42	1.42	1.42	3.74	-	8.00	2.3 ~ 9.2	1980	420 ~ 2870	9.7	8.9	1.67	1.67	1.67	4.39	-	9.40	3.0 ~ 11.6	2020	510 ~ 3410	10.1	9.3
	16 + 16 + 16 + 50	1.31	1.31	1.31	4.07	-	8.00	2.3 ~ 9.2	1880	480 ~ 2730	9.2	8.5	1.53	1.53	1.53	4.81	-	9.40	3.0 ~ 11.6	2000	600 ~ 3340	10.0	9.2
	16 + 16 + 16 + 60	1.19	1.19	1.19	4.43	-	8.00	2.3 ~ 9.2	1880	480 ~ 2730	9.2	8.5	1.39	1.39	1.39	5.23	-	9.40	3.0 ~ 11.6	2000	600 ~ 3340	10.0	9.2
	16 + 16 + 16 + 71	1.08	1.08	1.08	4.76	-	8.00	2.3 ~ 9.2	1880	520 ~ 2660	9.2	8.5	1.26	1.26	1.26	5.62	-	9.40	3.0 ~ 11.6	1990	630 ~ 3320	10.0	9.1
	16 + 16 + 20 + 20	1.60	1.60	2.00	2.00	-	7.20	2.3 ~ 9.2	1710	420 ~ 2870	8.5	7.8	2.09	2.09	2.61	2.61	-	9.40	3.0 ~ 11.6	2040	500 ~ 3440	10.2	9.4
	16 + 16 + 20 + 25	1.60	1.60	2.00	2.50	-	7.70	2.3 ~ 9.2	1870	420 ~ 2870	9.2	8.4	1.95	1.95	2.44	3.06	-	9.40	3.0 ~ 11.6	2040	500 ~ 3440	10.2	9.4
	16 + 16 + 20 + 35	1.47	1.47	1.84	3.22	-	8.00	2.3 ~ 9.2	1930	420 ~ 2870	9.5	8.7	1.73	1.73	2.16	3.78	-	9.40	3.0 ~ 11.6	2020	510 ~ 3410	10.1	9.3
	16 + 16 + 20 + 42	1.36	1.36	1.70	3.58	-	8.00	2.3 ~ 9.2	1930	420 ~ 2870	9.5	8.7	1.60	1.60	2.00	4.20	-	9.40	3.0 ~ 11.6	2020	530 ~ 3400	10.1	9.3
	16 + 16 + 20 + 50	1.25	1.25	1.57	3.93	-	8.00	2.3 ~ 9.2	1880	480 ~ 2660	9.2	8.5	1.47	1.47	1.84	4.62	-	9.40	3.0 ~ 11.6	1990	620 ~ 3330	10.0	9.1
	16 + 16 + 20 + 60	1.14	1.14	1.43	4.29	-	8.00	2.3 ~ 9.2	1880	480 ~ 2660	9.2	8.5	1.34	1.34	1.68	5.04	-	9.40	3.0 ~ 11.6	1990	620 ~ 3330	10.0	9.1
	16 + 16 + 20 + 71	1.04	1.04	1.30	4.62	-	8.00	2.3 ~ 9.2	1880	520 ~ 2660	9.2	8.5	1.22	1.22	1.53	5.43	-	9.40	3.0 ~ 11.6	1980	630 ~ 3310	9.9	9.1
	16 + 16 + 25 + 25	1.56	1.56	2.44	2.44	-	8.00	2.3 ~ 9.2	1980	420 ~ 2870	9.7	8.9	1.83	1.83	2.87	2.87	-	9.40	3.0 ~ 11.6	2040	500 ~ 3440	10.2	9.4
	16 + 16 + 25 + 35	1.39	1.39	2.17	3.05	-	8.00	2.3 ~ 9.2	1930	420 ~ 2870	9.5	8.7	1.63	1.63	2.55	3.59	-	9.40	3.0 ~ 11.6	2020	510 ~ 3410	10.1	9.3
	16 + 16 + 25 + 42	1.29	1.29	2.02	3.40	-	8.00	2.3 ~ 9.2	1930	420 ~ 2870	9.5	8.7	1.52	1.52	2.37	3.99	-	9.40	3.0 ~ 11.6	2020	530 ~ 3400	10.1	9.3
	16 + 16 + 25 + 50	1.20	1.20	1.87	3.73	-	8.00	2.3 ~ 9.2	1880	480 ~ 2660	9.2	8.5	1.41	1.41	2.20	4.38	-	9.40	3.0 ~ 11.6	1990	620 ~ 3330	10.0	9.1
	16 + 16 + 25 + 60	1.09	1.09	1.71	4.11	-	8.00	2.3 ~ 9.2	1880	480 ~ 2660	9.2	8.5	1.29	1.29	2.01	4.81	-	9.40	3.0 ~ 11.6	1990	620 ~ 3330	10.0	9.1
	16 + 16 + 25 + 71	1.00	1.00	1.56	4.44	-	8.00	2.3 ~ 9.2	1880	520 ~ 2660	9.2	8.5	1.18	1.18	1.84	5.20	-	9.40	3.0 ~ 11.6	1980	630 ~ 3310	9.9	9.1
	16 + 16 + 35 + 35	1.25	1.25	2.75	2.75	-	8.00	2.3 ~ 9.2	1930	430 ~ 2800	9.5	8.7	1.47	1.47	3.23	3.23	-	9.40	3.0 ~ 11.6	2010	540 ~ 3380	10.1	9.2
	16 + 16 + 35 + 42	1.17	1.17	2.57	3.09	-	8.00	2.3 ~ 9.2	1930	430 ~ 2800	9.5	8.7	1.38	1.38	3.02	3.62	-	9.40	3.0 ~ 11.6	2000	540 ~ 3360	10.0	9.2
	16 + 16 + 35 + 50	1.09	1.09	2.39	3.43	-	8.00	2.3 ~ 9.2	1880	520 ~ 2660	9.2	8.5	1.29	1.29	2.81	4.01	-	9.40	3.0 ~ 11.6	1980	640 ~ 3300	9.9	9.1
	16 + 16 + 35 + 60	1.01	1.01	2.20	3.78	-	8.00	2.3 ~ 9.2	1880	520 ~ 2660	9.2	8.5	1.18	1.18	2.59	4.45	-	9.40	3.0 ~ 11.6	1980	640 ~ 3300	9.9	9.1
	16 + 16 + 35 + 71	0.93	0.93	2.03	4.11	-	8.00	2.3 ~ 9.2	1880	520 ~ 2660	9.2	8.5	1.09	1.09	2.38	4.84	-	9.40	3.0 ~ 11.6	1970	650 ~ 3290	9.9	9.0
	16 + 16 + 42 + 42	1.10	1.10	2.90	2.90	-	8.00	2.3 ~ 9.2	1930	430 ~ 2800	9.5	8.7	1.30	1.30	3.40	3.40	-	9.40	3.0 ~ 11.6	1990	550 ~ 3350	10.0	9.1
	16 + 16 + 42 + 50	1.03	1.03	2.71	3.23	-	8.00	2.3 ~ 9.2	1880	520 ~ 2660	9.2	8.5	1.21	1.21	3.18	3.8							

CU-4Z80WBH-8: Only Wall-Mounted Indoor Combination

Indoor unit capacity		COOLING OPERATION										HEATING OPERATION											
		Cooling Capacity (kW)						Input Power (W)		Current (A)		Heating Capacity (kW)						Input Power (W)		Current (A)			
		Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V
4 Rooms	16 + 20 + 25 + 25	1.48	1.86	2.33	2.33	-	8.00	2.3 ~ 9.2	1980	420 ~ 2870	9.7	8.9	1.75	2.19	2.73	2.73	-	9.40	3.0 ~ 11.6	2040	500 ~ 3430	10.2	9.4
	16 + 20 + 25 + 35	1.33	1.67	2.08	2.92	-	8.00	2.3 ~ 9.2	1930	420 ~ 2800	9.5	8.7	1.57	1.96	2.45	3.42	-	9.40	3.0 ~ 11.6	2020	530 ~ 3400	10.1	9.3
	16 + 20 + 25 + 42	1.24	1.55	1.94	3.27	-	8.00	2.3 ~ 9.2	1930	430 ~ 2800	9.5	8.7	1.46	1.83	2.28	3.83	-	9.40	3.0 ~ 11.6	2010	530 ~ 3380	10.1	9.2
	16 + 20 + 25 + 50	1.15	1.44	1.80	3.61	-	8.00	2.3 ~ 9.2	1880	480 ~ 2660	9.2	8.5	1.35	1.69	2.12	4.24	-	9.40	3.0 ~ 11.6	1990	630 ~ 3320	10.0	9.1
	16 + 20 + 25 + 60	1.06	1.32	1.65	3.97	-	8.00	2.3 ~ 9.2	1880	480 ~ 2660	9.2	8.5	1.24	1.55	1.94	4.67	-	9.40	3.0 ~ 11.6	1990	630 ~ 3320	10.0	9.1
	16 + 20 + 25 + 71	0.97	1.21	1.52	4.30	-	8.00	2.3 ~ 9.2	1880	520 ~ 2660	9.2	8.5	1.14	1.42	1.78	5.06	-	9.40	3.0 ~ 11.6	1980	640 ~ 3300	9.9	9.1
	16 + 20 + 35 + 35	1.21	1.51	2.64	2.64	-	8.00	2.3 ~ 9.2	1930	430 ~ 2800	9.5	8.7	1.42	1.78	3.10	3.10	-	9.40	3.0 ~ 11.6	2000	540 ~ 3360	10.0	9.2
	16 + 20 + 35 + 42	1.13	1.42	2.48	2.97	-	8.00	2.3 ~ 9.2	1930	430 ~ 2800	9.5	8.7	1.33	1.66	2.91	3.50	-	9.40	3.0 ~ 11.6	1990	550 ~ 3350	10.0	9.1
	16 + 20 + 35 + 50	1.06	1.32	2.31	3.31	-	8.00	2.3 ~ 9.2	1880	520 ~ 2660	9.2	8.5	1.24	1.55	2.72	3.89	-	9.40	3.0 ~ 11.6	1970	650 ~ 3290	9.9	9.0
	16 + 20 + 35 + 60	0.98	1.22	2.14	3.66	-	8.00	2.3 ~ 9.2	1880	520 ~ 2660	9.2	8.5	1.15	1.44	2.51	4.30	-	9.40	3.0 ~ 11.6	1970	650 ~ 3290	9.9	9.0
	16 + 20 + 35 + 71	0.90	1.13	1.97	4.00	-	8.00	2.3 ~ 9.2	1880	530 ~ 2660	9.2	8.5	1.06	1.32	2.32	4.70	-	9.40	3.0 ~ 11.6	1970	670 ~ 3280	9.9	9.0
	16 + 20 + 42 + 42	1.07	1.33	2.80	2.80	-	8.00	2.3 ~ 9.2	1930	430 ~ 2800	9.5	8.7	1.25	1.57	3.29	3.29	-	9.40	3.0 ~ 11.6	1990	550 ~ 3340	10.0	9.1
	16 + 20 + 42 + 50	1.00	1.25	2.63	3.12	-	8.00	2.3 ~ 9.2	1880	520 ~ 2660	9.2	8.5	1.18	1.47	3.08	3.67	-	9.40	3.0 ~ 11.6	1970	670 ~ 3280	9.9	9.0
	16 + 20 + 42 + 60	0.93	1.16	2.43	3.48	-	8.00	2.3 ~ 9.2	1880	520 ~ 2660	9.2	8.5	1.09	1.36	2.86	4.09	-	9.40	3.0 ~ 11.6	1970	670 ~ 3280	9.9	9.0
	16 + 20 + 50 + 50	0.94	1.18	2.94	2.94	-	8.00	2.3 ~ 9.2	1890	590 ~ 2610	9.3	8.5	1.10	1.38	3.46	3.46	-	9.40	3.0 ~ 11.6	2010	790 ~ 3300	10.1	9.2
	16 + 20 + 50 + 60	0.88	1.10	2.74	3.28	-	8.00	2.3 ~ 9.2	1890	590 ~ 2610	9.3	8.5	1.03	1.29	3.22	3.86	-	9.40	3.0 ~ 11.6	2010	790 ~ 3300	10.1	9.2
	16 + 25 + 25 + 25	1.40	2.20	2.20	2.20	-	8.00	2.3 ~ 9.2	1980	420 ~ 2870	9.7	8.9	1.66	2.58	2.58	2.58	-	9.40	3.0 ~ 11.6	2040	500 ~ 3430	10.2	9.4
	16 + 25 + 25 + 35	1.27	1.98	1.98	2.77	-	8.00	2.3 ~ 9.2	1930	420 ~ 2800	9.5	8.7	1.49	2.33	2.33	3.25	-	9.40	3.0 ~ 11.6	2020	530 ~ 3400	10.1	9.3
	16 + 25 + 25 + 42	1.19	1.85	1.85	3.11	-	8.00	2.3 ~ 9.2	1930	430 ~ 2800	9.5	8.7	1.39	2.18	2.18	3.65	-	9.40	3.0 ~ 11.6	2010	530 ~ 3380	10.1	9.2
	16 + 25 + 25 + 50	1.10	1.72	1.72	3.46	-	8.00	2.3 ~ 9.2	1880	480 ~ 2660	9.2	8.5	1.30	2.03	2.03	4.04	-	9.40	3.0 ~ 11.6	1990	630 ~ 3320	10.0	9.1
	16 + 25 + 25 + 60	1.02	1.59	1.59	3.80	-	8.00	2.3 ~ 9.2	1880	480 ~ 2660	9.2	8.5	1.19	1.87	1.87	4.47	-	9.40	3.0 ~ 11.6	1990	630 ~ 3320	10.0	9.1
	16 + 25 + 25 + 71	0.93	1.46	1.46	4.15	-	8.00	2.3 ~ 9.2	1880	520 ~ 2660	9.2	8.5	1.10	1.72	1.72	4.86	-	9.40	3.0 ~ 11.6	1980	640 ~ 3300	9.9	9.1
	16 + 25 + 35 + 35	1.15	1.81	2.52	2.52	-	8.00	2.3 ~ 9.2	1930	430 ~ 2800	9.5	8.7	1.35	2.13	2.96	2.96	-	9.40	3.0 ~ 11.6	2000	540 ~ 3360	10.0	9.2
	16 + 25 + 35 + 42	1.08	1.69	2.37	2.86	-	8.00	2.3 ~ 9.2	1930	430 ~ 2800	9.5	8.7	1.27	1.99	2.79	3.35	-	9.40	3.0 ~ 11.6	1990	550 ~ 3350	10.0	9.1
	16 + 25 + 35 + 50	1.02	1.59	2.22	3.17	-	8.00	2.3 ~ 9.2	1880	520 ~ 2660	9.2	8.5	1.19	1.87	2.61	3.73	-	9.40	3.0 ~ 11.6	1970	650 ~ 3290	9.9	9.0
	16 + 25 + 35 + 60	0.94	1.47	2.06	3.53	-	8.00	2.3 ~ 9.2	1880	520 ~ 2660	9.2	8.5	1.10	1.73	2.42	4.15	-	9.40	3.0 ~ 11.6	1970	650 ~ 3290	9.9	9.0
	16 + 25 + 35 + 71	0.87	1.36	1.90	3.87	-	8.00	2.3 ~ 9.2	1880	530 ~ 2660	9.2	8.5	1.02	1.60	2.24	4.54	-	9.40	3.0 ~ 11.6	1970	670 ~ 3280	9.9	9.0
	16 + 25 + 42 + 42	1.02	1.60	2.69	2.69	-	8.00	2.3 ~ 9.2	1930	430 ~ 2800	9.5	8.7	1.20	1.88	3.16	3.16	-	9.40	3.0 ~ 11.6	1990	550 ~ 3340	10.0	9.1
	16 + 25 + 42 + 50	0.96	1.50	2.53	3.01	-	8.00	2.3 ~ 9.2	1880	520 ~ 2660	9.2	8.5	1.13	1.77	2.97	3.53	-	9.40	3.0 ~ 11.6	1970	670 ~ 3280	9.9	9.0
	16 + 25 + 42 + 60	0.90	1.40	2.35	3.35	-	8.00	2.3 ~ 9.2	1880	520 ~ 2660	9.2	8.5	1.05	1.64	2.76	3.95	-	9.40	3.0 ~ 11.6	1970	670 ~ 3280	9.9	9.0
	16 + 25 + 50 + 50	0.90	1.42	2.84	2.84	-	8.00	2.3 ~ 9.2	1890	590 ~ 2610	9.3	8.5	1.07	1.67	3.33	3.33	-	9.40	3.0 ~ 11.6	2010	790 ~ 3300	10.1	9.2
	16 + 35 + 35 + 35	1.07	2.31	2.31	2.31	-	8.00	2.3 ~ 9.2	1930	470 ~ 2800	9.5	8.7	1.24	2.72	2.72	2.72	-	9.40	3.0 ~ 11.6	1980	550 ~ 3330	9.9	9.1
	16 + 35 + 35 + 42	1.00	2.19	2.19	2.62	-	8.00	2.3 ~ 9.2	1930	470 ~ 2730	9.5	8.7	1.18	2.57	2.57	3.08	-	9.40	3.0 ~ 11.6	1980	580 ~ 3320	9.9	9.1
	16 + 35 + 35 + 50	0.94	2.06	2.06	2.94	-	8.00	2.3 ~ 9.2	1880	520 ~ 2660	9.2	8.5	1.11	2.42	2.42	3.45	-	9.40	3.0 ~ 11.6	2000	680 ~ 3260	10.0	9.2
	16 + 35 + 35 + 60	0.88	1.92	1.92	3.28	-	8.00	2.3 ~ 9.2	1880	520 ~ 2660	9.2	8.5	1.03	2.25	2.25	3.87	-	9.40	3.0 ~ 11.6	2000	680 ~ 3260	10.0	9.2
	16 + 35 + 42 + 42	0.95	2.07	2.49	2.49	-	8.00	2.3 ~ 9.2	1930	470 ~ 2730	9.5	8.7	1.11	2.45	2.92	2.92	-	9.40	3.0 ~ 11.6	1970	580 ~ 3370	9.9	9.0
	16 + 35 + 42 + 50	0.90	1.96	2.35	2.79	-	8.00	2.3 ~ 9.2	1880	530 ~ 2660	9.2	8.5	1.05	2.30	2.76	3.29	-	9.40	3.0 ~ 11.6	2000	690 ~ 3310	10.0	9.2
	16 + 42 + 42 + 42	0.89	2.37	2.37	2.37	-	8.00	2.3 ~ 9.2	1930	470 ~ 2730	9.5	8.7	1.06	2.78	2.78	2.78	-	9.40	3.0 ~ 11.6	1970	590 ~ 3360	9.9	9.0
	20 + 20 + 20 + 20	2.00	2.00	2.00	2.00	-	8.00	2.3 ~ 9.2	1980	420 ~ 2870	9.7	8.9	2.35	2.35	2.35	2.35	-	9.40	3.0 ~ 11.6	2030	500 ~ 3420	10.2	9.3
	20 + 20 + 20 + 25	1.88	1.88	1.88	2.36	-	8.00	2.3 ~ 9.2	1980	420 ~ 2870	9.7	8.9	2.21	2.21	2.21	2.77	-	9.40	3.0 ~ 11.6	2030	500 ~ 3420	10.2	9.3
20 + 20 + 20 + 35	1.68	1.68	1.68	2.96	-	8.00	2.3 ~ 9.2	1930	430 ~ 2800	9.5	8.7	1.98	1.98	1.98	3.46	-	9.40	3.0 ~ 11.6	2010	530 ~ 3380	10.1	9.2	
20 + 20 + 20 + 42	1.57	1.57	1.57	3.29	-	8.00	2.3 ~ 9.2	1930	430 ~ 2800	9.5	8.7	1.84	1.84	1.84	3.88	-	9.40	3.0 ~ 11.6	2000	540 ~ 3370	10.0	9.2	
20 + 20 + 20 + 50	1.45	1.45	1.45	3.65	-	8.00	2.3 ~ 9.2	1880	520 ~ 2660	9.2	8.5	1.71	1.71	1.71	4.27	-	9.40	3.0 ~ 11.6	1980	640 ~ 3310	9.9	9.1	
20 + 20 + 20 + 60	1.33	1.33	1.33	4.01	-	8.00	2.3 ~ 9.2	1880	520 ~ 2660	9.2	8.5	1.57	1.57	1.57	4.69	-	9.40	3.0 ~ 11.6	1980	640 ~ 3310	9.9	9.1	
20 + 20 + 20 + 71	1.22	1.22	1.22	4.34	-	8.00	2.3 ~ 9.2	1880	520 ~ 2660	9.2	8.5	1.44	1.44	1.44	5.08	-	9.40	3.0 ~ 11.6	1970	640 ~ 3290	9.9	9.0	
20 + 20 + 25 + 25	1.78	1.78	2.22	2.22	-	8.00	2.3 ~ 9.2	1980	420 ~ 2870	9.7	8.9	2.09	2.09	2.61	2.61	-	9.40	3.0 ~ 11.6	2030	500 ~ 3420	10.2	9.3	
20 + 20 + 25 + 35	1.60	1.60	2.00	2.80	-	8.00	2.3 ~ 9.2	1930	430 ~ 2800	9.5	8.7	1.88	1.88	2.35	3.29	-	9.40	3.0 ~ 11.6	2010	530 ~ 3380	10.1	9.2	
20 + 20 + 25 + 42	1.50	1.50	1.87	3.13	-	8.00	2.3 ~ 9.2	1930	430 ~ 2800	9.5	8.7	1.76	1.76	2.20	3.68	-	9.40	3.0 ~ 11.6	2000	540 ~ 3370	10.0	9.2	
20 + 20 + 25 + 50	1.39	1.39	1.74	3.48	-	8.00	2.3 ~ 9.2	1880	520 ~ 2660	9.2	8.5	1.63	1.63	2.04	4.10	-	9.40	3.0 ~ 11.6	1980	640 ~ 3310	9.9	9.1	
20 + 20 + 25 + 60	1.28	1.28	1.60	3.84	-	8.00	2.3 ~ 9.2	1880	520 ~ 2660	9.2	8.5	1.50	1.50	1.88	4.52	-	9.40	3.0 ~ 11.6	1980	640 ~ 3310	9.9	9.1	
20 + 20 + 25 + 71	1.18	1.18	1.47	4.17	-	8.00	2.3 ~ 9.2	1880	520 ~ 2660	9.2	8.5	1.38	1.38	1.73	4.91	-	9.40	3.0 ~ 11.6	1970	640 ~ 3290	9.9	9.0	
20 + 20 + 35 + 35	1.45	1.45	2.55	2.55	-	8.00	2.3 ~ 9.2	1930	430 ~ 2800	9.5	8.7	1.71	1.71	2.99	2.99	-	9.40						

CU-4Z80WBH-8: Only Wall-Mounted Indoor Combination

Indoor unit capacity		COOLING OPERATION											HEATING OPERATION										
		Cooling Capacity (kW)						Input Power (W)		Current (A)			Heating Capacity (kW)						Input Power (W)		Current (A)		
		Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V
4 Rooms	20 + 20 + 50 + 50	1.14	1.14	2.86	2.86	-	8.00	2.3 ~ 9.2	1890	590 ~ 2610	9.3	8.5	1.34	1.34	3.36	3.36	-	9.40	3.0 ~ 11.6	2000	800 ~ 3290	10.0	9.2
	20 + 25 + 25 + 25	1.67	2.11	2.11	2.11	-	8.00	2.3 ~ 9.2	1980	420 ~ 2870	9.7	8.9	1.99	2.47	2.47	2.47	-	9.40	3.0 ~ 11.6	2030	500 ~ 3420	10.2	9.3
	20 + 25 + 25 + 35	1.52	1.90	1.90	2.68	-	8.00	2.3 ~ 9.2	1930	430 ~ 2800	9.5	8.7	1.79	2.24	2.24	3.13	-	9.40	3.0 ~ 11.6	2010	530 ~ 3380	10.1	9.2
	20 + 25 + 25 + 42	1.43	1.79	1.79	2.99	-	8.00	2.3 ~ 9.2	1930	430 ~ 2800	9.5	8.7	1.68	2.10	2.10	3.52	-	9.40	3.0 ~ 11.6	2000	540 ~ 3370	10.0	9.2
	20 + 25 + 25 + 50	1.33	1.67	1.67	3.33	-	8.00	2.3 ~ 9.2	1880	520 ~ 2660	9.2	8.5	1.57	1.96	1.96	3.91	-	9.40	3.0 ~ 11.6	1980	640 ~ 3310	9.9	9.1
	20 + 25 + 25 + 60	1.23	1.54	1.54	3.69	-	8.00	2.3 ~ 9.2	1880	520 ~ 2660	9.2	8.5	1.45	1.81	1.81	4.33	-	9.40	3.0 ~ 11.6	1980	640 ~ 3310	9.9	9.1
	20 + 25 + 25 + 71	1.13	1.42	1.42	4.03	-	8.00	2.3 ~ 9.2	1880	520 ~ 2660	9.2	8.5	1.33	1.67	1.67	4.73	-	9.40	3.0 ~ 11.6	1970	640 ~ 3290	9.9	9.0
	20 + 25 + 35 + 35	1.39	1.75	2.43	2.43	-	8.00	2.3 ~ 9.2	1930	430 ~ 2800	9.5	8.7	1.63	2.05	2.86	2.86	-	9.40	3.0 ~ 11.6	1990	550 ~ 3350	10.0	9.1
	20 + 25 + 35 + 42	1.31	1.64	2.30	2.75	-	8.00	2.3 ~ 9.2	1930	430 ~ 2800	9.5	8.7	1.54	1.93	2.70	3.23	-	9.40	3.0 ~ 11.6	1990	550 ~ 3340	10.0	9.1
	20 + 25 + 35 + 50	1.23	1.54	2.15	3.08	-	8.00	2.3 ~ 9.2	1880	520 ~ 2660	9.2	8.5	1.45	1.81	2.53	3.61	-	9.40	3.0 ~ 11.6	1970	670 ~ 3280	9.9	9.0
	20 + 25 + 35 + 60	1.14	1.43	2.00	3.43	-	8.00	2.3 ~ 9.2	1880	520 ~ 2660	9.2	8.5	1.34	1.68	2.35	4.03	-	9.40	3.0 ~ 11.6	1970	670 ~ 3280	9.9	9.0
	20 + 25 + 42 + 42	1.24	1.56	2.60	2.60	-	8.00	2.3 ~ 9.2	1930	460 ~ 2800	9.5	8.7	1.46	1.82	3.06	3.06	-	9.40	3.0 ~ 11.6	1980	570 ~ 3330	9.9	9.1
	20 + 25 + 42 + 50	1.17	1.46	2.45	2.92	-	8.00	2.3 ~ 9.2	1880	520 ~ 2660	9.2	8.5	1.37	1.72	2.88	3.43	-	9.40	3.0 ~ 11.6	2000	680 ~ 3270	10.0	9.2
	20 + 25 + 42 + 60	1.09	1.36	2.29	3.26	-	8.00	2.3 ~ 9.2	1880	520 ~ 2660	9.2	8.5	1.28	1.60	2.69	3.83	-	9.40	3.0 ~ 11.6	2000	680 ~ 3270	10.0	9.2
	20 + 25 + 50 + 50	1.10	1.38	2.76	2.76	-	8.00	2.3 ~ 9.2	1890	590 ~ 2610	9.3	8.5	1.30	1.62	3.24	3.24	-	9.40	3.0 ~ 11.6	2000	800 ~ 3290	10.0	9.2
	20 + 35 + 35 + 35	1.28	2.24	2.24	2.24	-	8.00	2.3 ~ 9.2	1930	470 ~ 2730	9.5	8.7	1.51	2.63	2.63	2.63	-	9.40	3.0 ~ 11.6	1980	580 ~ 3320	9.9	9.1
	20 + 35 + 35 + 42	1.21	2.12	2.12	2.55	-	8.00	2.3 ~ 9.2	1930	470 ~ 2730	9.5	8.7	1.42	2.49	2.49	3.00	-	9.40	3.0 ~ 11.6	1970	580 ~ 3370	9.9	9.0
	20 + 35 + 35 + 50	1.14	2.00	2.00	2.86	-	8.00	2.3 ~ 9.2	1880	530 ~ 2660	9.2	8.5	1.34	2.35	2.35	3.36	-	9.40	3.0 ~ 11.6	2000	690 ~ 3310	10.0	9.2
	20 + 35 + 42 + 42	1.15	2.01	2.42	2.42	-	8.00	2.3 ~ 9.2	1930	470 ~ 2730	9.5	8.7	1.35	2.37	2.84	2.84	-	9.40	3.0 ~ 11.6	1970	590 ~ 3360	9.9	9.0
	20 + 35 + 42 + 50	1.09	1.90	2.29	2.72	-	8.00	2.3 ~ 9.2	1880	530 ~ 2660	9.2	8.5	1.28	2.24	2.69	3.19	-	9.40	3.0 ~ 11.6	1990	700 ~ 3300	10.0	9.1
	20 + 42 + 42 + 42	1.10	2.30	2.30	2.30	-	8.00	2.3 ~ 9.2	1870	470 ~ 2730	9.2	8.4	1.30	2.70	2.70	2.70	-	9.40	3.0 ~ 11.6	2000	590 ~ 3350	10.0	9.2
	25 + 25 + 25 + 25	2.00	2.00	2.00	2.00	-	8.00	2.3 ~ 9.2	1980	420 ~ 2870	9.7	8.9	2.35	2.35	2.35	2.35	-	9.40	3.0 ~ 11.6	2030	500 ~ 3420	10.2	9.3
	25 + 25 + 25 + 35	1.82	1.82	1.82	2.54	-	8.00	2.3 ~ 9.2	1930	430 ~ 2800	9.5	8.7	2.14	2.14	2.14	2.98	-	9.40	3.0 ~ 11.6	2010	530 ~ 3380	10.1	9.2
	25 + 25 + 25 + 42	1.71	1.71	1.71	2.87	-	8.00	2.3 ~ 9.2	1930	430 ~ 2800	9.5	8.7	2.01	2.01	2.01	3.37	-	9.40	3.0 ~ 11.6	2000	540 ~ 3370	10.0	9.2
	25 + 25 + 25 + 50	1.60	1.60	1.60	3.20	-	8.00	2.3 ~ 9.2	1880	520 ~ 2660	9.2	8.5	1.88	1.88	1.88	3.76	-	9.40	3.0 ~ 11.6	1980	640 ~ 3310	9.9	9.1
	25 + 25 + 25 + 60	1.48	1.48	1.48	3.56	-	8.00	2.3 ~ 9.2	1880	520 ~ 2660	9.2	8.5	1.74	1.74	1.74	4.18	-	9.40	3.0 ~ 11.6	1980	640 ~ 3310	9.9	9.1
	25 + 25 + 25 + 71	1.37	1.37	1.37	3.89	-	8.00	2.3 ~ 9.2	1880	520 ~ 2660	9.2	8.5	1.61	1.61	1.61	4.57	-	9.40	3.0 ~ 11.6	1970	640 ~ 3290	9.9	9.0
	25 + 25 + 35 + 35	1.67	1.67	2.33	2.33	-	8.00	2.3 ~ 9.2	1930	430 ~ 2800	9.5	8.7	1.96	1.96	2.74	2.74	-	9.40	3.0 ~ 11.6	1990	550 ~ 3350	10.0	9.1
	25 + 25 + 35 + 42	1.57	1.57	2.20	2.66	-	8.00	2.3 ~ 9.2	1930	430 ~ 2800	9.5	8.7	1.85	1.85	2.59	3.11	-	9.40	3.0 ~ 11.6	1990	550 ~ 3340	10.0	9.1
	25 + 25 + 35 + 50	1.48	1.48	2.07	2.97	-	8.00	2.3 ~ 9.2	1880	520 ~ 2660	9.2	8.5	1.74	1.74	2.44	3.48	-	9.40	3.0 ~ 11.6	1970	670 ~ 3280	9.9	9.0
	25 + 25 + 35 + 60	1.38	1.38	1.93	3.31	-	8.00	2.3 ~ 9.2	1880	520 ~ 2660	9.2	8.5	1.62	1.62	2.27	3.89	-	9.40	3.0 ~ 11.6	1970	670 ~ 3280	9.9	9.0
	25 + 25 + 42 + 42	1.49	1.49	2.51	2.51	-	8.00	2.3 ~ 9.2	1930	460 ~ 2800	9.5	8.7	1.75	1.75	2.95	2.95	-	9.40	3.0 ~ 11.6	1980	570 ~ 3330	9.9	9.1
	25 + 25 + 42 + 50	1.41	1.41	2.37	2.81	-	8.00	2.3 ~ 9.2	1880	520 ~ 2660	9.2	8.5	1.65	1.65	2.78	3.32	-	9.40	3.0 ~ 11.6	2000	680 ~ 3270	10.0	9.2
	25 + 35 + 35 + 35	1.55	2.15	2.15	2.15	-	8.00	2.3 ~ 9.2	1930	470 ~ 2730	9.5	8.7	1.81	2.53	2.53	2.53	-	9.40	3.0 ~ 11.6	1980	580 ~ 3320	9.9	9.1
	25 + 35 + 35 + 42	1.46	2.04	2.04	2.46	-	8.00	2.3 ~ 9.2	1930	470 ~ 2730	9.5	8.7	1.72	2.40	2.40	2.88	-	9.40	3.0 ~ 11.6	1970	580 ~ 3370	9.9	9.0
25 + 35 + 35 + 50	1.38	1.93	1.93	2.76	-	8.00	2.3 ~ 9.2	1880	530 ~ 2660	9.2	8.5	1.62	2.27	2.27	3.24	-	9.40	3.0 ~ 11.6	2000	690 ~ 3310	10.0	9.2	
25 + 35 + 42 + 42	1.39	1.95	2.33	2.33	-	8.00	2.3 ~ 9.2	1930	470 ~ 2730	9.5	8.7	1.63	2.29	2.74	2.74	-	9.40	3.0 ~ 11.6	1970	590 ~ 3360	9.9	9.0	
35 + 35 + 35 + 35	2.00	2.00	2.00	2.00	-	8.00	2.3 ~ 9.2	1870	470 ~ 2730	9.2	8.4	2.35	2.35	2.35	2.35	-	9.40	3.0 ~ 11.6	2000	590 ~ 3350	10.0	9.2	
35 + 35 + 35 + 42	1.90	1.90	1.90	2.30	-	8.00	2.3 ~ 9.2	1870	470 ~ 2730	9.2	8.4	2.24	2.24	2.24	2.68	-	9.40	3.0 ~ 11.6	2000	600 ~ 3340	10.0	9.2	

CU-4Z80WBH-8: Free Multi Indoor Combination

Indoor unit capacity		COOLING OPERATION											HEATING OPERATION										
		Cooling Capacity (kW)						Input Power (W)		Current (A)			Heating Capacity (kW)						Input Power (W)		Current (A)		
		Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V
1 Room	16	1.60	-	-	-	-	1.60	1.3 ~ 2.3	450	250 ~ 690	2.4	2.2	2.60	-	-	-	-	2.60	1.2 ~ 3.2	700	290 ~ 1060	3.5	3.2
	20	2.00	-	-	-	-	2.00	1.8 ~ 2.9	550	340 ~ 860	2.8	2.6	3.20	-	-	-	-	3.20	1.2 ~ 4.1	840	290 ~ 1330	4.3	3.9
	25	2.50	-	-	-	-	2.50	1.8 ~ 2.9	680	340 ~ 860	3.5	3.2	3.60	-	-	-	-	3.60	1.2 ~ 4.3	1040	290 ~ 1330	5.4	4.9
	35	3.50	-	-	-	-	3.50	1.8 ~ 4.1	990	340 ~ 1410	5.0	4.6	4.50	-	-	-	-	4.50	1.2 ~ 5.8	1330	290 ~ 2200	6.8	6.2
	42	4.20	-	-	-	-	4.20	1.8 ~ 4.5	1420	340 ~ 2040	6.9	6.3	5.60	-	-	-	-	5.60	1.2 ~ 6.8	1820	290 ~ 3030	8.8	8.0
	50	5.00	-	-	-	-	5.00	1.9 ~ 5.4	1630	340 ~ 2150	7.9	7.3	6.80	-	-	-	-	6.80	1.2 ~ 6.9	2350	290 ~ 2840	11.3	10.4
	60	6.00	-	-	-	-	6.00	1.9 ~ 6.2	2080	340 ~ 2380	9.8	9.0	8.50	-	-	-	-	8.50	1.3 ~ 9.0	2500	320 ~ 2650	12.1	11.0
71	7.10	-	-	-	-	7.10	2.0 ~ 7.2	2580	370 ~ 2820	12.2	11.2	8.70	-	-	-	-	8.70	1.4 ~ 9.2	2650	380 ~ 2820	12.8	11.7	
2 Rooms	16 + 16	1.60	1.60	-	-	-	3.20	2.3 ~ 5.8	830	350 ~ 2090	4.3	4.0	2.60	2.60	-	-	-	5.20	2.2 ~ 8.2	1760	430 ~ 3040	8.6	7.9
	16 + 20	1.60	2.00	-	-	-	3.60	2.3 ~ 5.8	970	340 ~ 2090	5.0	4.6	2.58	3.22	-	-	-	5.80	2.2 ~ 8.2	1880	430 ~ 3030	9.2	8.5
	16 + 25	1.60	2.50	-	-	-	4.10	2.3 ~ 5.8	1170	340 ~ 2090	6.0	5.5	2.42	3.78	-	-	-	6.20	2.2 ~ 8.2	2020	430 ~ 3030	9.9	9.1
	16 + 35	1.60	3.50	-	-	-	5.10	2.3 ~ 5.8	1580	340 ~ 2020	8.0	7.3	2.23	4.87	-	-	-	7.10	2.2 ~ 8.6	2190	380 ~ 3110	10.8	9.9
	16 + 42	1.60	4.20	-	-	-	5.80	2.3 ~ 6.7	1920	340 ~ 2580	9.6	8.8	2.26	5.94	-	-	-	8.20	2.2 ~ 9.8	2570	370 ~ 3640	12.6	11.6
16 + 5																							

CU-4Z80WBH-8: Free Multi Indoor Combination

Indoor unit capacity	COOLING OPERATION											HEATING OPERATION											
	Cooling Capacity (kW)						Input Power (W)		Current (A)			Heating Capacity (kW)						Input Power (W)		Current (A)			
	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V	
2 Rooms	16 + 60	1.60	6.00	-	-	-	7.60	2.3 ~ 8.5	2790	320 ~ 3590	14.0	12.8	1.98	7.42	-	-	-	9.40	2.2 ~ 10.0	2660	330 ~ 3450	13.1	12.0
	16 + 71	1.47	6.53	-	-	-	8.00	2.3 ~ 8.5	2940	320 ~ 3440	14.7	13.5	1.73	7.67	-	-	-	9.40	2.2 ~ 10.3	2600	320 ~ 3620	12.8	11.7
	20 + 20	2.00	2.00	-	-	-	4.00	2.3 ~ 5.8	1110	340 ~ 2030	5.7	5.2	3.20	3.20	-	-	-	6.40	2.2 ~ 8.2	2060	390 ~ 3020	10.1	9.3
	20 + 25	2.00	2.50	-	-	-	4.50	2.3 ~ 5.8	1340	340 ~ 2030	6.8	6.2	3.02	3.78	-	-	-	6.80	2.2 ~ 8.2	2120	390 ~ 3020	10.4	9.5
	20 + 35	2.00	3.50	-	-	-	5.50	2.3 ~ 5.8	1750	340 ~ 1960	8.8	8.0	2.80	4.90	-	-	-	7.70	2.2 ~ 8.6	2370	370 ~ 3050	11.6	10.7
	20 + 42	2.00	4.20	-	-	-	6.20	2.3 ~ 7.2	2170	340 ~ 3000	10.9	10.0	2.84	5.96	-	-	-	8.80	2.2 ~ 10.0	2620	370 ~ 3750	12.9	11.8
	20 + 50	2.00	5.00	-	-	-	7.00	2.3 ~ 8.1	2310	320 ~ 3200	11.6	10.6	2.69	6.71	-	-	-	9.40	2.2 ~ 10.0	2650	320 ~ 3430	13.0	11.9
	20 + 60	2.00	6.00	-	-	-	8.00	2.3 ~ 8.5	3010	320 ~ 3590	15.1	13.8	2.35	7.05	-	-	-	9.40	2.2 ~ 10.0	2650	320 ~ 3430	13.0	11.9
	20 + 71	1.76	6.24	-	-	-	8.00	2.3 ~ 8.5	2870	350 ~ 3440	14.4	13.2	2.07	7.33	-	-	-	9.40	2.2 ~ 10.3	2590	320 ~ 3600	12.7	11.7
	25 + 25	2.50	2.50	-	-	-	5.00	2.3 ~ 5.8	1530	340 ~ 2030	7.7	7.1	3.60	3.60	-	-	-	7.20	2.2 ~ 8.6	2250	390 ~ 3130	11.1	10.1
	25 + 35	2.50	3.50	-	-	-	6.00	2.3 ~ 6.7	2040	340 ~ 2580	10.2	9.4	3.37	4.73	-	-	-	8.10	2.2 ~ 9.8	2520	370 ~ 3640	12.4	11.3
	25 + 42	2.50	4.20	-	-	-	6.70	2.3 ~ 7.2	2510	340 ~ 3000	12.6	11.5	3.43	5.77	-	-	-	9.20	2.2 ~ 10.0	2770	370 ~ 3750	13.6	12.5
	25 + 50	2.50	5.00	-	-	-	7.50	2.3 ~ 8.5	2650	320 ~ 3590	13.3	12.2	3.13	6.27	-	-	-	9.40	2.2 ~ 10.0	2650	320 ~ 3430	13.0	11.9
	25 + 60	2.35	5.65	-	-	-	8.00	2.3 ~ 8.5	3010	320 ~ 3590	15.1	13.8	2.76	6.64	-	-	-	9.40	2.2 ~ 10.0	2650	320 ~ 3430	13.0	11.9
	25 + 71	2.08	5.92	-	-	-	8.00	2.3 ~ 8.5	2870	350 ~ 3440	14.4	13.2	2.45	6.95	-	-	-	9.40	2.2 ~ 10.3	2590	320 ~ 3600	12.7	11.7
	35 + 35	3.50	3.50	-	-	-	7.00	2.3 ~ 8.1	2650	330 ~ 3730	13.3	12.2	4.50	4.50	-	-	-	9.00	2.2 ~ 10.0	2650	360 ~ 3670	13.0	11.9
	35 + 42	3.50	4.20	-	-	-	7.70	2.3 ~ 8.5	3140	330 ~ 4220	15.7	14.4	4.27	5.13	-	-	-	9.40	2.2 ~ 10.0	2790	350 ~ 3660	13.7	12.6
	35 + 50	3.29	4.71	-	-	-	8.00	2.3 ~ 8.5	2870	320 ~ 3440	14.4	13.2	3.87	5.53	-	-	-	9.40	2.2 ~ 10.0	2580	320 ~ 3400	12.7	11.6
	35 + 60	2.95	5.05	-	-	-	8.00	2.3 ~ 8.5	2870	320 ~ 3440	14.4	13.2	3.46	5.94	-	-	-	9.40	2.2 ~ 10.3	2580	320 ~ 3520	12.7	11.6
	35 + 71	2.64	5.36	-	-	-	8.00	2.3 ~ 8.6	2800	350 ~ 3440	14.0	12.8	3.10	6.30	-	-	-	9.40	2.2 ~ 10.5	2560	310 ~ 3630	12.6	11.5
	42 + 42	4.00	4.00	-	-	-	8.00	2.3 ~ 8.5	3440	330 ~ 4140	17.2	15.8	4.70	4.70	-	-	-	9.40	2.2 ~ 10.0	2780	350 ~ 3650	13.7	12.5
42 + 50	3.65	4.35	-	-	-	8.00	2.3 ~ 8.5	2870	320 ~ 3440	14.4	13.2	4.29	5.11	-	-	-	9.40	2.2 ~ 10.3	2560	320 ~ 3510	12.6	11.5	
42 + 60	3.29	4.71	-	-	-	8.00	2.3 ~ 8.6	2870	320 ~ 3520	14.4	13.2	3.87	5.53	-	-	-	9.40	2.2 ~ 10.3	2560	320 ~ 3510	12.6	11.5	
42 + 71	2.97	5.03	-	-	-	8.00	2.3 ~ 8.6	2800	350 ~ 3360	14.0	12.8	3.49	5.91	-	-	-	9.40	2.2 ~ 10.5	2550	310 ~ 3620	12.5	11.5	
50 + 50	4.00	4.00	-	-	-	8.00	2.3 ~ 8.6	2520	340 ~ 3050	12.6	11.6	4.70	4.70	-	-	-	9.40	2.2 ~ 10.3	2400	310 ~ 3290	11.8	10.8	
50 + 60	3.64	4.36	-	-	-	8.00	2.3 ~ 8.6	2520	340 ~ 3050	12.6	11.6	4.27	5.13	-	-	-	9.40	2.2 ~ 10.5	2400	310 ~ 3350	11.8	10.8	
50 + 71	3.31	4.69	-	-	-	8.00	2.3 ~ 8.6	2450	340 ~ 2980	12.3	11.2	3.88	5.52	-	-	-	9.40	2.2 ~ 10.5	2380	310 ~ 3330	11.7	10.7	
60 + 60	4.00	4.00	-	-	-	8.00	2.3 ~ 8.6	2520	340 ~ 3050	12.6	11.6	4.70	4.70	-	-	-	9.40	2.2 ~ 10.5	2400	310 ~ 3350	11.8	10.8	
60 + 71	3.66	4.34	-	-	-	8.00	2.3 ~ 8.6	2450	340 ~ 2980	12.3	11.2	4.31	5.09	-	-	-	9.40	2.2 ~ 10.5	2380	310 ~ 3330	11.7	10.7	
71 + 71	4.00	4.00	-	-	-	8.00	2.3 ~ 8.6	2380	380 ~ 2900	11.9	10.9	4.70	4.70	-	-	-	9.40	2.2 ~ 10.5	2370	320 ~ 3320	11.6	10.7	
3 Rooms	16 + 16 + 16	1.60	1.60	1.60	-	-	4.80	2.3 ~ 8.5	1230	350 ~ 3260	6.2	5.7	2.60	2.60	2.60	-	-	7.80	3.0 ~ 10.4	2180	440 ~ 3640	10.7	9.8
	16 + 16 + 20	1.60	1.60	2.00	-	-	5.20	2.3 ~ 8.5	1330	350 ~ 3260	6.7	6.2	2.58	2.58	3.24	-	-	8.40	3.0 ~ 10.4	2410	440 ~ 3560	11.8	10.9
	16 + 16 + 25	1.60	1.60	2.50	-	-	5.70	2.3 ~ 8.5	1540	350 ~ 3260	7.8	7.1	2.47	2.47	3.86	-	-	8.80	3.0 ~ 10.4	2390	440 ~ 3560	11.7	10.8
	16 + 16 + 35	1.60	1.60	3.50	-	-	6.70	2.3 ~ 8.5	1860	340 ~ 3180	9.3	8.5	2.24	2.24	4.92	-	-	9.40	3.0 ~ 10.4	2550	440 ~ 3530	12.5	11.5
	16 + 16 + 42	1.60	1.60	4.20	-	-	7.40	2.3 ~ 8.5	2220	340 ~ 3100	11.1	10.2	2.03	2.03	5.34	-	-	9.40	3.0 ~ 10.4	2540	430 ~ 3510	12.5	11.4
	16 + 16 + 50	1.56	1.56	4.88	-	-	8.00	2.3 ~ 8.6	2250	380 ~ 2880	11.3	10.3	1.83	1.83	5.74	-	-	9.40	3.0 ~ 10.4	2430	460 ~ 3300	11.9	10.9
	16 + 16 + 60	1.39	1.39	5.22	-	-	8.00	2.3 ~ 8.6	2250	380 ~ 2880	11.3	10.3	1.63	1.63	6.14	-	-	9.40	3.0 ~ 10.5	2430	460 ~ 3360	11.9	10.9
	16 + 16 + 71	1.24	1.24	5.52	-	-	8.00	2.3 ~ 8.8	2190	380 ~ 2950	11.0	10.0	1.46	1.46	6.48	-	-	9.40	3.0 ~ 10.5	2420	460 ~ 3340	11.9	10.9
	16 + 20 + 20	1.60	2.00	2.00	-	-	5.60	2.3 ~ 8.5	1490	350 ~ 3180	7.5	6.9	2.58	3.21	3.21	-	-	9.00	3.0 ~ 10.4	2430	440 ~ 3550	11.9	10.9
	16 + 20 + 25	1.60	2.00	2.50	-	-	6.10	2.3 ~ 8.5	1700	350 ~ 3180	8.6	7.9	2.47	3.08	3.85	-	-	9.40	3.0 ~ 10.4	2570	440 ~ 3550	12.6	11.6
	16 + 20 + 35	1.60	2.00	3.50	-	-	7.10	2.3 ~ 8.5	2030	340 ~ 3100	10.2	9.3	2.12	2.65	4.63	-	-	9.40	3.0 ~ 10.4	2540	430 ~ 3510	12.5	11.4
	16 + 20 + 42	1.60	2.00	4.20	-	-	7.80	2.3 ~ 8.5	2320	340 ~ 3100	11.6	10.6	1.93	2.41	5.06	-	-	9.40	3.0 ~ 10.4	2530	430 ~ 3500	12.4	11.4
	16 + 20 + 50	1.49	1.86	4.65	-	-	8.00	2.3 ~ 8.6	2250	380 ~ 2880	11.3	10.3	1.75	2.19	5.46	-	-	9.40	3.0 ~ 10.5	2420	460 ~ 3350	11.9	10.9
	16 + 20 + 60	1.33	1.67	5.00	-	-	8.00	2.3 ~ 8.6	2250	380 ~ 2880	11.3	10.3	1.57	1.96	5.87	-	-	9.40	3.0 ~ 10.5	2420	460 ~ 3350	11.9	10.9
	16 + 20 + 71	1.20	1.50	5.30	-	-	8.00	2.3 ~ 8.8	2190	380 ~ 2950	11.0	10.0	1.41	1.76	6.23	-	-	9.40	3.0 ~ 10.5	2410	460 ~ 3330	11.8	10.9
	16 + 25 + 25	1.60	2.50	2.50	-	-	6.60	2.3 ~ 8.5	1940	350 ~ 3180	9.7	8.9	2.28	3.56	3.56	-	-	9.40	3.0 ~ 10.4	2570	440 ~ 3550	12.6	11.6
	16 + 25 + 35	1.60	2.50	3.50	-	-	7.60	2.3 ~ 8.5	2340	340 ~ 3100	11.7	10.7	1.98	3.09	4.33	-	-	9.40	3.0 ~ 10.4	2540	430 ~ 3510	12.5	11.4
	16 + 25 + 42	1.54	2.41	4.05	-	-	8.00	2.3 ~ 8.6	2440	340 ~ 3180	12.2	11.2	1.81	2.83	4.76	-	-	9.40	3.0 ~ 10.4	2530	430 ~ 3500	12.4	11.4
	16 + 25 + 50	1.41	2.20	4.39	-	-	8.00	2.3 ~ 8.6	2250	380 ~ 2880	11.3	10.3	1.65	2.58	5.17	-	-	9.40	3.0 ~ 10.5	2420	460 ~ 3350	11.9	10.9
	16 + 25 + 60	1.27	1.98	4.75	-	-	8.00	2.3 ~ 8.8	2250	380 ~ 2950	11.3	10.3	1.49	2.33	5.58	-	-	9.40	3.0 ~ 10.5	2420	460 ~ 3350	11.9	10.9
	16 + 25 + 71	1.14	1.79	5.07	-	-	8.00	2.3 ~ 8.8	2190	380 ~ 2950	11.0	10.0	1.34	2.10	5.96	-	-	9.40	3.0 ~ 10.6	2410	460 ~ 3390	11.8	10.9
16 + 35 + 35	1.48	3.26	3.26	-	-	8.00	2.3 ~ 8.6	2380	340 ~ 3100	11.9	10.9	1.74	3.83	3.83	-	-	9.40	3.0 ~ 10.5	2510	460 ~ 3540	12.3	11.3	
16 + 35 + 42	1.38	3.01	3.61	-	-	8.00	2.3 ~ 8.6	2380	340 ~ 3100	11.9	10.9	1.62	3.54	4.24	-	-	9.40	3.0 ~ 10.5	2500	460 ~ 3460	12.3	11.3	
16 + 35 + 50	1.27	2.77	3.96	-	-	8.00	2.3 ~ 8.8	2190	380 ~ 2950	11.0	10.0	1.49	3.26	4.65	-	-	9.40	3.0 ~ 10.5	2390	490 ~ 3310	11.7	10.8	
16 + 35 + 60	1.15	2.52	4.33	-	-	8.00	2.3 ~ 8.8	2190	380 ~ 2950	11.0	10.0	1.35	2.96	5.09	-	-	9.40	3.0 ~					

CU-4Z80WBH-8: Free Multi Indoor Combination

Indoor unit capacity	COOLING OPERATION											HEATING OPERATION										
	Cooling Capacity (kW)						Input Power (W)		Current (A)			Heating Capacity (kW)						Input Power (W)		Current (A)		
	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V
16 + 42 + 71	0.99	2.60	4.41	-	-	8.00	2.3 ~ 9.0	2130	380 ~ 2950	10.7	9.8	1.17	3.06	5.17	-	-	9.40	3.0 ~ 10.6	2370	490 ~ 3340	11.6	10.7
16 + 50 + 50	1.10	3.45	3.45	-	-	8.00	2.3 ~ 8.8	2070	430 ~ 2730	10.4	9.5	1.30	4.05	4.05	-	-	9.40	3.0 ~ 10.6	2300	550 ~ 3230	11.3	10.4
16 + 50 + 60	1.02	3.17	3.81	-	-	8.00	2.3 ~ 9.0	2070	430 ~ 2800	10.4	9.5	1.19	3.73	4.48	-	-	9.40	3.0 ~ 10.6	2300	550 ~ 3230	11.3	10.4
16 + 50 + 71	0.93	2.92	4.15	-	-	8.00	2.3 ~ 9.0	2070	470 ~ 2800	10.4	9.5	1.10	3.43	4.87	-	-	9.40	3.0 ~ 10.6	2290	550 ~ 3220	11.3	10.3
16 + 60 + 60	0.94	3.53	3.53	-	-	8.00	2.3 ~ 9.0	2070	430 ~ 2800	10.4	9.5	1.10	4.15	4.15	-	-	9.40	3.0 ~ 10.6	2300	550 ~ 3230	11.3	10.4
16 + 60 + 71	0.87	3.27	3.86	-	-	8.00	2.3 ~ 9.0	2070	470 ~ 2800	10.4	9.5	1.02	3.84	4.54	-	-	9.40	3.0 ~ 10.6	2290	550 ~ 3220	11.3	10.3
20 + 20 + 20	2.00	2.00	2.00	-	-	6.00	2.3 ~ 8.5	1650	340 ~ 3180	8.3	7.6	3.13	3.13	3.13	-	-	9.39	3.0 ~ 10.4	2560	440 ~ 3540	12.6	11.5
20 + 20 + 25	2.00	2.00	2.50	-	-	6.50	2.3 ~ 8.5	1880	340 ~ 3180	9.4	8.6	2.89	2.89	3.62	-	-	9.40	3.0 ~ 10.4	2560	440 ~ 3540	12.6	11.5
20 + 20 + 35	2.00	2.00	3.50	-	-	7.50	2.3 ~ 8.5	2210	340 ~ 3100	11.1	10.1	2.51	2.51	4.38	-	-	9.40	3.0 ~ 10.4	2530	430 ~ 3500	12.4	11.4
20 + 20 + 42	1.95	1.95	4.10	-	-	8.00	2.3 ~ 8.6	2440	340 ~ 3180	12.2	11.2	2.29	2.29	4.82	-	-	9.40	3.0 ~ 10.4	2520	460 ~ 3490	12.4	11.3
20 + 20 + 50	1.78	1.78	4.44	-	-	8.00	2.3 ~ 8.6	2190	380 ~ 2800	11.0	10.0	2.09	2.09	5.22	-	-	9.40	3.0 ~ 10.5	2410	460 ~ 3330	11.8	10.9
20 + 20 + 60	1.60	1.60	4.80	-	-	8.00	2.3 ~ 8.8	2190	380 ~ 2950	11.0	10.0	1.88	1.88	5.64	-	-	9.40	3.0 ~ 10.5	2410	460 ~ 3330	11.8	10.9
20 + 20 + 71	1.44	1.44	5.12	-	-	8.00	2.3 ~ 8.8	2190	380 ~ 2870	11.0	10.0	1.69	1.69	6.02	-	-	9.40	3.0 ~ 10.6	2400	460 ~ 3380	11.8	10.8
20 + 25 + 25	2.00	2.50	2.50	-	-	7.00	2.3 ~ 8.5	2040	340 ~ 3180	10.2	9.4	2.68	3.36	3.36	-	-	9.40	3.0 ~ 10.4	2560	440 ~ 3540	12.6	11.5
20 + 25 + 35	2.00	2.50	3.50	-	-	8.00	2.3 ~ 8.6	2440	340 ~ 3180	12.2	11.2	2.35	2.94	4.11	-	-	9.40	3.0 ~ 10.4	2530	430 ~ 3500	12.4	11.4
20 + 25 + 42	1.84	2.30	3.86	-	-	8.00	2.3 ~ 8.6	2440	340 ~ 3180	12.2	11.2	2.16	2.70	4.54	-	-	9.40	3.0 ~ 10.5	2520	460 ~ 3550	12.4	11.3
20 + 25 + 50	1.68	2.11	4.21	-	-	8.00	2.3 ~ 8.6	2190	380 ~ 2800	11.0	10.0	1.98	2.47	4.95	-	-	9.40	3.0 ~ 10.5	2410	460 ~ 3330	11.8	10.9
20 + 25 + 60	1.52	1.90	4.58	-	-	8.00	2.3 ~ 8.8	2190	380 ~ 2950	11.0	10.0	1.79	2.24	5.37	-	-	9.40	3.0 ~ 10.5	2410	460 ~ 3330	11.8	10.9
20 + 25 + 71	1.38	1.72	4.90	-	-	8.00	2.3 ~ 8.8	2190	380 ~ 2870	11.0	10.0	1.62	2.03	5.75	-	-	9.40	3.0 ~ 10.6	2400	460 ~ 3380	11.8	10.8
20 + 35 + 35	1.78	3.11	3.11	-	-	8.00	2.3 ~ 8.6	2380	340 ~ 3100	11.9	10.9	2.08	3.66	3.66	-	-	9.40	3.0 ~ 10.5	2500	460 ~ 3460	12.3	11.3
20 + 35 + 42	1.65	2.89	3.46	-	-	8.00	2.3 ~ 8.6	2380	340 ~ 3100	11.9	10.9	1.94	3.39	4.07	-	-	9.40	3.0 ~ 10.5	2490	460 ~ 3450	12.2	11.2
20 + 35 + 50	1.52	2.67	3.81	-	-	8.00	2.3 ~ 8.8	2190	380 ~ 2950	11.0	10.0	1.79	3.13	4.48	-	-	9.40	3.0 ~ 10.5	2390	490 ~ 3300	11.7	10.8
20 + 35 + 60	1.39	2.43	4.18	-	-	8.00	2.3 ~ 8.8	2190	380 ~ 2950	11.0	10.0	1.63	2.86	4.91	-	-	9.40	3.0 ~ 10.6	2390	490 ~ 3360	11.7	10.8
20 + 35 + 71	1.27	2.22	4.51	-	-	8.00	2.3 ~ 9.0	2130	380 ~ 2950	10.7	9.8	1.49	2.61	5.30	-	-	9.40	3.0 ~ 10.6	2370	490 ~ 3340	11.6	10.7
20 + 42 + 42	1.54	3.23	3.23	-	-	8.00	2.3 ~ 8.8	2380	340 ~ 3180	11.9	10.9	1.80	3.80	3.80	-	-	9.40	3.0 ~ 10.5	2480	460 ~ 3440	12.2	11.2
20 + 42 + 50	1.43	3.00	3.57	-	-	8.00	2.3 ~ 8.8	2190	380 ~ 2870	11.0	10.0	1.68	3.53	4.19	-	-	9.40	3.0 ~ 10.6	2380	490 ~ 3350	11.7	10.7
20 + 42 + 60	1.31	2.75	3.94	-	-	8.00	2.3 ~ 9.0	2190	380 ~ 3020	11.0	10.0	1.54	3.24	4.62	-	-	9.40	3.0 ~ 10.6	2380	490 ~ 3350	11.7	10.7
20 + 42 + 71	1.20	2.53	4.27	-	-	8.00	2.3 ~ 9.0	2130	380 ~ 2950	10.7	9.8	1.41	2.97	5.02	-	-	9.40	3.0 ~ 10.6	2370	490 ~ 3330	11.6	10.7
20 + 50 + 50	1.33	3.33	3.33	-	-	7.99	2.3 ~ 9.0	2070	430 ~ 2800	10.4	9.5	1.56	3.92	3.92	-	-	9.40	3.0 ~ 10.6	2290	550 ~ 3220	11.3	10.3
20 + 50 + 60	1.23	3.08	3.69	-	-	8.00	2.3 ~ 9.0	2070	430 ~ 2800	10.4	9.5	1.45	3.62	4.33	-	-	9.40	3.0 ~ 10.6	2290	550 ~ 3220	11.3	10.3
20 + 50 + 71	1.13	2.84	4.03	-	-	8.00	2.3 ~ 9.0	2070	470 ~ 2800	10.4	9.5	1.33	3.33	4.74	-	-	9.40	3.0 ~ 10.6	2280	580 ~ 3210	11.2	10.3
20 + 60 + 60	1.14	3.43	3.43	-	-	8.00	2.3 ~ 9.0	2070	430 ~ 2800	10.4	9.5	1.34	4.03	4.03	-	-	9.40	3.0 ~ 10.6	2290	550 ~ 3220	11.3	10.3
25 + 25 + 25	2.50	2.50	2.50	-	-	7.50	2.3 ~ 8.5	2280	340 ~ 3180	11.4	10.5	3.13	3.13	3.13	-	-	9.39	3.0 ~ 10.4	2560	440 ~ 3540	12.6	11.5
25 + 25 + 35	2.35	2.35	3.30	-	-	8.00	2.3 ~ 8.6	2440	340 ~ 3180	12.2	11.2	2.76	2.76	3.88	-	-	9.40	3.0 ~ 10.4	2530	430 ~ 3500	12.4	11.4
25 + 25 + 42	2.17	2.17	3.66	-	-	8.00	2.3 ~ 8.6	2440	340 ~ 3180	12.2	11.2	2.55	2.55	4.30	-	-	9.40	3.0 ~ 10.5	2520	460 ~ 3550	12.4	11.3
25 + 25 + 50	2.00	2.00	4.00	-	-	8.00	2.3 ~ 8.8	2190	380 ~ 2950	11.0	10.0	2.35	2.35	4.70	-	-	9.40	3.0 ~ 10.5	2410	460 ~ 3330	11.8	10.9
25 + 25 + 60	1.82	1.82	4.36	-	-	8.00	2.3 ~ 8.8	2190	380 ~ 2950	11.0	10.0	2.14	2.14	5.12	-	-	9.40	3.0 ~ 10.5	2410	460 ~ 3330	11.8	10.9
25 + 25 + 71	1.65	1.65	4.70	-	-	8.00	2.3 ~ 9.0	2190	380 ~ 3020	11.0	10.0	1.94	1.94	5.52	-	-	9.40	3.0 ~ 10.6	2400	460 ~ 3380	11.8	10.8
25 + 35 + 35	2.10	2.95	2.95	-	-	8.00	2.3 ~ 8.6	2380	340 ~ 3100	11.9	10.9	2.48	3.46	3.46	-	-	9.40	3.0 ~ 10.5	2500	460 ~ 3460	12.3	11.3
25 + 35 + 42	1.96	2.75	3.29	-	-	8.00	2.3 ~ 8.8	2380	340 ~ 3250	11.9	10.9	2.30	3.23	3.87	-	-	9.40	3.0 ~ 10.5	2490	460 ~ 3450	12.2	11.2
25 + 35 + 50	1.82	2.55	3.63	-	-	8.00	2.3 ~ 8.8	2190	380 ~ 2950	11.0	10.0	2.14	2.99	4.27	-	-	9.40	3.0 ~ 10.5	2390	490 ~ 3300	11.7	10.8
25 + 35 + 60	1.67	2.33	4.00	-	-	8.00	2.3 ~ 9.0	2190	380 ~ 3020	11.0	10.0	1.96	2.74	4.70	-	-	9.40	3.0 ~ 10.6	2390	490 ~ 3360	11.7	10.8
25 + 35 + 71	1.53	2.14	4.33	-	-	8.00	2.3 ~ 9.0	2130	380 ~ 2950	10.7	9.8	1.79	2.51	5.10	-	-	9.40	3.0 ~ 10.6	2370	490 ~ 3340	11.6	10.7
25 + 42 + 42	1.84	3.08	3.08	-	-	8.00	2.3 ~ 8.8	2380	340 ~ 3180	11.9	10.9	2.16	3.62	3.62	-	-	9.40	3.0 ~ 10.5	2480	460 ~ 3440	12.2	11.2
25 + 42 + 50	1.71	2.87	3.42	-	-	8.00	2.3 ~ 8.8	2190	380 ~ 2870	11.0	10.0	2.01	3.37	4.02	-	-	9.40	3.0 ~ 10.6	2380	490 ~ 3350	11.7	10.7
25 + 42 + 60	1.57	2.65	3.78	-	-	8.00	2.3 ~ 9.0	2190	380 ~ 3020	11.0	10.0	1.85	3.11	4.44	-	-	9.40	3.0 ~ 10.6	2380	490 ~ 3350	11.7	10.7
25 + 42 + 71	1.45	2.43	4.12	-	-	8.00	2.3 ~ 9.0	2130	380 ~ 2950	10.7	9.8	1.70	2.86	4.84	-	-	9.40	3.0 ~ 10.6	2370	490 ~ 3330	11.6	10.7
25 + 50 + 50	1.60	3.20	3.20	-	-	8.00	2.3 ~ 9.0	2070	430 ~ 2800	10.4	9.5	1.88	3.76	3.76	-	-	9.40	3.0 ~ 10.6	2290	550 ~ 3220	11.3	10.3
25 + 50 + 60	1.48	2.96	3.56	-	-	8.00	2.3 ~ 9.0	2070	430 ~ 2800	10.4	9.5	1.74	3.48	4.18	-	-	9.40	3.0 ~ 10.6	2290	550 ~ 3220	11.3	10.3
25 + 50 + 71	1.37	2.74	3.89	-	-	8.00	2.3 ~ 9.0	2070	470 ~ 2800	10.4	9.5	1.61	3.22	4.57	-	-	9.40	3.0 ~ 10.6	2280	580 ~ 3210	11.2	10.3
25 + 60 + 60	1.38	3.31	3.31	-	-	8.00	2.3 ~ 9.0	2070	430 ~ 2800	10.4	9.5	1.62	3.89	3.89	-	-	9.40	3.0 ~ 10.6	2290	550 ~ 3220	11.3	10.3
35 + 35 + 35	2.66	2.66	2.66	-	-	7.98	2.3 ~ 8.8	2320	340 ~ 3180	11.6	10.6	3.13	3.13	3.13	-	-	9.39	3.0 ~ 10.5	2480	460 ~ 3430	12.2	11.2
35 + 35 + 42	2.50	2.50	3.00	-	-	8.00	2.3 ~ 8.8	2320	340 ~ 3180	11.6	10.6	2.94	2.94	3.52	-	-	9.40	3.0 ~ 10.6	2470	460 ~ 3470	12.1	11.1
35 + 35 + 50	2.33	2.33	3.33	-	-	7.99	2.3 ~ 9.0	2130	380 ~ 3020	10.7	9.8	2.74	2.74	3.92	-	-	9.40	3.0 ~ 10.6	2360	490 ~ 3330	11.6	10.6
35 + 35 + 60	2.15	2.15	3.70	-	-																	

CU-4Z80WBH-8: Free Multi Indoor Combination

Indoor unit capacity	COOLING OPERATION										HEATING OPERATION												
	Cooling Capacity (kW)					Input Power (W)		Current (A)			Heating Capacity (kW)					Input Power (W)		Current (A)					
	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V	
3 Rooms	35 + 50 + 50	2.08	2.96	2.96	-	-	8.00	2.3 ~ 9.0	2070	470 ~ 2800	10.4	9.5	2.44	3.48	3.48	-	-	9.40	3.0 ~ 10.6	2270	580 ~ 3190	11.2	10.2
	35 + 50 + 60	1.93	2.76	3.31	-	-	8.00	2.3 ~ 9.0	2070	470 ~ 2800	10.4	9.5	2.27	3.24	3.89	-	-	9.40	3.0 ~ 10.6	2270	580 ~ 3190	11.2	10.2
	42 + 42 + 42	2.66	2.66	2.66	-	-	7.98	2.3 ~ 9.0	2320	340 ~ 3250	11.6	10.6	3.13	3.13	3.13	-	-	9.39	3.0 ~ 10.6	2450	460 ~ 3450	12.0	11.0
	42 + 42 + 50	2.51	2.51	2.98	-	-	8.00	2.3 ~ 9.0	2130	380 ~ 2950	10.7	9.8	2.95	2.95	3.50	-	-	9.40	3.0 ~ 10.6	2350	500 ~ 3300	11.5	10.6
	42 + 42 + 60	2.33	2.33	3.33	-	-	7.99	2.3 ~ 9.0	2130	380 ~ 2950	10.7	9.8	2.74	2.74	3.92	-	-	9.40	3.0 ~ 10.6	2350	500 ~ 3300	11.5	10.6
	42 + 50 + 50	2.36	2.82	2.82	-	-	8.00	2.3 ~ 9.0	2070	470 ~ 2800	10.4	9.5	2.78	3.31	3.31	-	-	9.40	3.0 ~ 10.6	2270	590 ~ 3180	11.2	10.2
4 Rooms	16 + 16 + 16 + 16	1.60	1.60	1.60	1.60	-	6.40	2.3 ~ 9.2	1610	420 ~ 3060	8.0	7.3	2.35	2.35	2.35	2.35	-	9.40	3.0 ~ 11.6	2300	490 ~ 3710	11.5	10.6
	16 + 16 + 16 + 20	1.60	1.60	1.60	2.00	-	6.80	2.3 ~ 9.2	1720	420 ~ 2990	8.5	7.8	2.21	2.21	2.21	2.77	-	9.40	3.0 ~ 11.6	2290	500 ~ 3700	11.5	10.5
	16 + 16 + 16 + 25	1.60	1.60	1.60	2.50	-	7.30	2.3 ~ 9.2	1880	420 ~ 2990	9.2	8.5	2.06	2.06	2.06	3.22	-	9.40	3.0 ~ 11.6	2290	500 ~ 3700	11.5	10.5
	16 + 16 + 16 + 35	1.54	1.54	1.54	3.38	-	8.00	2.3 ~ 9.2	2100	420 ~ 2990	10.3	9.5	1.81	1.81	1.81	3.97	-	9.40	3.0 ~ 11.6	2270	500 ~ 3660	11.4	10.4
	16 + 16 + 16 + 42	1.42	1.42	1.42	3.74	-	8.00	2.3 ~ 9.2	2100	420 ~ 2990	10.3	9.5	1.67	1.67	1.67	4.39	-	9.40	3.0 ~ 11.6	2260	510 ~ 3650	11.3	10.4
	16 + 16 + 16 + 50	1.31	1.31	1.31	4.07	-	8.00	2.3 ~ 9.2	2000	480 ~ 2850	9.8	9.0	1.53	1.53	1.53	4.81	-	9.40	3.0 ~ 11.6	2240	600 ~ 3580	11.2	10.3
	16 + 16 + 16 + 60	1.19	1.19	1.19	4.43	-	8.00	2.3 ~ 9.2	2000	480 ~ 2850	9.8	9.0	1.39	1.39	1.39	5.23	-	9.40	3.0 ~ 11.6	2240	600 ~ 3580	11.2	10.3
	16 + 16 + 16 + 71	1.08	1.08	1.08	4.76	-	8.00	2.3 ~ 9.2	2000	520 ~ 2780	9.8	9.0	1.26	1.26	1.26	5.62	-	9.40	3.0 ~ 11.6	2230	630 ~ 3560	11.2	10.2
	16 + 16 + 20 + 20	1.60	1.60	2.00	2.00	-	7.20	2.3 ~ 9.2	1830	420 ~ 2990	9.0	8.2	2.09	2.09	2.61	2.61	-	9.40	3.0 ~ 11.6	2280	500 ~ 3680	11.4	10.5
	16 + 16 + 20 + 25	1.60	1.60	2.00	2.50	-	7.70	2.3 ~ 9.2	1990	420 ~ 2990	9.8	9.0	1.95	1.95	2.44	3.06	-	9.40	3.0 ~ 11.6	2280	500 ~ 3680	11.4	10.5
	16 + 16 + 20 + 35	1.47	1.47	1.84	3.22	-	8.00	2.3 ~ 9.2	2050	420 ~ 2990	10.1	9.2	1.73	1.73	2.16	3.78	-	9.40	3.0 ~ 11.6	2260	510 ~ 3650	11.3	10.4
	16 + 16 + 20 + 42	1.36	1.36	1.70	3.58	-	8.00	2.3 ~ 9.2	2050	420 ~ 2990	10.1	9.2	1.60	1.60	2.00	4.20	-	9.40	3.0 ~ 11.6	2260	530 ~ 3640	11.3	10.4
	16 + 16 + 20 + 50	1.25	1.25	1.57	3.93	-	8.00	2.3 ~ 9.2	2000	480 ~ 2780	9.8	9.0	1.47	1.47	1.84	4.62	-	9.40	3.0 ~ 11.6	2230	620 ~ 3570	11.2	10.2
	16 + 16 + 20 + 60	1.14	1.14	1.43	4.29	-	8.00	2.3 ~ 9.2	2000	480 ~ 2780	9.8	9.0	1.34	1.34	1.68	5.04	-	9.40	3.0 ~ 11.6	2230	620 ~ 3570	11.2	10.2
	16 + 16 + 20 + 71	1.04	1.04	1.30	4.62	-	8.00	2.3 ~ 9.2	2000	520 ~ 2780	9.8	9.0	1.22	1.22	1.53	5.43	-	9.40	3.0 ~ 11.6	2220	630 ~ 3550	11.1	10.2
	16 + 16 + 25 + 25	1.56	1.56	2.44	2.44	-	8.00	2.3 ~ 9.2	2100	420 ~ 2990	10.3	9.5	1.83	1.83	2.87	2.87	-	9.40	3.0 ~ 11.6	2280	500 ~ 3680	11.4	10.5
	16 + 16 + 25 + 35	1.39	1.39	2.17	3.05	-	8.00	2.3 ~ 9.2	2050	420 ~ 2990	10.1	9.2	1.63	1.63	2.55	3.59	-	9.40	3.0 ~ 11.6	2260	510 ~ 3650	11.3	10.4
	16 + 16 + 25 + 42	1.29	1.29	2.02	3.40	-	8.00	2.3 ~ 9.2	2050	420 ~ 2990	10.1	9.2	1.52	1.52	2.37	3.99	-	9.40	3.0 ~ 11.6	2260	530 ~ 3640	11.3	10.4
	16 + 16 + 25 + 50	1.20	1.20	1.87	3.73	-	8.00	2.3 ~ 9.2	2000	480 ~ 2780	9.8	9.0	1.41	1.41	2.20	4.38	-	9.40	3.0 ~ 11.6	2230	620 ~ 3570	11.2	10.2
	16 + 16 + 25 + 60	1.09	1.09	1.71	4.11	-	8.00	2.3 ~ 9.2	2000	480 ~ 2780	9.8	9.0	1.29	1.29	2.01	4.81	-	9.40	3.0 ~ 11.6	2230	620 ~ 3570	11.2	10.2
	16 + 16 + 25 + 71	1.00	1.00	1.56	4.44	-	8.00	2.3 ~ 9.2	2000	520 ~ 2780	9.8	9.0	1.18	1.18	1.84	5.20	-	9.40	3.0 ~ 11.6	2220	630 ~ 3550	11.1	10.2
	16 + 16 + 35 + 35	1.25	1.25	2.75	2.75	-	8.00	2.3 ~ 9.2	2050	430 ~ 2920	10.1	9.2	1.47	1.47	3.23	3.23	-	9.40	3.0 ~ 11.6	2250	540 ~ 3620	11.3	10.3
	16 + 16 + 35 + 42	1.17	1.17	2.57	3.09	-	8.00	2.3 ~ 9.2	2050	430 ~ 2920	10.1	9.2	1.38	1.38	3.02	3.62	-	9.40	3.0 ~ 11.6	2240	540 ~ 3600	11.2	10.3
	16 + 16 + 35 + 50	1.09	1.09	2.39	3.43	-	8.00	2.3 ~ 9.2	2000	520 ~ 2780	9.8	9.0	1.29	1.29	2.81	4.01	-	9.40	3.0 ~ 11.6	2220	640 ~ 3540	11.1	10.2
	16 + 16 + 35 + 60	1.01	1.01	2.20	3.78	-	8.00	2.3 ~ 9.2	2000	520 ~ 2780	9.8	9.0	1.18	1.18	2.59	4.45	-	9.40	3.0 ~ 11.6	2220	640 ~ 3540	11.1	10.2
	16 + 16 + 35 + 71	0.93	0.93	2.03	4.11	-	8.00	2.3 ~ 9.2	2000	520 ~ 2780	9.8	9.0	1.09	1.09	2.38	4.84	-	9.40	3.0 ~ 11.6	2210	650 ~ 3530	11.1	10.1
	16 + 16 + 42 + 42	1.10	1.10	2.90	2.90	-	8.00	2.3 ~ 9.2	2050	430 ~ 2920	10.1	9.2	1.30	1.30	3.40	3.40	-	9.40	3.0 ~ 11.6	2230	550 ~ 3590	11.2	10.2
	16 + 16 + 42 + 50	1.03	1.03	2.71	3.23	-	8.00	2.3 ~ 9.2	2000	520 ~ 2780	9.8	9.0	1.21	1.21	3.18	3.80	-	9.40	3.0 ~ 11.6	2210	650 ~ 3530	11.1	10.1
	16 + 16 + 42 + 60	0.96	0.96	2.51	3.57	-	8.00	2.3 ~ 9.2	2000	520 ~ 2780	9.8	9.0	1.12	1.12	2.95	4.21	-	9.40	3.0 ~ 11.6	2210	650 ~ 3530	11.1	10.1
	16 + 16 + 42 + 71	0.88	0.88	2.32	3.92	-	8.00	2.3 ~ 9.2	2000	530 ~ 2780	9.8	9.0	1.04	1.04	2.72	4.60	-	9.40	3.0 ~ 11.6	2210	670 ~ 3520	11.1	10.1
	16 + 16 + 50 + 50	0.97	0.97	3.03	3.03	-	8.00	2.3 ~ 9.2	2010	580 ~ 2720	9.9	9.1	1.14	1.14	3.56	3.56	-	9.40	3.0 ~ 11.6	2250	780 ~ 3540	11.3	10.3
	16 + 16 + 50 + 60	0.90	0.90	2.82	3.38	-	8.00	2.3 ~ 9.2	2010	580 ~ 2720	9.9	9.1	1.06	1.06	3.31	3.97	-	9.40	3.0 ~ 11.6	2250	780 ~ 3540	11.3	10.3
	16 + 20 + 20 + 20	1.60	2.00	2.00	2.00	-	7.60	2.3 ~ 9.2	1990	420 ~ 2990	9.8	9.0	1.99	2.47	2.47	2.47	-	9.40	3.0 ~ 11.6	2280	500 ~ 3670	11.4	10.5
	16 + 20 + 20 + 25	1.58	1.98	1.98	2.46	-	8.00	2.3 ~ 9.2	2100	420 ~ 2990	10.3	9.5	1.86	2.32	2.32	2.90	-	9.40	3.0 ~ 11.6	2280	500 ~ 3670	11.4	10.5
	16 + 20 + 20 + 35	1.41	1.76	1.76	3.07	-	8.00	2.3 ~ 9.2	2050	420 ~ 2920	10.1	9.2	1.65	2.07	2.07	3.61	-	9.40	3.0 ~ 11.6	2260	530 ~ 3640	11.3	10.4
	16 + 20 + 20 + 42	1.31	1.63	1.63	3.43	-	8.00	2.3 ~ 9.2	2050	430 ~ 2920	10.1	9.2	1.53	1.92	1.92	4.03	-	9.40	3.0 ~ 11.6	2250	530 ~ 3620	11.3	10.3
16 + 20 + 20 + 50	1.21	1.51	1.51	3.77	-	8.00	2.3 ~ 9.2	2000	480 ~ 2780	9.8	9.0	1.42	1.77	1.77	4.44	-	9.40	3.0 ~ 11.6	2230	630 ~ 3560	11.2	10.2	
16 + 20 + 20 + 60	1.10	1.38	1.38	4.14	-	8.00	2.3 ~ 9.2	2000	480 ~ 2780	9.8	9.0	1.30	1.62	1.62	4.86	-	9.40	3.0 ~ 11.6	2230	630 ~ 3560	11.2	10.2	
16 + 20 + 20 + 71	1.01	1.26	1.26	4.47	-	8.00	2.3 ~ 9.2	2000	520 ~ 2780	9.8	9.0	1.18	1.48	1.48	5.26	-	9.40	3.0 ~ 11.6	2220	640 ~ 3540	11.1	10.2	
16 + 20 + 25 + 25	1.48	1.86	2.33	2.33	-	8.00	2.3 ~ 9.2	2100	420 ~ 2990	10.3	9.5	1.75	2.19	2.73	2.73	-	9.40	3.0 ~ 11.6	2280	500 ~ 3670	11.4	10.5	
16 + 20 + 25 + 35	1.33	1.67	2.08	2.92	-	8.00	2.3 ~ 9.2	2050	420 ~ 2920	10.1	9.2	1.57	1.9										

CU-4Z80WBH-8: Free Multi Indoor Combination

Indoor unit capacity		COOLING OPERATION										HEATING OPERATION											
		Cooling Capacity (kW)					Input Power (W)		Current (A)			Heating Capacity (kW)					Input Power (W)		Current (A)				
		Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V
4 Rooms	16 + 20 + 50 + 50	0.94	1.18	2.94	2.94	-	8.00	2.3 ~ 9.2	2010	590 ~ 2730	9.9	9.1	1.10	1.38	3.46	3.46	-	9.40	3.0 ~ 11.6	2250	790 ~ 3540	11.3	10.3
	16 + 20 + 50 + 60	0.88	1.10	2.74	3.28	-	8.00	2.3 ~ 9.2	2010	590 ~ 2730	9.9	9.1	1.03	1.29	3.22	3.86	-	9.40	3.0 ~ 11.6	2250	790 ~ 3540	11.3	10.3
	16 + 25 + 25 + 25	1.40	2.20	2.20	2.20	-	8.00	2.3 ~ 9.2	2100	420 ~ 2990	10.3	9.5	1.66	2.58	2.58	2.58	-	9.40	3.0 ~ 11.6	2280	500 ~ 3670	11.4	10.5
	16 + 25 + 25 + 35	1.27	1.98	1.98	2.77	-	8.00	2.3 ~ 9.2	2050	420 ~ 2920	10.1	9.2	1.49	2.33	2.33	3.25	-	9.40	3.0 ~ 11.6	2260	530 ~ 3640	11.3	10.4
	16 + 25 + 25 + 42	1.19	1.85	1.85	3.11	-	8.00	2.3 ~ 9.2	2050	430 ~ 2920	10.1	9.2	1.39	2.18	2.18	3.65	-	9.40	3.0 ~ 11.6	2250	530 ~ 3620	11.3	10.3
	16 + 25 + 25 + 50	1.10	1.72	1.72	3.46	-	8.00	2.3 ~ 9.2	2000	480 ~ 2780	9.8	9.0	1.30	2.03	2.03	4.04	-	9.40	3.0 ~ 11.6	2230	630 ~ 3560	11.2	10.2
	16 + 25 + 25 + 60	1.02	1.59	1.59	3.80	-	8.00	2.3 ~ 9.2	2000	480 ~ 2780	9.8	9.0	1.19	1.87	1.87	4.47	-	9.40	3.0 ~ 11.6	2230	630 ~ 3560	11.2	10.2
	16 + 25 + 25 + 71	0.93	1.46	1.46	4.15	-	8.00	2.3 ~ 9.2	2000	520 ~ 2780	9.8	9.0	1.10	1.72	1.72	4.86	-	9.40	3.0 ~ 11.6	2220	640 ~ 3540	11.1	10.2
	16 + 25 + 35 + 35	1.15	1.81	2.52	2.52	-	8.00	2.3 ~ 9.2	2050	430 ~ 2920	10.1	9.2	1.35	2.13	2.96	2.96	-	9.40	3.0 ~ 11.6	2240	540 ~ 3600	11.2	10.3
	16 + 25 + 35 + 42	1.08	1.69	2.37	2.86	-	8.00	2.3 ~ 9.2	2050	430 ~ 2920	10.1	9.2	1.27	1.99	2.79	3.35	-	9.40	3.0 ~ 11.6	2230	550 ~ 3590	11.2	10.2
	16 + 25 + 35 + 50	1.02	1.59	2.22	3.17	-	8.00	2.3 ~ 9.2	2000	520 ~ 2780	9.8	9.0	1.19	1.87	2.61	3.73	-	9.40	3.0 ~ 11.6	2210	650 ~ 3530	11.1	10.1
	16 + 25 + 35 + 60	0.94	1.47	2.06	3.53	-	8.00	2.3 ~ 9.2	2000	520 ~ 2780	9.8	9.0	1.10	1.73	2.42	4.15	-	9.40	3.0 ~ 11.6	2210	650 ~ 3530	11.1	10.1
	16 + 25 + 35 + 71	0.87	1.36	1.90	3.87	-	8.00	2.3 ~ 9.2	2000	530 ~ 2780	9.8	9.0	1.02	1.60	2.24	4.54	-	9.40	3.0 ~ 11.6	2210	670 ~ 3520	11.1	10.1
	16 + 25 + 42 + 42	1.02	1.60	2.69	2.69	-	8.00	2.3 ~ 9.2	2050	430 ~ 2920	10.1	9.2	1.20	1.88	3.16	3.16	-	9.40	3.0 ~ 11.6	2230	550 ~ 3580	11.2	10.2
	16 + 25 + 42 + 50	0.96	1.50	2.53	3.01	-	8.00	2.3 ~ 9.2	2000	520 ~ 2780	9.8	9.0	1.13	1.77	2.97	3.53	-	9.40	3.0 ~ 11.6	2210	670 ~ 3520	11.1	10.1
	16 + 25 + 42 + 60	0.90	1.40	2.35	3.35	-	8.00	2.3 ~ 9.2	2000	520 ~ 2780	9.8	9.0	1.05	1.64	2.76	3.95	-	9.40	3.0 ~ 11.6	2210	670 ~ 3520	11.1	10.1
	16 + 25 + 50 + 50	0.90	1.42	2.84	2.84	-	8.00	2.3 ~ 9.2	2010	590 ~ 2730	9.9	9.1	1.07	1.67	3.33	3.33	-	9.40	3.0 ~ 11.6	2250	790 ~ 3540	11.3	10.3
	16 + 35 + 35 + 35	1.07	2.31	2.31	2.31	-	8.00	2.3 ~ 9.2	2050	470 ~ 2920	10.1	9.2	1.24	2.72	2.72	2.72	-	9.40	3.0 ~ 11.6	2220	550 ~ 3570	11.1	10.2
	16 + 35 + 35 + 42	1.00	2.19	2.19	2.62	-	8.00	2.3 ~ 9.2	2050	470 ~ 2850	10.1	9.2	1.18	2.57	2.57	3.08	-	9.40	3.0 ~ 11.6	2220	580 ~ 3560	11.1	10.2
	16 + 35 + 35 + 50	0.94	2.06	2.06	2.94	-	8.00	2.3 ~ 9.2	2000	520 ~ 2780	9.8	9.0	1.11	2.42	2.42	3.45	-	9.40	3.0 ~ 11.6	2240	680 ~ 3500	11.2	10.3
	16 + 35 + 35 + 60	0.88	1.92	1.92	3.28	-	8.00	2.3 ~ 9.2	2000	520 ~ 2780	9.8	9.0	1.03	2.25	2.25	3.87	-	9.40	3.0 ~ 11.6	2240	680 ~ 3500	11.2	10.3
	16 + 35 + 42 + 42	0.95	2.07	2.49	2.49	-	8.00	2.3 ~ 9.2	2050	470 ~ 2850	10.1	9.2	1.11	2.45	2.92	2.92	-	9.40	3.0 ~ 11.6	2210	580 ~ 3610	11.1	10.1
	16 + 35 + 42 + 50	0.90	1.96	2.35	2.79	-	8.00	2.3 ~ 9.2	2000	530 ~ 2780	9.8	9.0	1.05	2.30	2.76	3.29	-	9.40	3.0 ~ 11.6	2240	690 ~ 3550	11.2	10.3
	16 + 42 + 42 + 42	0.89	2.37	2.37	2.37	-	8.00	2.3 ~ 9.2	2050	470 ~ 2850	10.1	9.2	1.06	2.78	2.78	2.78	-	9.40	3.0 ~ 11.6	2210	590 ~ 3600	11.1	10.1
	20 + 20 + 20 + 20	2.00	2.00	2.00	2.00	-	8.00	2.3 ~ 9.2	2100	420 ~ 2990	10.3	9.5	2.35	2.35	2.35	2.35	-	9.40	3.0 ~ 11.6	2270	500 ~ 3660	11.4	10.4
	20 + 20 + 20 + 25	1.88	1.88	1.88	2.36	-	8.00	2.3 ~ 9.2	2100	420 ~ 2990	10.3	9.5	2.21	2.21	2.21	2.77	-	9.40	3.0 ~ 11.6	2270	500 ~ 3660	11.4	10.4
	20 + 20 + 20 + 35	1.68	1.68	1.68	2.96	-	8.00	2.3 ~ 9.2	2050	430 ~ 2920	10.1	9.2	1.98	1.98	1.98	3.46	-	9.40	3.0 ~ 11.6	2250	530 ~ 3620	11.3	10.3
	20 + 20 + 20 + 42	1.57	1.57	1.57	3.29	-	8.00	2.3 ~ 9.2	2050	430 ~ 2920	10.1	9.2	1.84	1.84	1.84	3.88	-	9.40	3.0 ~ 11.6	2240	540 ~ 3610	11.2	10.3
	20 + 20 + 20 + 50	1.45	1.45	1.45	3.65	-	8.00	2.3 ~ 9.2	2000	520 ~ 2780	9.8	9.0	1.71	1.71	1.71	4.27	-	9.40	3.0 ~ 11.6	2220	640 ~ 3550	11.1	10.2
	20 + 20 + 20 + 60	1.33	1.33	1.33	4.01	-	8.00	2.3 ~ 9.2	2000	520 ~ 2780	9.8	9.0	1.57	1.57	1.57	4.69	-	9.40	3.0 ~ 11.6	2220	640 ~ 3550	11.1	10.2
	20 + 20 + 20 + 71	1.22	1.22	1.22	4.34	-	8.00	2.3 ~ 9.2	2000	520 ~ 2780	9.8	9.0	1.44	1.44	1.44	5.08	-	9.40	3.0 ~ 11.6	2210	640 ~ 3530	11.1	10.1
	20 + 20 + 25 + 25	1.78	1.78	2.22	2.22	-	8.00	2.3 ~ 9.2	2100	420 ~ 2990	10.3	9.5	2.09	2.09	2.61	2.61	-	9.40	3.0 ~ 11.6	2270	500 ~ 3660	11.4	10.4
	20 + 20 + 25 + 35	1.60	1.60	2.00	2.80	-	8.00	2.3 ~ 9.2	2050	430 ~ 2920	10.1	9.2	1.88	1.88	2.35	3.29	-	9.40	3.0 ~ 11.6	2250	530 ~ 3620	11.3	10.3
	20 + 20 + 25 + 42	1.50	1.50	1.87	3.13	-	8.00	2.3 ~ 9.2	2050	430 ~ 2920	10.1	9.2	1.76	1.76	2.20	3.68	-	9.40	3.0 ~ 11.6	2240	540 ~ 3610	11.2	10.3
	20 + 20 + 25 + 50	1.39	1.39	1.74	3.48	-	8.00	2.3 ~ 9.2	2000	520 ~ 2780	9.8	9.0	1.63	1.63	2.04	4.10	-	9.40	3.0 ~ 11.6	2220	640 ~ 3550	11.1	10.2
	20 + 20 + 25 + 60	1.28	1.28	1.60	3.84	-	8.00	2.3 ~ 9.2	2000	520 ~ 2780	9.8	9.0	1.50	1.50	1.88	4.52	-	9.40	3.0 ~ 11.6	2220	640 ~ 3550	11.1	10.2
	20 + 20 + 25 + 71	1.18	1.18	1.47	4.17	-	8.00	2.3 ~ 9.2	2000	520 ~ 2780	9.8	9.0	1.38	1.38	1.73	4.91	-	9.40	3.0 ~ 11.6	2210	640 ~ 3530	11.1	10.1
	20 + 20 + 35 + 35	1.45	1.45	2.55	2.55	-	8.00	2.3 ~ 9.2	2050	430 ~ 2920	10.1	9.2	1.71	1.71	2.99	2.99	-	9.40	3.0 ~ 11.6	2230	550 ~ 3590	11.2	10.2
	20 + 20 + 35 + 42	1.37	1.37	2.39	2.87	-	8.00	2.3 ~ 9.2	2050	430 ~ 2920	10.1	9.2	1.61	1.61	2.81	3.37	-	9.40	3.0 ~ 11.6	2230	550 ~ 3580	11.2	10.2
	20 + 20 + 35 + 50	1.28	1.28	2.24	3.20	-	8.00	2.3 ~ 9.2	2000	520 ~ 2780	9.8	9.0	1.50	1.50	2.63	3.77	-	9.40	3.0 ~ 11.6	2210	670 ~ 3520	11.1	10.1
20 + 20 + 35 + 60	1.19	1.19	2.07	3.55	-	8.00	2.3 ~ 9.2	2000	520 ~ 2780	9.8	9.0	1.39	1.39	2.44	4.18	-	9.40	3.0 ~ 11.6	2210	670 ~ 3520	11.1	10.1	
20 + 20 + 35 + 71	1.10	1.10	1.92	3.88	-	8.00	2.3 ~ 9.2	2000	530 ~ 2780	9.8	9.0	1.29	1.29	2.25	4.57	-	9.40	3.0 ~ 11.6	2240	680 ~ 3510	11.2	10.3	
20 + 20 + 42 + 42	1.29	1.29	2.71	2.71	-	8.00	2.3 ~ 9.2	2050	460 ~ 2920	10.1	9.2	1.52	1.52	3.18	3.18	-	9.40	3.0 ~ 11.6	2220	570 ~ 3570	11.1	10.2	
20 + 20 + 42 + 50	1.21	1.21	2.55	3.03	-	8.00	2.3 ~ 9.2	2000	520 ~ 2780	9.8	9.0	1.42	1.42	2.99	3.57	-	9.40	3.0 ~ 11.6	2240	680 ~ 3510	11.2	10.3	
20 + 20 + 42 + 60	1.13	1.13	2.37	3.37	-	8.00	2.3 ~ 9.2	2000	520 ~ 2780	9.8	9.0	1.32	1.32	2.78	3.98	-	9.40	3.0 ~ 11.6	2240	680 ~ 3510	11.2	10.3	
20 + 20 + 50 + 50	1.14	1.14	2.86	2.86	-	8.00	2.3 ~ 9.2	2010	590 ~ 2730	9.9	9.1	1.34	1.34	3.36	3.36	-	9.40	3.0 ~ 11.6	2240	800 ~ 3530	11.2	10.3	
20 + 25 + 25 + 25	1.67	2.11	2.11	2.11	-	8.00	2.3 ~ 9.2	2100	420 ~ 2990	10.3	9.5	1.99	2.47	2.47	2.47	-	9.40	3.0 ~ 11.6	2270	500 ~ 3660	11.4	10.4	
20 + 25 + 25 + 35	1.52	1.90	1.90	2.68	-	8.00	2.3 ~ 9.2	2050	430 ~ 2920	10.1	9.2	1.79	2.24	2.24	3.13	-	9.40	3.0 ~ 11.6	2250	530 ~ 3620	11.3	10.3	
20 + 25 + 25 + 42	1.43	1.79	1.79	2.99	-	8.00	2.3 ~ 9.2	2050	430 ~ 2920	10.1	9.2	1.68	2.10	2.10	3.52	-	9.40	3.0 ~ 11.6	2240	540 ~ 3610	11.2	10.3	
20 + 25 + 25 + 50	1.33	1.67	1.67	3.33	-	8.00	2.3 ~ 9.2	2000	520 ~ 2780	9.8	9.0	1.57	1.96	1.96	3.91	-	9.40	3.0 ~ 11.6	2220	640 ~ 3550	11.1	10.2	
20 + 25 + 25 + 60	1.23	1.54	1.54	3.69	-	8.00	2.3 ~ 9.2	2000	520 ~ 2780	9.8	9.0	1.45	1.81	1.81	4.33	-	9.40	3.0 ~ 11.6	2220	640 ~ 3550	11.1	10.2	
20 + 25 + 25 + 71	1.13	1.42	1.42	4.03	-	8.00	2.3 ~ 9.2	2000	520 ~ 2780	9.8	9.0	1.33	1.67										

CU-4Z80WBH-8: Free Multi Indoor Combination

Indoor unit capacity		COOLING OPERATION										HEATING OPERATION											
		Cooling Capacity (kW)					Input Power (W)		Current (A)			Heating Capacity (kW)					Input Power (W)		Current (A)				
		Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V
4 Rooms	20 + 35 + 35 + 35	1.28	2.24	2.24	2.24	-	8.00	2.3 ~ 9.2	2050	470 ~ 2850	10.1	9.2	1.51	2.63	2.63	2.63	-	9.40	3.0 ~ 11.6	2220	580 ~ 3560	11.1	10.2
	20 + 35 + 35 + 42	1.21	2.12	2.12	2.55	-	8.00	2.3 ~ 9.2	2050	470 ~ 2850	10.1	9.2	1.42	2.49	2.49	3.00	-	9.40	3.0 ~ 11.6	2210	580 ~ 3610	11.1	10.1
	20 + 35 + 35 + 50	1.14	2.00	2.00	2.86	-	8.00	2.3 ~ 9.2	2000	530 ~ 2780	9.8	9.0	1.34	2.35	2.35	3.36	-	9.40	3.0 ~ 11.6	2240	690 ~ 3550	11.2	10.3
	20 + 35 + 42 + 42	1.15	2.01	2.42	2.42	-	8.00	2.3 ~ 9.2	2050	470 ~ 2850	10.1	9.2	1.35	2.37	2.84	2.84	-	9.40	3.0 ~ 11.6	2210	590 ~ 3600	11.1	10.1
	20 + 35 + 42 + 50	1.09	1.90	2.29	2.72	-	8.00	2.3 ~ 9.2	2000	530 ~ 2780	9.8	9.0	1.28	2.24	2.69	3.19	-	9.40	3.0 ~ 11.6	2230	700 ~ 3540	11.2	10.2
	20 + 42 + 42 + 42	1.10	2.30	2.30	2.30	-	8.00	2.3 ~ 9.2	1990	470 ~ 2850	9.8	9.0	1.30	2.70	2.70	2.70	-	9.40	3.0 ~ 11.6	2240	590 ~ 3590	11.2	10.3
	25 + 25 + 25 + 25	2.00	2.00	2.00	2.00	-	8.00	2.3 ~ 9.2	2100	420 ~ 2990	10.3	9.5	2.35	2.35	2.35	2.35	-	9.40	3.0 ~ 11.6	2270	500 ~ 3660	11.4	10.4
	25 + 25 + 25 + 35	1.82	1.82	1.82	2.54	-	8.00	2.3 ~ 9.2	2050	430 ~ 2920	10.1	9.2	2.14	2.14	2.14	2.98	-	9.40	3.0 ~ 11.6	2250	530 ~ 3620	11.3	10.3
	25 + 25 + 25 + 42	1.71	1.71	1.71	2.87	-	8.00	2.3 ~ 9.2	2050	430 ~ 2920	10.1	9.2	2.01	2.01	2.01	3.37	-	9.40	3.0 ~ 11.6	2240	540 ~ 3610	11.2	10.3
	25 + 25 + 25 + 50	1.60	1.60	1.60	3.20	-	8.00	2.3 ~ 9.2	2000	520 ~ 2780	9.8	9.0	1.88	1.88	1.88	3.76	-	9.40	3.0 ~ 11.6	2220	640 ~ 3550	11.1	10.2
	25 + 25 + 25 + 60	1.48	1.48	1.48	3.56	-	8.00	2.3 ~ 9.2	2000	520 ~ 2780	9.8	9.0	1.74	1.74	1.74	4.18	-	9.40	3.0 ~ 11.6	2220	640 ~ 3550	11.1	10.2
	25 + 25 + 25 + 71	1.37	1.37	1.37	3.89	-	8.00	2.3 ~ 9.2	2000	520 ~ 2780	9.8	9.0	1.61	1.61	1.61	4.57	-	9.40	3.0 ~ 11.6	2210	640 ~ 3530	11.1	10.1
	25 + 25 + 35 + 35	1.67	1.67	2.33	2.33	-	8.00	2.3 ~ 9.2	2050	430 ~ 2920	10.1	9.2	1.96	1.96	2.74	2.74	-	9.40	3.0 ~ 11.6	2230	550 ~ 3590	11.2	10.2
	25 + 25 + 35 + 42	1.57	1.57	2.20	2.66	-	8.00	2.3 ~ 9.2	2050	430 ~ 2920	10.1	9.2	1.85	1.85	2.59	3.11	-	9.40	3.0 ~ 11.6	2230	550 ~ 3580	11.2	10.2
	25 + 25 + 35 + 50	1.48	1.48	2.07	2.97	-	8.00	2.3 ~ 9.2	2000	520 ~ 2780	9.8	9.0	1.74	1.74	2.44	3.48	-	9.40	3.0 ~ 11.6	2210	670 ~ 3520	11.1	10.1
	25 + 25 + 35 + 60	1.38	1.38	1.93	3.31	-	8.00	2.3 ~ 9.2	2000	520 ~ 2780	9.8	9.0	1.62	1.62	2.27	3.89	-	9.40	3.0 ~ 11.6	2210	670 ~ 3520	11.1	10.1
	25 + 25 + 42 + 42	1.49	1.49	2.51	2.51	-	8.00	2.3 ~ 9.2	2050	460 ~ 2920	10.1	9.2	1.75	1.75	2.95	2.95	-	9.40	3.0 ~ 11.6	2220	570 ~ 3570	11.1	10.2
	25 + 25 + 42 + 50	1.41	1.41	2.37	2.81	-	8.00	2.3 ~ 9.2	2000	520 ~ 2780	9.8	9.0	1.65	1.65	2.78	3.32	-	9.40	3.0 ~ 11.6	2240	680 ~ 3510	11.2	10.3
	25 + 35 + 35 + 35	1.55	2.15	2.15	2.15	-	8.00	2.3 ~ 9.2	2050	470 ~ 2850	10.1	9.2	1.81	2.53	2.53	2.53	-	9.40	3.0 ~ 11.6	2220	580 ~ 3560	11.1	10.2
	25 + 35 + 35 + 42	1.46	2.04	2.04	2.46	-	8.00	2.3 ~ 9.2	2050	470 ~ 2850	10.1	9.2	1.72	2.40	2.40	2.88	-	9.40	3.0 ~ 11.6	2210	580 ~ 3610	11.1	10.1
25 + 35 + 35 + 50	1.38	1.93	1.93	2.76	-	8.00	2.3 ~ 9.2	2000	530 ~ 2780	9.8	9.0	1.62	2.27	2.27	3.24	-	9.40	3.0 ~ 11.6	2240	690 ~ 3550	11.2	10.3	
25 + 35 + 42 + 42	1.39	1.95	2.33	2.33	-	8.00	2.3 ~ 9.2	2050	470 ~ 2850	10.1	9.2	1.63	2.29	2.74	2.74	-	9.40	3.0 ~ 11.6	2210	590 ~ 3600	11.1	10.1	
35 + 35 + 35 + 35	2.00	2.00	2.00	2.00	-	8.00	2.3 ~ 9.2	1990	470 ~ 2850	9.8	9.0	2.35	2.35	2.35	2.35	-	9.40	3.0 ~ 11.6	2240	590 ~ 3590	11.2	10.3	
35 + 35 + 35 + 42	1.90	1.90	1.90	2.30	-	8.00	2.3 ~ 9.2	1990	470 ~ 2850	9.8	9.0	2.24	2.24	2.24	2.68	-	9.40	3.0 ~ 11.6	2240	600 ~ 3580	11.2	10.3	

CU-5Z100WBH-8: Only Wall-Mounted Indoor Combination

Indoor unit capacity		COOLING OPERATION										HEATING OPERATION									
		Cooling Capacity (kW)					Input Power (W)		Current (A)			Heating Capacity (kW)					Input Power (W)		Current (A)		
		Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max
1 Room	16	1.60	-	-	-	1.60	1.3 ~ 2.3	420	250 ~ 660	2.2	2.0	2.60	-	-	-	2.60	1.2 ~ 3.2	640	290 ~ 1000	3.3	3.0
	20	2.00	-	-	-	2.00	1.8 ~ 2.9	520	340 ~ 830	2.7	2.5	3.20	-	-	-	3.20	1.2 ~ 4.1	780	290 ~ 1270	4.0	3.7
	25	2.50	-	-	-	2.50	1.8 ~ 2.9	650	340 ~ 830	3.4	3.1	3.60	-	-	-	3.60	1.2 ~ 4.3	980	290 ~ 1270	5.1	4.7
	35	3.50	-	-	-	3.50	1.8 ~ 4.1	960	340 ~ 1380	4.8	4.4	4.50	-	-	-	4.50	1.2 ~ 5.8	1270	290 ~ 2140	6.5	5.9
	42	4.20	-	-	-	4.20	1.8 ~ 4.5	1390	340 ~ 2010	6.8	6.2	5.60	-	-	-	5.60	1.2 ~ 6.8	1760	290 ~ 2970	8.5	7.8
	50	5.00	-	-	-	5.00	1.9 ~ 5.4	1630	340 ~ 2150	7.9	7.3	6.80	-	-	-	6.80	1.2 ~ 6.9	2350	290 ~ 2840	11.3	10.4
	60	6.00	-	-	-	6.00	1.9 ~ 6.2	2050	340 ~ 2350	9.7	8.9	8.50	-	-	-	8.50	1.3 ~ 9.0	2440	320 ~ 2590	11.8	10.8
	71	7.10	-	-	-	7.10	2.0 ~ 7.2	2550	370 ~ 2790	12.1	11.1	8.70	-	-	-	8.70	1.4 ~ 9.2	2590	380 ~ 2760	12.5	11.4
2 Rooms	16 + 16	1.60	1.60	-	-	3.20	2.3 ~ 5.8	700	260 ~ 1780	3.7	3.4	2.60	2.60	-	-	5.20	2.0 ~ 8.2	1460	220 ~ 2490	7.2	6.6
	16 + 20	1.60	2.00	-	-	3.60	2.3 ~ 5.8	830	250 ~ 1780	4.3	4.0	2.58	3.22	-	-	5.80	2.0 ~ 8.2	1620	220 ~ 2480	8.0	7.4
	16 + 25	1.60	2.50	-	-	4.10	2.3 ~ 5.8	1000	250 ~ 1780	5.2	4.7	2.42	3.78	-	-	6.20	2.0 ~ 8.2	1760	220 ~ 2480	8.6	7.9
	16 + 35	1.60	3.50	-	-	5.10	2.3 ~ 5.8	1360	250 ~ 1720	6.9	6.3	2.23	4.87	-	-	7.10	2.0 ~ 8.6	1990	210 ~ 2560	9.8	9.0
	16 + 42	1.60	4.20	-	-	5.80	2.3 ~ 6.7	1670	250 ~ 2170	8.4	7.7	2.26	5.94	-	-	8.20	2.0 ~ 10.1	2350	210 ~ 3110	11.5	10.6
	16 + 50	1.60	5.00	-	-	6.60	2.3 ~ 7.2	1880	240 ~ 2170	9.4	8.6	2.28	7.12	-	-	9.40	2.0 ~ 11.0	2550	160 ~ 3120	12.5	11.5
	16 + 60	1.60	6.00	-	-	7.60	2.3 ~ 8.6	2410	240 ~ 3120	12.1	11.1	2.34	8.76	-	-	11.10	2.0 ~ 11.0	2970	160 ~ 3120	14.6	13.4
	16 + 71	1.60	7.10	-	-	8.70	2.3 ~ 9.1	2960	230 ~ 3200	14.8	13.6	2.08	9.22	-	-	11.30	2.0 ~ 13.0	2910	160 ~ 4060	14.3	13.1
	20 + 20	2.00	2.00	-	-	4.00	2.3 ~ 5.8	960	250 ~ 1720	5.0	4.5	3.20	3.20	-	-	6.40	2.0 ~ 8.2	1790	220 ~ 2470	8.8	8.1
	20 + 25	2.00	2.50	-	-	4.50	2.3 ~ 5.8	1160	250 ~ 1720	5.9	5.4	3.02	3.78	-	-	6.80	2.0 ~ 8.2	1910	220 ~ 2470	9.4	8.6
	20 + 35	2.00	3.50	-	-	5.50	2.3 ~ 5.8	1510	250 ~ 1670	7.6	7.0	2.80	4.90	-	-	7.70	2.0 ~ 8.6	2160	210 ~ 2500	10.6	9.7
	20 + 42	2.00	4.20	-	-	6.20	2.3 ~ 7.2	1880	250 ~ 2530	9.4	8.6	2.84	5.96	-	-	8.80	2.0 ~ 11.0	2500	200 ~ 3310	12.3	11.3
	20 + 50	2.00	5.00	-	-	7.00	2.3 ~ 8.1	1990	240 ~ 2650	10.0	9.1	2.86	7.14	-	-	10.00	2.0 ~ 11.0	2730	160 ~ 3060	13.4	12.3
	20 + 60	2.00	6.00	-	-	8.00	2.3 ~ 8.6	2590	240 ~ 3050	13.0	11.9	2.93	8.77	-	-	11.70	2.0 ~ 11.9	3060	160 ~ 3550	15.0	13.8
	20 + 71	2.00	7.10	-	-	9.10	2.3 ~ 10.0	3130	260 ~ 4070	15.7	14.4	2.62	9.28	-	-	11.90	2.0 ~ 13.0	3140	160 ~ 4050	15.4	14.1
	25 + 25	2.50	2.50	-	-	5.00	2.3 ~ 5.8	1310	250 ~ 1720	6.6	6.1	3.60	3.60	-	-	7.20	2.0 ~ 8.6	2050	220 ~ 2580	10.1	9.2
	25 + 35	2.50	3.50	-	-	6.00	2.3 ~ 6.7	1770	250 ~ 2170	8.9	8.1	3.38	4.72	-	-	8.10	2.0 ~ 10.1	2300	210 ~ 3110	11.3	10.4
	25 + 42	2.50	4.20	-	-	6.70	2.3 ~ 7.2	2170	250 ~ 2530	10.9	10.0	3.43	5.77	-	-	9.20	2.0 ~ 11.0	2650	200 ~ 3310	13.0	11.9
25 + 50	2.50	5.00	-	-	7.50	2.3 ~ 8.6	2290	240 ~ 3050	11.5	10.5	3.47	6.93	-	-	10.40	2.0 ~ 11.0	2760	160 ~ 3060	13.6	12.4	
25 + 60	2.50	6.00	-	-	8.50	2.3 ~ 9.1	2980	240 ~ 3330	14.9	13.7	3.53	8.47	-	-	12.00	2.0 ~ 13.0	3210	160 ~ 4060	15.8	14.5	

• Specification based on JIS C 9612 standard.
 • A minimum of 2 indoor units must be connected.

CU-5Z100WBH-8: Only Wall-Mounted Indoor Combination

Indoor unit capacity		COOLING OPERATION										HEATING OPERATION											
		Cooling Capacity (kW)					Input Power (W)		Current (A)			Heating Capacity (kW)					Input Power (W)		Current (A)				
		Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V
2 Rooms	25 + 71	2.50	7.10	-	-	-	9.60	2.3 ~ 10.1	3570	260 ~ 4220	17.9	16.4	3.13	8.87	-	-	-	12.00	2.0 ~ 13.0	3190	160 ~ 4050	15.7	14.4
	35 + 35	3.50	3.50	-	-	-	7.00	2.3 ~ 8.1	2290	250 ~ 3100	11.5	10.5	4.50	4.50	-	-	-	9.00	2.0 ~ 11.0	2530	200 ~ 3300	12.4	11.4
	35 + 42	3.50	4.20	-	-	-	7.70	2.3 ~ 8.6	2710	250 ~ 3590	13.6	12.4	4.59	5.51	-	-	-	10.10	2.0 ~ 11.0	2880	200 ~ 3240	14.1	13.0
	35 + 50	3.50	5.00	-	-	-	8.50	2.3 ~ 9.1	2850	230 ~ 3200	14.3	13.1	4.65	6.65	-	-	-	11.30	2.0 ~ 13.0	2840	160 ~ 4040	14.0	12.8
	35 + 60	3.50	6.00	-	-	-	9.50	2.3 ~ 10.1	3610	230 ~ 4220	18.1	16.6	4.42	7.58	-	-	-	12.00	2.0 ~ 13.0	3130	160 ~ 4040	15.4	14.1
	35 + 71	3.30	6.70	-	-	-	10.00	2.3 ~ 10.4	3860	260 ~ 4380	19.3	17.7	3.96	8.04	-	-	-	12.00	2.0 ~ 13.8	3120	160 ~ 4390	15.3	14.1
	42 + 42	4.20	4.20	-	-	-	8.40	2.3 ~ 9.1	3380	250 ~ 4000	16.9	15.5	5.60	5.60	-	-	-	11.20	2.0 ~ 13.0	3020	190 ~ 4230	14.8	13.6
	42 + 50	4.20	5.00	-	-	-	9.20	2.3 ~ 10.0	3270	230 ~ 4070	16.4	15.0	5.48	6.52	-	-	-	12.00	2.0 ~ 13.0	3120	160 ~ 3970	15.3	14.1
	42 + 60	4.12	5.88	-	-	-	10.00	2.3 ~ 10.4	4070	230 ~ 4370	20.4	18.7	4.94	7.06	-	-	-	12.00	2.0 ~ 13.8	3120	160 ~ 4390	15.3	14.1
	42 + 71	3.72	6.28	-	-	-	10.00	2.3 ~ 10.4	3790	260 ~ 4380	19.0	17.4	4.46	7.54	-	-	-	12.00	2.0 ~ 13.8	3110	160 ~ 4380	15.3	14.0
	50 + 50	5.00	5.00	-	-	-	10.00	2.3 ~ 10.4	3310	250 ~ 3650	16.6	15.2	6.00	6.00	-	-	-	12.00	2.0 ~ 13.8	2910	170 ~ 4140	14.3	13.1
	50 + 60	4.55	5.45	-	-	-	10.00	2.3 ~ 10.4	3310	250 ~ 3650	16.6	15.2	5.45	6.55	-	-	-	12.00	2.0 ~ 13.8	2910	170 ~ 4140	14.3	13.1
	50 + 71	4.13	5.87	-	-	-	10.00	2.3 ~ 10.4	3170	250 ~ 3520	15.9	14.5	4.96	7.04	-	-	-	12.00	2.0 ~ 13.8	2890	170 ~ 4120	14.2	13.0
	60 + 60	5.00	5.00	-	-	-	10.00	2.3 ~ 10.4	3310	250 ~ 3650	16.6	15.2	6.00	6.00	-	-	-	12.00	2.0 ~ 13.8	2910	170 ~ 4140	14.3	13.1
	60 + 71	4.58	5.42	-	-	-	10.00	2.3 ~ 10.4	3170	250 ~ 3520	15.9	14.5	5.50	6.50	-	-	-	12.00	2.0 ~ 13.8	2890	170 ~ 4120	14.2	13.0
71 + 71	5.00	5.00	-	-	-	10.00	2.3 ~ 10.4	3040	280 ~ 3380	15.2	13.9	6.00	6.00	-	-	-	12.00	2.0 ~ 13.8	2880	180 ~ 4100	14.1	13.0	
3 Rooms	16 + 16 + 16	1.60	1.60	1.60	-	-	4.80	2.3 ~ 8.5	1050	260 ~ 2680	5.4	4.9	2.60	2.60	2.60	-	-	7.80	2.7 ~ 12.3	1920	230 ~ 3640	9.4	8.6
	16 + 16 + 20	1.60	1.60	2.00	-	-	5.20	2.3 ~ 8.5	1160	260 ~ 2680	5.9	5.4	2.58	2.58	3.24	-	-	8.40	2.7 ~ 12.3	2140	230 ~ 3620	10.5	9.6
	16 + 16 + 25	1.60	1.60	2.50	-	-	5.70	2.3 ~ 8.5	1350	260 ~ 2680	6.8	6.3	2.47	2.47	3.86	-	-	8.80	2.7 ~ 12.3	2210	230 ~ 3620	10.9	10.0
	16 + 16 + 35	1.60	1.60	3.50	-	-	6.70	2.3 ~ 8.5	1670	260 ~ 2610	8.4	7.7	2.32	2.32	5.06	-	-	9.70	2.7 ~ 12.3	2520	230 ~ 3540	12.4	11.3
	16 + 16 + 42	1.60	1.60	4.20	-	-	7.40	2.3 ~ 8.5	2010	250 ~ 2550	10.1	9.2	2.34	2.34	6.12	-	-	10.80	2.7 ~ 12.3	2650	230 ~ 3520	13.0	11.9
	16 + 16 + 50	1.60	1.60	5.00	-	-	8.20	2.3 ~ 8.7	2170	280 ~ 2350	10.9	10.0	2.34	2.34	7.32	-	-	12.00	2.7 ~ 12.9	2870	250 ~ 3610	14.1	12.9
	16 + 16 + 60	1.60	1.60	6.00	-	-	9.20	2.3 ~ 10.1	2510	280 ~ 3060	12.6	11.5	2.09	2.09	7.82	-	-	12.00	2.7 ~ 13.6	2870	250 ~ 3970	14.1	12.9
	16 + 16 + 71	1.55	1.55	6.90	-	-	10.00	2.3 ~ 10.7	2870	280 ~ 3400	14.4	13.2	1.86	1.86	8.28	-	-	12.00	2.7 ~ 13.6	2860	250 ~ 3890	14.1	12.9
	16 + 20 + 20	1.60	2.00	2.00	-	-	5.60	2.3 ~ 8.5	1300	260 ~ 2610	6.6	6.0	2.58	3.21	3.21	-	-	9.00	2.7 ~ 12.3	2250	230 ~ 3610	11.1	10.1
	16 + 20 + 25	1.60	2.00	2.50	-	-	6.10	2.3 ~ 8.5	1510	260 ~ 2610	7.6	7.0	2.47	3.08	3.85	-	-	9.40	2.7 ~ 12.3	2390	230 ~ 3610	11.7	10.8
	16 + 20 + 35	1.60	2.00	3.50	-	-	7.10	2.3 ~ 8.5	1840	250 ~ 2550	9.2	8.4	2.32	2.90	5.08	-	-	10.30	2.7 ~ 12.3	2550	230 ~ 3520	12.5	11.5
	16 + 20 + 42	1.60	2.00	4.20	-	-	7.80	2.3 ~ 8.5	2120	250 ~ 2550	10.6	9.7	2.34	2.92	6.14	-	-	11.40	2.7 ~ 12.9	2790	230 ~ 3800	13.7	12.6
	16 + 20 + 50	1.60	2.00	5.00	-	-	8.60	2.3 ~ 9.6	2360	280 ~ 2680	11.8	10.8	2.23	2.79	6.98	-	-	12.00	2.7 ~ 13.6	2860	250 ~ 3890	14.1	12.9
	16 + 20 + 60	1.60	2.00	6.00	-	-	9.60	2.3 ~ 10.1	2680	280 ~ 3000	13.4	12.3	2.00	2.50	7.50	-	-	12.00	2.7 ~ 13.6	2860	250 ~ 3890	14.1	12.9
	16 + 20 + 71	1.50	1.87	6.63	-	-	10.00	2.3 ~ 10.7	2870	280 ~ 3400	14.4	13.2	1.80	2.24	7.96	-	-	12.00	2.7 ~ 13.8	2850	250 ~ 4000	14.0	12.8
	16 + 25 + 25	1.60	2.50	2.50	-	-	6.60	2.3 ~ 8.5	1720	260 ~ 2610	8.7	8.0	2.38	3.71	3.71	-	-	9.80	2.7 ~ 12.3	2590	230 ~ 3610	12.7	11.7
	16 + 25 + 35	1.60	2.50	3.50	-	-	7.60	2.3 ~ 8.5	2120	250 ~ 2550	10.6	9.7	2.25	3.52	4.93	-	-	10.70	2.7 ~ 12.3	2690	230 ~ 3520	13.2	12.1
	16 + 25 + 42	1.60	2.50	4.20	-	-	8.30	2.3 ~ 8.7	2420	250 ~ 2600	12.1	11.1	2.28	3.55	5.97	-	-	11.80	2.7 ~ 12.9	2930	230 ~ 3800	14.4	13.2
	16 + 25 + 50	1.60	2.50	5.00	-	-	9.10	2.3 ~ 10.1	2450	280 ~ 3000	12.3	11.2	2.11	3.30	6.59	-	-	12.00	2.7 ~ 13.6	2860	250 ~ 3890	14.1	12.9
	16 + 25 + 60	1.58	2.48	5.94	-	-	10.00	2.3 ~ 10.7	2930	280 ~ 3540	14.7	13.4	1.90	2.97	7.13	-	-	12.00	2.7 ~ 13.6	2860	250 ~ 3890	14.1	12.9
	16 + 25 + 71	1.43	2.23	6.34	-	-	10.00	2.3 ~ 10.7	2870	280 ~ 3400	14.4	13.2	1.71	2.68	7.61	-	-	12.00	2.7 ~ 13.8	2850	250 ~ 4000	14.0	12.8
	16 + 35 + 35	1.60	3.50	3.50	-	-	8.60	2.3 ~ 9.6	2550	250 ~ 2990	12.8	11.7	2.16	4.72	4.72	-	-	11.60	2.7 ~ 13.6	2820	230 ~ 4140	13.9	12.7
	16 + 35 + 42	1.60	3.50	4.20	-	-	9.30	2.3 ~ 10.1	2830	250 ~ 3390	14.2	13.0	2.06	4.52	5.42	-	-	12.00	2.7 ~ 13.6	2950	240 ~ 4130	14.5	13.3
	16 + 35 + 50	1.58	3.47	4.95	-	-	10.00	2.3 ~ 10.7	2870	280 ~ 3400	14.4	13.2	1.90	4.16	5.94	-	-	12.00	2.7 ~ 13.6	2780	250 ~ 3860	13.7	12.5
	16 + 35 + 60	1.44	3.15	5.41	-	-	10.00	2.3 ~ 10.7	2870	280 ~ 3400	14.4	13.2	1.73	3.78	6.49	-	-	12.00	2.7 ~ 13.8	2780	250 ~ 3980	13.7	12.5
	16 + 35 + 71	1.31	2.87	5.82	-	-	10.00	2.3 ~ 10.7	2800	280 ~ 3260	14.0	12.8	1.58	3.44	6.98	-	-	12.00	2.7 ~ 13.8	2770	270 ~ 3960	13.6	12.5
	16 + 42 + 42	1.60	4.20	4.20	-	-	10.00	2.3 ~ 10.7	3260	250 ~ 3970	16.3	15.0	1.92	5.04	5.04	-	-	12.00	2.7 ~ 13.6	2940	240 ~ 4050	14.4	13.2
	16 + 42 + 50	1.48	3.89	4.63	-	-	10.00	2.3 ~ 10.7	2870	280 ~ 3400	14.4	13.2	1.78	4.67	5.55	-	-	12.00	2.7 ~ 13.8	2770	270 ~ 3970	13.6	12.5
	16 + 42 + 60	1.36	3.56	5.08	-	-	10.00	2.3 ~ 10.7	2870	280 ~ 3400	14.4	13.2	1.63	4.27	6.10	-	-	12.00	2.7 ~ 13.8	2770	270 ~ 3970	13.6	12.5
	16 + 42 + 71	1.24	3.26	5.50	-	-	10.00	2.3 ~ 10.7	2800	280 ~ 3260	14.0	12.8	1.49	3.91	6.60	-	-	12.00	2.7 ~ 14.1	2760	270 ~ 4070	13.6	12.4
	16 + 50 + 50	1.38	4.31	4.31	-	-	10.00	2.3 ~ 10.7	2610	320 ~ 3000	13.1	12.0	1.66	5.17	5.17	-	-	12.00	2.7 ~ 13.8	2660	300 ~ 3760	13.1	12.0
	16 + 50 + 60	1.27	3.97	4.76	-	-	10.00	2.3 ~ 10.7	2610	320 ~ 3000	13.1	12.0	1.53	4.76	5.71	-	-	12.00	2.7 ~ 13.8	2660	300 ~ 3760	13.1	12.0
	16 + 50 + 71	1.17	3.65	5.18	-	-	10.00	2.3 ~ 10.7	2550	340 ~ 2930	12.8	11.7	1.40	4.38	6.22	-	-	12.00	2.7 ~ 14.1	2650	310 ~ 3920	13.0	11.9</

CU-5Z100WBH-8: Only Wall-Mounted Indoor Combination

Indoor unit capacity		COOLING OPERATION										HEATING OPERATION											
		Cooling Capacity (kW)					Input Power (W)		Current (A)			Heating Capacity (kW)					Input Power (W)		Current (A)				
		Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V
3 Rooms	20 + 25 + 25	2.00	2.50	2.50	-	-	7.00	2.3 ~ 8.5	1840	260 ~ 2610	9.2	8.4	2.98	3.71	3.71	-	-	10.40	2.7 ~ 12.3	2610	230 ~ 3600	12.8	11.8
	20 + 25 + 35	2.00	2.50	3.50	-	-	8.00	2.3 ~ 8.5	2240	250 ~ 2550	11.2	10.3	2.83	3.53	4.94	-	-	11.30	2.7 ~ 12.9	2740	230 ~ 3800	13.5	12.3
	20 + 25 + 42	2.00	2.50	4.20	-	-	8.70	2.3 ~ 9.6	2600	250 ~ 3060	13.0	11.9	2.76	3.45	5.79	-	-	12.00	2.7 ~ 13.6	3020	230 ~ 4150	14.8	13.6
	20 + 25 + 50	2.00	2.50	5.00	-	-	9.50	2.3 ~ 10.1	2700	280 ~ 3000	13.5	12.4	2.53	3.16	6.31	-	-	12.00	2.7 ~ 13.6	2850	250 ~ 3880	14.0	12.8
	20 + 25 + 60	1.91	2.38	5.71	-	-	10.00	2.3 ~ 10.7	2930	280 ~ 3470	14.7	13.4	2.29	2.86	6.85	-	-	12.00	2.7 ~ 13.8	2850	250 ~ 4000	14.0	12.8
	20 + 25 + 71	1.72	2.16	6.12	-	-	10.00	2.3 ~ 10.7	2870	280 ~ 3330	14.4	13.2	2.07	2.59	7.34	-	-	12.00	2.7 ~ 13.8	2790	250 ~ 3980	13.7	12.6
	20 + 35 + 35	2.00	3.50	3.50	-	-	9.00	2.3 ~ 9.6	2720	250 ~ 2990	13.6	12.5	2.66	4.67	4.67	-	-	12.00	2.7 ~ 13.6	2950	240 ~ 4130	14.5	13.3
	20 + 35 + 42	2.00	3.50	4.20	-	-	9.70	2.3 ~ 10.7	2990	250 ~ 3970	15.0	13.7	2.47	4.33	5.20	-	-	12.00	2.7 ~ 13.6	2940	240 ~ 4050	14.4	13.2
	20 + 35 + 50	1.91	3.33	4.76	-	-	10.00	2.3 ~ 10.7	2870	280 ~ 3400	14.4	13.2	2.29	4.00	5.71	-	-	12.00	2.7 ~ 13.8	2770	270 ~ 3970	13.6	12.5
	20 + 35 + 60	1.74	3.04	5.22	-	-	10.00	2.3 ~ 10.7	2870	280 ~ 3400	14.4	13.2	2.09	3.65	6.26	-	-	12.00	2.7 ~ 13.8	2770	270 ~ 3970	13.6	12.5
	20 + 35 + 71	1.59	2.78	5.63	-	-	10.00	2.3 ~ 10.7	2800	280 ~ 3260	14.0	12.8	1.91	3.33	6.76	-	-	12.00	2.7 ~ 13.8	2760	270 ~ 3950	13.6	12.4
	20 + 42 + 42	1.92	4.04	4.04	-	-	10.00	2.3 ~ 10.7	3260	250 ~ 3970	16.3	15.0	2.30	4.85	4.85	-	-	12.00	2.7 ~ 13.6	2930	240 ~ 4040	14.4	13.2
	20 + 42 + 50	1.79	3.75	4.46	-	-	10.00	2.3 ~ 10.7	2870	280 ~ 3330	14.4	13.2	2.14	4.50	5.36	-	-	12.00	2.7 ~ 13.8	2760	270 ~ 3950	13.6	12.4
	20 + 42 + 60	1.64	3.44	4.92	-	-	10.00	2.3 ~ 10.7	2870	280 ~ 3330	14.4	13.2	1.97	4.13	5.90	-	-	12.00	2.7 ~ 13.8	2760	270 ~ 3950	13.6	12.4
	20 + 42 + 71	1.50	3.16	5.34	-	-	10.00	2.3 ~ 10.7	2740	280 ~ 3260	13.7	12.6	1.80	3.79	6.41	-	-	12.00	2.7 ~ 14.1	2750	270 ~ 4060	13.5	12.4
	20 + 50 + 50	1.66	4.17	4.17	-	-	10.00	2.3 ~ 10.7	2620	320 ~ 3000	13.1	12.0	2.00	5.00	5.00	-	-	12.00	2.7 ~ 13.8	2650	310 ~ 3740	13.0	11.9
	20 + 50 + 60	1.54	3.85	4.61	-	-	10.00	2.3 ~ 10.7	2620	320 ~ 3000	13.1	12.0	1.85	4.62	5.53	-	-	12.00	2.7 ~ 14.1	2650	310 ~ 3920	13.0	11.9
	20 + 50 + 71	1.42	3.55	5.03	-	-	10.00	2.3 ~ 10.7	2550	350 ~ 2930	12.8	11.7	1.70	4.26	6.04	-	-	12.00	2.7 ~ 14.1	2640	320 ~ 3900	13.0	11.9
	20 + 60 + 60	1.42	4.29	4.29	-	-	10.00	2.3 ~ 10.7	2620	320 ~ 3000	13.1	12.0	1.72	5.14	5.14	-	-	12.00	2.7 ~ 14.1	2650	310 ~ 3920	13.0	11.9
	20 + 60 + 71	1.33	3.97	4.70	-	-	10.00	2.3 ~ 10.7	2550	350 ~ 2930	12.8	11.7	1.59	4.77	5.64	-	-	12.00	2.7 ~ 14.4	2640	320 ~ 4020	13.0	11.9
	20 + 71 + 71	1.24	4.38	4.38	-	-	10.00	2.3 ~ 10.7	2490	350 ~ 2870	12.5	11.4	1.48	5.26	5.26	-	-	12.00	2.7 ~ 14.4	2670	330 ~ 4010	13.1	12.0
	25 + 25 + 25	2.50	2.50	2.50	-	-	7.50	2.3 ~ 8.5	2070	260 ~ 2610	10.4	9.5	3.60	3.60	3.60	-	-	10.80	2.7 ~ 12.3	2670	230 ~ 3600	13.1	12.0
	25 + 25 + 35	2.50	2.50	3.50	-	-	8.50	2.3 ~ 9.6	2550	250 ~ 3060	12.8	11.7	3.44	3.44	4.82	-	-	11.70	2.7 ~ 13.6	2880	230 ~ 4160	14.1	13.0
	25 + 25 + 42	2.50	2.50	4.20	-	-	9.20	2.3 ~ 10.1	2830	250 ~ 3460	14.2	13.0	3.26	3.26	5.48	-	-	12.00	2.7 ~ 13.6	3020	230 ~ 4150	14.8	13.6
	25 + 25 + 50	2.50	2.50	5.00	-	-	10.00	2.3 ~ 10.7	2930	280 ~ 3470	14.7	13.4	3.00	3.00	6.00	-	-	12.00	2.7 ~ 13.6	2850	250 ~ 3880	14.0	12.8
	25 + 25 + 60	2.27	2.27	5.46	-	-	10.00	2.3 ~ 10.7	2930	280 ~ 3470	14.7	13.4	2.73	2.73	6.54	-	-	12.00	2.7 ~ 13.8	2850	250 ~ 4000	14.0	12.8
	25 + 25 + 71	2.07	2.07	5.86	-	-	10.00	2.3 ~ 10.7	2870	280 ~ 3330	14.4	13.2	2.48	2.48	7.04	-	-	12.00	2.7 ~ 13.8	2790	250 ~ 3980	13.7	12.6
	25 + 35 + 35	2.50	3.50	3.50	-	-	9.50	2.3 ~ 10.1	2960	250 ~ 3390	14.8	13.6	3.16	4.42	4.42	-	-	12.00	2.7 ~ 13.6	2950	240 ~ 4130	14.5	13.3
	25 + 35 + 42	2.45	3.43	4.12	-	-	10.00	2.3 ~ 10.7	3260	250 ~ 3970	16.3	15.0	2.94	4.12	4.94	-	-	12.00	2.7 ~ 13.6	2940	240 ~ 4050	14.4	13.2
	25 + 35 + 50	2.27	3.18	4.55	-	-	10.00	2.3 ~ 10.7	2870	280 ~ 3400	14.4	13.2	2.73	3.82	5.45	-	-	12.00	2.7 ~ 13.8	2770	270 ~ 3970	13.6	12.5
	25 + 35 + 60	2.08	2.92	5.00	-	-	10.00	2.3 ~ 10.7	2870	280 ~ 3400	14.4	13.2	2.50	3.50	6.00	-	-	12.00	2.7 ~ 13.8	2770	270 ~ 3970	13.6	12.5
	25 + 35 + 71	1.91	2.67	5.42	-	-	10.00	2.3 ~ 10.7	2800	280 ~ 3260	14.0	12.8	2.29	3.21	6.50	-	-	12.00	2.7 ~ 14.1	2760	270 ~ 4070	13.6	12.4
	25 + 42 + 42	2.30	3.85	3.85	-	-	10.00	2.3 ~ 10.7	3260	250 ~ 3970	16.3	15.0	2.76	4.62	4.62	-	-	12.00	2.7 ~ 13.8	2930	240 ~ 4160	14.4	13.2
	25 + 42 + 50	2.14	3.59	4.27	-	-	10.00	2.3 ~ 10.7	2870	280 ~ 3330	14.4	13.2	2.56	4.31	5.13	-	-	12.00	2.7 ~ 13.8	2760	270 ~ 3950	13.6	12.4
	25 + 42 + 60	1.97	3.31	4.72	-	-	10.00	2.3 ~ 10.7	2870	280 ~ 3330	14.4	13.2	2.36	3.97	5.67	-	-	12.00	2.7 ~ 14.1	2760	270 ~ 4070	13.6	12.4
	25 + 42 + 71	1.82	3.04	5.14	-	-	10.00	2.3 ~ 10.7	2740	280 ~ 3260	13.7	12.6	2.18	3.65	6.17	-	-	12.00	2.7 ~ 14.1	2750	270 ~ 4060	13.5	12.4
	25 + 50 + 50	2.00	4.00	4.00	-	-	10.00	2.3 ~ 10.7	2620	320 ~ 3000	13.1	12.0	2.40	4.80	4.80	-	-	12.00	2.7 ~ 13.8	2650	310 ~ 3740	13.0	11.9
	25 + 50 + 60	1.86	3.70	4.44	-	-	10.00	2.3 ~ 10.7	2620	320 ~ 3000	13.1	12.0	2.23	4.44	5.33	-	-	12.00	2.7 ~ 14.1	2650	310 ~ 3920	13.0	11.9
	25 + 50 + 71	1.72	3.42	4.86	-	-	10.00	2.3 ~ 10.7	2550	350 ~ 2930	12.8	11.7	2.05	4.11	5.84	-	-	12.00	2.7 ~ 14.1	2640	320 ~ 3900	13.0	11.9
	25 + 60 + 60	1.72	4.14	4.14	-	-	10.00	2.3 ~ 10.7	2620	320 ~ 3000	13.1	12.0	2.06	4.97	4.97	-	-	12.00	2.7 ~ 14.1	2650	310 ~ 3920	13.0	11.9
	25 + 60 + 71	1.60	3.85	4.55	-	-	10.00	2.3 ~ 10.7	2550	350 ~ 2930	12.8	11.7	1.92	4.62	5.46	-	-	12.00	2.7 ~ 14.4	2640	320 ~ 4020	13.0	11.9
	25 + 71 + 71	1.50	4.25	4.25	-	-	10.00	2.3 ~ 10.7	2490	350 ~ 2870	12.5	11.4	1.80	5.10	5.10	-	-	12.00	2.7 ~ 14.4	2670	330 ~ 4010	13.1	12.0
35 + 35 + 35	3.33	3.33	3.33	-	-	9.99	2.3 ~ 10.7	3190	250 ~ 3890	16.0	14.6	4.00	4.00	4.00	-	-	12.00	2.7 ~ 13.8	2920	240 ~ 4150	14.3	13.1	
35 + 35 + 42	3.13	3.13	3.74	-	-	10.00	2.3 ~ 10.7	3190	250 ~ 3820	16.0	14.6	3.75	3.75	4.50	-	-	12.00	2.7 ~ 13.8	2910	240 ~ 4140	14.3	13.1	
35 + 35 + 50	2.92	2.92	4.16	-	-	10.00	2.3 ~ 10.7	2800	280 ~ 3260	14.0	12.8	3.50	3.50	5.00	-	-	12.00	2.7 ~ 13.8	2750	270 ~ 3930	13.5	12.4	
35 + 35 + 60	2.69	2.69	4.62	-	-	10.00	2.3 ~ 10.7	2800	280 ~ 3260	14.0	12.8	3.23	3.23	5.54	-	-	12.00	2.7 ~ 14.1	2750	270 ~ 4050	13.5	12.4	
35 + 35 + 71	2.48	2.48	5.04	-	-	10.00	2.3 ~ 10.7	2740	310 ~ 3200	13.7	12.6	2.98	2.98	6.04	-	-	12.00	2.7 ~ 14.1	2730	270 ~ 4030	13.4	12.3	
35 + 42 + 42	2.94	3.53	3.53	-	-	10.00	2.3 ~ 10.7	3130	250 ~ 3820	15.7	14.4	3.52	4.24	4.24	-	-	12.00	2.7 ~ 13.8	2900	250 ~ 4130	14.2	13.1	
35 + 42 + 50	2.76	3.31	3.93	-	-	10.00	2.3 ~ 10.7	2800	280 ~ 3260	14.0	12.8	3.31	3.97	4.72	-	-	12.00	2.7 ~ 14.1	2740	270 ~ 4040	13.5	12.3	
35 + 42 + 60	2.55	3.07	4.38	-	-	10.00	2.3 ~ 10.7	2800	280 ~ 3260	14.0	12.8	3.07	3.68	5.25	-	-	12.00	2.7 ~ 14.1	2740	270 ~ 4040	13.5	12.3	
35 + 42 + 71	2.36	2.84	4.80	-	-	10.00	2.3 ~ 10.7	2740	310 ~ 3200	13.7	12.6	2.84	3.41	5.75	-	-	12.00	2.7 ~ 14.1	2720	280 ~ 4020	13.4	12.2	
35 + 50 + 50	2.60	3.70	3.70	-	-	10.00	2.3 ~ 10.7	2550	350 ~ 2930	12.8	11.7	3.12	4.44	4.44	-	-	12.00	2.7 ~ 14.1	2670	330 ~ 3890	13.1	12.0	
35 + 50 + 60	2.41	3.45	4.14	-	-	10.00	2.3 ~ 10.7	2550	350 ~ 2930	12.8	11.7	2.90	4.14	4.96	-	-	12.00	2.7 ~ 14.1	2670	330 ~ 3890	13.1	12.0	
35 + 50 + 71	2.24																						

CU-5Z100WBH-8: Only Wall-Mounted Indoor Combination

Indoor unit capacity		COOLING OPERATION											HEATING OPERATION										
		Cooling Capacity (kW)						Input Power (W)		Current (A)			Heating Capacity (kW)						Input Power (W)		Current (A)		
		Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V
3 Rooms	42 + 42 + 60	2.92	2.92	4.16	-	-	10.00	2.3 ~ 10.7	2740	280 ~ 3260	13.7	12.6	3.50	3.50	5.00	-	-	12.00	2.7 ~ 14.1	2730	280 ~ 4020	13.4	12.3
	42 + 42 + 71	2.71	2.71	4.58	-	-	10.00	2.3 ~ 10.7	2680	310 ~ 3130	13.4	12.3	3.25	3.25	5.50	-	-	12.00	2.7 ~ 14.4	2710	280 ~ 4130	13.3	12.2
	42 + 50 + 50	2.96	3.52	3.52	-	-	10.00	2.3 ~ 10.7	2550	350 ~ 2930	12.8	11.7	3.54	4.23	4.23	-	-	12.00	2.7 ~ 14.1	2670	330 ~ 3870	13.1	12.0
	42 + 50 + 60	2.76	3.29	3.95	-	-	10.00	2.3 ~ 10.7	2550	350 ~ 2930	12.8	11.7	3.32	3.95	4.73	-	-	12.00	2.7 ~ 14.4	2670	330 ~ 3990	13.1	12.0
	42 + 50 + 71	2.58	3.07	4.35	-	-	10.00	2.3 ~ 10.7	2490	350 ~ 2870	12.5	11.4	3.09	3.68	5.23	-	-	12.00	2.7 ~ 14.4	2650	340 ~ 3980	13.0	11.9
	42 + 60 + 60	2.60	3.70	3.70	-	-	10.00	2.3 ~ 10.7	2550	350 ~ 2930	12.8	11.7	3.12	4.44	4.44	-	-	12.00	2.7 ~ 14.4	2670	330 ~ 3990	13.1	12.0
	42 + 60 + 71	2.43	3.47	4.10	-	-	10.00	2.3 ~ 10.7	2490	350 ~ 2870	12.5	11.4	2.92	4.16	4.92	-	-	12.00	2.7 ~ 14.4	2650	340 ~ 3980	13.0	11.9
	50 + 50 + 50	3.33	3.33	3.33	-	-	9.99	2.3 ~ 10.7	2380	390 ~ 2740	11.9	10.9	4.00	4.00	4.00	-	-	12.00	2.7 ~ 14.4	2620	400 ~ 3910	12.9	11.8
	50 + 50 + 60	3.13	3.13	3.74	-	-	10.00	2.3 ~ 10.7	2440	390 ~ 2740	12.2	11.2	3.75	3.75	4.50	-	-	12.00	2.7 ~ 14.4	2620	400 ~ 3910	12.9	11.8
	50 + 50 + 71	2.92	2.92	4.16	-	-	10.00	2.3 ~ 10.7	2380	390 ~ 2750	11.9	10.9	3.51	3.51	4.98	-	-	12.00	2.7 ~ 14.4	2610	410 ~ 3890	12.8	11.8
	50 + 60 + 60	2.94	3.53	3.53	-	-	10.00	2.3 ~ 10.7	2440	390 ~ 2740	12.2	11.2	3.52	4.24	4.24	-	-	12.00	2.7 ~ 14.4	2620	400 ~ 3910	12.9	11.8
	50 + 60 + 71	2.77	3.31	3.92	-	-	10.00	2.3 ~ 10.7	2380	390 ~ 2750	11.9	10.9	3.31	3.98	4.71	-	-	12.00	2.7 ~ 14.4	2610	410 ~ 3890	12.8	11.8
	60 + 60 + 60	3.33	3.33	3.33	-	-	9.99	2.3 ~ 10.7	2380	390 ~ 2740	11.9	10.9	4.00	4.00	4.00	-	-	12.00	2.7 ~ 14.4	2620	400 ~ 3910	12.9	11.8
	4 Rooms	16 + 16 + 16 + 16	1.60	1.60	1.60	1.60	-	6.40	2.3 ~ 10.6	1480	310 ~ 3560	7.5	6.9	2.60	2.60	2.60	2.60	-	10.40	3.4 ~ 14.2	2400	340 ~ 4160	11.8
16 + 16 + 16 + 20		1.60	1.60	1.60	2.00	-	6.80	2.3 ~ 10.6	1620	310 ~ 3560	8.2	7.5	2.59	2.59	2.59	3.23	-	11.00	3.4 ~ 14.2	2540	340 ~ 4150	12.5	11.4
16 + 16 + 16 + 25		1.60	1.60	1.60	2.50	-	7.30	2.3 ~ 10.6	1780	310 ~ 3560	8.9	8.2	2.50	2.50	2.50	3.90	-	11.40	3.4 ~ 14.2	2600	340 ~ 4150	12.8	11.7
16 + 16 + 16 + 35		1.60	1.60	1.60	3.50	-	8.30	2.3 ~ 10.6	2170	310 ~ 3480	10.9	10.0	2.31	2.31	2.31	5.07	-	12.00	3.4 ~ 14.2	2760	340 ~ 4110	13.6	12.4
16 + 16 + 16 + 42		1.60	1.60	1.60	4.20	-	9.00	2.3 ~ 10.6	2460	310 ~ 3480	12.3	11.3	2.13	2.13	2.13	5.61	-	12.00	3.4 ~ 14.2	2750	340 ~ 4100	13.5	12.4
16 + 16 + 16 + 50		1.60	1.60	1.60	5.00	-	9.80	2.3 ~ 10.6	2660	350 ~ 3190	13.3	12.2	1.96	1.96	1.96	6.12	-	12.00	3.4 ~ 14.2	2690	390 ~ 3950	13.2	12.1
16 + 16 + 16 + 60		1.48	1.48	1.48	5.56	-	10.00	2.3 ~ 10.6	2790	350 ~ 3190	14.0	12.8	1.78	1.78	1.78	6.66	-	12.00	3.4 ~ 14.2	2690	390 ~ 3950	13.2	12.1
16 + 16 + 16 + 71		1.34	1.34	1.34	5.98	-	10.00	2.3 ~ 10.6	2730	380 ~ 3120	13.7	12.5	1.61	1.61	1.61	7.17	-	12.00	3.4 ~ 14.2	2680	400 ~ 3930	13.2	12.1
16 + 16 + 20 + 20		1.60	1.60	2.00	2.00	-	7.20	2.3 ~ 10.6	1730	310 ~ 3480	8.7	8.0	2.58	2.58	3.22	3.22	-	11.60	3.4 ~ 14.2	2630	340 ~ 4130	12.9	11.8
16 + 16 + 20 + 25		1.60	1.60	2.00	2.50	-	7.70	2.3 ~ 10.6	1930	310 ~ 3480	9.7	8.9	2.49	2.49	3.12	3.90	-	12.00	3.4 ~ 14.2	2770	340 ~ 4130	13.6	12.5
16 + 16 + 20 + 35		1.60	1.60	2.00	3.50	-	8.70	2.3 ~ 10.6	2330	310 ~ 3410	11.7	10.7	2.21	2.21	2.76	4.82	-	12.00	3.4 ~ 14.2	2750	340 ~ 4100	13.5	12.4
16 + 16 + 20 + 42		1.60	1.60	2.00	4.20	-	9.40	2.3 ~ 10.6	2620	310 ~ 3410	13.1	12.0	2.04	2.04	2.56	5.36	-	12.00	3.4 ~ 14.2	2740	340 ~ 4080	13.5	12.3
16 + 16 + 20 + 50		1.57	1.57	1.96	4.90	-	10.00	2.3 ~ 10.6	2790	350 ~ 3190	14.0	12.8	1.88	1.88	2.36	5.88	-	12.00	3.4 ~ 14.2	2680	400 ~ 3930	13.2	12.1
16 + 16 + 20 + 60		1.43	1.43	1.79	5.35	-	10.00	2.3 ~ 10.6	2790	350 ~ 3190	14.0	12.8	1.71	1.71	2.15	6.43	-	12.00	3.4 ~ 14.2	2680	400 ~ 3930	13.2	12.1
16 + 16 + 20 + 71		1.30	1.30	1.63	5.77	-	10.00	2.3 ~ 10.8	2730	380 ~ 3260	13.7	12.5	1.56	1.56	1.95	6.93	-	12.00	3.4 ~ 14.2	2670	400 ~ 3920	13.1	12.0
16 + 16 + 25 + 25		1.60	1.60	2.50	2.50	-	8.20	2.3 ~ 10.6	2110	310 ~ 3480	10.6	9.7	2.34	2.34	3.66	3.66	-	12.00	3.4 ~ 14.2	2770	340 ~ 4130	13.6	12.5
16 + 16 + 25 + 35		1.60	1.60	2.50	3.50	-	9.20	2.3 ~ 10.6	2560	310 ~ 3410	12.8	11.7	2.09	2.09	3.26	4.56	-	12.00	3.4 ~ 14.2	2750	340 ~ 4100	13.5	12.4
16 + 16 + 25 + 42		1.60	1.60	2.50	4.20	-	9.90	2.3 ~ 10.6	2920	310 ~ 3410	14.6	13.4	1.94	1.94	3.03	5.09	-	12.00	3.4 ~ 14.2	2740	340 ~ 4080	13.5	12.3
16 + 16 + 25 + 50		1.50	1.50	2.34	4.66	-	10.00	2.3 ~ 10.6	2790	350 ~ 3190	14.0	12.8	1.79	1.79	2.81	5.61	-	12.00	3.4 ~ 14.2	2680	400 ~ 3930	13.2	12.1
16 + 16 + 25 + 60		1.37	1.37	2.14	5.12	-	10.00	2.3 ~ 10.6	2790	350 ~ 3190	14.0	12.8	1.64	1.64	2.57	6.15	-	12.00	3.4 ~ 14.2	2680	400 ~ 3930	13.2	12.1
16 + 16 + 25 + 71		1.25	1.25	1.95	5.55	-	10.00	2.3 ~ 10.8	2730	380 ~ 3260	13.7	12.5	1.50	1.50	2.34	6.66	-	12.00	3.4 ~ 14.2	2670	400 ~ 3980	13.1	12.0
16 + 16 + 35 + 35		1.57	1.57	3.43	3.43	-	10.00	2.3 ~ 10.6	2920	320 ~ 3410	14.6	13.4	1.88	1.88	4.12	4.12	-	12.00	3.4 ~ 14.2	2720	360 ~ 4060	13.4	12.2
16 + 16 + 35 + 42		1.47	1.47	3.21	3.85	-	10.00	2.3 ~ 10.6	2920	320 ~ 3330	14.6	13.4	1.76	1.76	3.86	4.62	-	12.00	3.4 ~ 14.2	2710	360 ~ 3980	13.3	12.2
16 + 16 + 35 + 50		1.37	1.37	2.99	4.27	-	10.00	2.3 ~ 10.6	2730	380 ~ 3120	13.7	12.5	1.64	1.64	3.59	5.13	-	12.00	3.4 ~ 14.2	2660	420 ~ 3900	13.1	12.0
16 + 16 + 35 + 60		1.26	1.26	2.76	4.72	-	10.00	2.3 ~ 10.8	2730	380 ~ 3260	13.7	12.5	1.51	1.51	3.31	5.67	-	12.00	3.4 ~ 14.2	2660	420 ~ 3900	13.1	12.0
16 + 16 + 35 + 71		1.16	1.16	2.54	5.14	-	10.00	2.3 ~ 10.8	2730	390 ~ 3190	13.7	12.5	1.39	1.39	3.05	6.17	-	12.00	3.4 ~ 14.4	2650	420 ~ 3940	13.0	11.9
16 + 16 + 42 + 42		1.38	1.38	3.62	3.62	-	10.00	2.3 ~ 10.6	2920	320 ~ 3330	14.6	13.4	1.66	1.66	4.34	4.34	-	12.00	3.4 ~ 14.2	2700	370 ~ 3970	13.3	12.2
16 + 16 + 42 + 50		1.29	1.29	3.39	4.03	-	10.00	2.3 ~ 10.8	2730	380 ~ 3260	13.7	12.5	1.55	1.55	4.06	4.84	-	12.00	3.4 ~ 14.2	2650	420 ~ 3890	13.0	11.9
16 + 16 + 42 + 60		1.19	1.19	3.14	4.48	-	10.00	2.3 ~ 10.8	2730	380 ~ 3260	13.7	12.5	1.43	1.43	3.77	5.37	-	12.00	3.4 ~ 14.4	2650	420 ~ 3950	13.0	11.9
16 + 16 + 42 + 71		1.10	1.10	2.90	4.90	-	10.00	2.3 ~ 11.0	2730	390 ~ 3340	13.7	12.5	1.32	1.32	3.48	5.88	-	12.00	3.4 ~ 14.4	2640	430 ~ 3930	13.0	11.9
16 + 16 + 50 + 50		1.21	1.21	3.79	3.79	-	10.00	2.3 ~ 10.8	2610	430 ~ 3060	13.1	12.0	1.45	1.45	4.55	4.55	-	12.00	3.4 ~ 14.4	2610	490 ~ 3870	12.8	11.8
16 + 16 + 50 + 60		1.13	1.13	3.52	4.22	-	10.00	2.3 ~ 11.0	2610	430 ~ 3200	13.1	12.0	1.35	1.35	4.23	5.07	-	12.00	3.4 ~ 14.4	2610	490 ~ 3870	12.8	11.8
16 + 16 + 50 + 71		1.05	1.05	3.27	4.63	-	10.00	2.3 ~ 11.0	2610	460 ~ 3200	13.1	12.0	1.25	1.25	3.93	5.57	-	12.00	3.4 ~ 14.4	2650	510 ~ 3860	13.0	11.9
16 + 16 + 60 + 60		1.05	1.05	3.95	3.95	-	10.00	2.3 ~ 11.0	2610														

CU-5Z100WBH-8: Only Wall-Mounted Indoor Combination

Indoor unit capacity	COOLING OPERATION											HEATING OPERATION										
	Cooling Capacity (kW)						Input Power (W)		Current (A)			Heating Capacity (kW)						Input Power (W)		Current (A)		
	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V
16 + 20 + 25 + 50	1.45	1.80	2.25	4.50	-	10.00	2.3 ~ 10.6	2730	360 ~ 3120	13.7	12.5	1.73	2.16	2.70	5.41	-	12.00	3.4 ~ 14.2	2670	400 ~ 3920	13.1	12.0
16 + 20 + 25 + 60	1.32	1.65	2.07	4.96	-	10.00	2.3 ~ 10.8	2730	360 ~ 3260	13.7	12.5	1.59	1.98	2.48	5.95	-	12.00	3.4 ~ 14.2	2670	400 ~ 3920	13.1	12.0
16 + 20 + 25 + 71	1.21	1.52	1.89	5.38	-	10.00	2.3 ~ 10.8	2730	390 ~ 3190	13.7	12.5	1.46	1.82	2.27	6.45	-	12.00	3.4 ~ 14.4	2660	420 ~ 3960	13.1	12.0
16 + 20 + 35 + 35	1.51	1.89	3.30	3.30	-	10.00	2.3 ~ 10.6	2920	320 ~ 3330	14.6	13.4	1.82	2.26	3.96	3.96	-	12.00	3.4 ~ 14.2	2710	360 ~ 3980	13.3	12.2
16 + 20 + 35 + 42	1.42	1.77	3.10	3.71	-	10.00	2.3 ~ 10.6	2920	320 ~ 3330	14.6	13.4	1.70	2.12	3.72	4.46	-	12.00	3.4 ~ 14.2	2700	370 ~ 3970	13.3	12.2
16 + 20 + 35 + 50	1.33	1.65	2.89	4.13	-	10.00	2.3 ~ 10.8	2730	380 ~ 3260	13.7	12.5	1.59	1.98	3.47	4.96	-	12.00	3.4 ~ 14.2	2650	420 ~ 3890	13.0	11.9
16 + 20 + 35 + 60	1.22	1.53	2.67	4.58	-	10.00	2.3 ~ 10.8	2730	380 ~ 3260	13.7	12.5	1.47	1.83	3.21	5.49	-	12.00	3.4 ~ 14.4	2650	420 ~ 3950	13.0	11.9
16 + 20 + 35 + 71	1.13	1.41	2.46	5.00	-	10.00	2.3 ~ 11.0	2660	390 ~ 3340	13.3	12.2	1.35	1.69	2.96	6.00	-	12.00	3.4 ~ 14.4	2640	430 ~ 3930	13.0	11.9
16 + 20 + 42 + 42	1.33	1.67	3.50	3.50	-	10.00	2.3 ~ 10.6	2860	320 ~ 3330	14.3	13.1	1.60	2.00	4.20	4.20	-	12.00	3.4 ~ 14.2	2690	370 ~ 3960	13.2	12.1
16 + 20 + 42 + 50	1.25	1.56	3.28	3.91	-	10.00	2.3 ~ 10.8	2730	390 ~ 3190	13.7	12.5	1.50	1.88	3.94	4.68	-	12.00	3.4 ~ 14.4	2640	420 ~ 3930	13.0	11.9
16 + 20 + 42 + 60	1.16	1.45	3.04	4.35	-	10.00	2.3 ~ 10.8	2730	390 ~ 3190	13.7	12.5	1.39	1.74	3.65	5.22	-	12.00	3.4 ~ 14.4	2640	420 ~ 3930	13.0	11.9
16 + 20 + 42 + 71	1.07	1.34	2.82	4.77	-	10.00	2.3 ~ 11.0	2660	390 ~ 3270	13.3	12.2	1.29	1.61	3.38	5.72	-	12.00	3.4 ~ 14.4	2630	430 ~ 3920	12.9	11.8
16 + 20 + 50 + 50	1.18	1.47	3.68	3.67	-	10.00	2.3 ~ 10.8	2610	430 ~ 3060	13.1	12.0	1.42	1.76	4.41	4.41	-	12.00	3.4 ~ 14.4	2650	500 ~ 3860	13.0	11.9
16 + 20 + 50 + 60	1.10	1.37	3.42	4.11	-	10.00	2.3 ~ 11.0	2610	430 ~ 3200	13.1	12.0	1.32	1.64	4.11	4.93	-	12.00	3.4 ~ 14.4	2650	500 ~ 3860	13.0	11.9
16 + 20 + 50 + 71	1.03	1.27	3.18	4.52	-	10.00	2.3 ~ 11.0	2610	470 ~ 3130	13.1	12.0	1.22	1.53	3.82	5.43	-	12.00	3.4 ~ 14.4	2640	510 ~ 3900	13.0	11.9
16 + 20 + 60 + 60	1.03	1.27	3.85	3.85	-	10.00	2.3 ~ 11.0	2610	430 ~ 3200	13.1	12.0	1.23	1.53	4.62	4.62	-	12.00	3.4 ~ 14.4	2650	500 ~ 3860	13.0	11.9
16 + 20 + 60 + 71	0.96	1.20	3.59	4.25	-	10.00	2.3 ~ 11.2	2610	470 ~ 3280	13.1	12.0	1.15	1.44	4.31	5.10	-	12.00	3.4 ~ 14.4	2640	510 ~ 3900	13.0	11.9
16 + 20 + 71 + 71	0.90	1.12	3.99	3.99	-	10.00	2.3 ~ 11.2	2610	470 ~ 3280	13.1	12.0	1.08	1.34	4.79	4.79	-	12.00	3.4 ~ 14.4	2630	520 ~ 3890	12.9	11.8
16 + 25 + 25 + 25	1.60	2.50	2.50	2.50	-	9.10	2.3 ~ 10.6	2490	310 ~ 3480	12.5	11.4	2.10	3.30	3.30	3.30	-	12.00	3.4 ~ 14.2	2760	340 ~ 4120	13.6	12.4
16 + 25 + 25 + 35	1.58	2.48	2.48	3.46	-	10.00	2.3 ~ 10.6	2920	310 ~ 3410	14.6	13.4	1.90	2.97	2.97	4.16	-	12.00	3.4 ~ 14.2	2740	340 ~ 4080	13.5	12.3
16 + 25 + 25 + 42	1.49	2.31	2.31	3.89	-	10.00	2.3 ~ 10.6	2920	310 ~ 3410	14.6	13.4	1.78	2.78	2.78	4.66	-	12.00	3.4 ~ 14.2	2730	350 ~ 4070	13.4	12.3
16 + 25 + 25 + 50	1.38	2.16	2.16	4.30	-	10.00	2.3 ~ 10.6	2730	360 ~ 3120	13.7	12.5	1.66	2.59	2.59	5.16	-	12.00	3.4 ~ 14.2	2670	400 ~ 3920	13.1	12.0
16 + 25 + 25 + 60	1.28	1.98	1.98	4.76	-	10.00	2.3 ~ 10.8	2730	360 ~ 3260	13.7	12.5	1.53	2.38	2.38	5.71	-	12.00	3.4 ~ 14.2	2670	400 ~ 3920	13.1	12.0
16 + 25 + 25 + 71	1.18	1.82	1.82	5.18	-	10.00	2.3 ~ 10.8	2730	390 ~ 3190	13.7	12.5	1.40	2.19	2.19	6.22	-	12.00	3.4 ~ 14.4	2660	420 ~ 3960	13.1	12.0
16 + 25 + 35 + 35	1.45	2.25	3.15	3.15	-	10.00	2.3 ~ 10.6	2920	320 ~ 3330	14.6	13.4	1.74	2.70	3.78	3.78	-	12.00	3.4 ~ 14.2	2710	360 ~ 3980	13.3	12.2
16 + 25 + 35 + 42	1.36	2.12	2.97	3.55	-	10.00	2.3 ~ 10.6	2920	320 ~ 3330	14.6	13.4	1.63	2.54	3.56	4.27	-	12.00	3.4 ~ 14.2	2700	370 ~ 3970	13.3	12.2
16 + 25 + 35 + 50	1.27	1.98	2.78	3.97	-	10.00	2.3 ~ 10.8	2730	380 ~ 3260	13.7	12.5	1.53	2.38	3.33	4.76	-	12.00	3.4 ~ 14.2	2650	420 ~ 3890	13.0	11.9
16 + 25 + 35 + 60	1.18	1.84	2.57	4.41	-	10.00	2.3 ~ 10.8	2730	380 ~ 3260	13.7	12.5	1.41	2.21	3.09	5.29	-	12.00	3.4 ~ 14.4	2650	420 ~ 3950	13.0	11.9
16 + 25 + 35 + 71	1.09	1.70	2.38	4.83	-	10.00	2.3 ~ 11.0	2660	390 ~ 3340	13.3	12.2	1.31	2.04	2.86	5.79	-	12.00	3.4 ~ 14.4	2640	430 ~ 3930	13.0	11.9
16 + 25 + 42 + 42	1.28	2.00	3.36	3.36	-	10.00	2.3 ~ 10.8	2860	320 ~ 3480	14.3	13.1	1.54	2.40	4.03	4.03	-	12.00	3.4 ~ 14.2	2690	370 ~ 3960	13.2	12.1
16 + 25 + 42 + 50	1.20	1.88	3.16	3.76	-	10.00	2.3 ~ 10.8	2730	390 ~ 3190	13.7	12.5	1.44	2.26	3.79	4.51	-	12.00	3.4 ~ 14.4	2640	420 ~ 3930	13.0	11.9
16 + 25 + 42 + 60	1.12	1.75	2.94	4.19	-	10.00	2.3 ~ 11.0	2730	390 ~ 3340	13.7	12.5	1.35	2.10	3.52	5.03	-	12.00	3.4 ~ 14.4	2640	420 ~ 3930	13.0	11.9
16 + 25 + 42 + 71	1.04	1.62	2.73	4.61	-	10.00	2.3 ~ 11.0	2660	390 ~ 3270	13.3	12.2	1.25	1.95	3.27	5.53	-	12.00	3.4 ~ 14.4	2630	430 ~ 3920	12.9	11.8
16 + 25 + 50 + 50	1.13	1.77	3.55	3.55	-	10.00	2.3 ~ 10.8	2610	430 ~ 3060	13.1	12.0	1.36	2.12	4.26	4.26	-	12.00	3.4 ~ 14.4	2650	500 ~ 3860	13.0	11.9
16 + 25 + 50 + 60	1.06	1.66	3.31	3.97	-	10.00	2.3 ~ 11.0	2610	430 ~ 3200	13.1	12.0	1.27	1.99	3.97	4.77	-	12.00	3.4 ~ 14.4	2650	500 ~ 3860	13.0	11.9
16 + 25 + 50 + 71	0.99	1.54	3.09	4.38	-	10.00	2.3 ~ 11.2	2610	470 ~ 3280	13.1	12.0	1.19	1.85	3.70	5.26	-	12.00	3.4 ~ 14.4	2640	510 ~ 3900	13.0	11.9
16 + 25 + 60 + 60	0.99	1.55	3.73	3.73	-	10.00	2.3 ~ 11.2	2610	430 ~ 3270	13.1	12.0	1.20	1.86	4.47	4.47	-	12.00	3.4 ~ 14.4	2650	500 ~ 3860	13.0	11.9
16 + 25 + 60 + 71	0.93	1.45	3.49	4.13	-	10.00	2.3 ~ 11.2	2610	470 ~ 3280	13.1	12.0	1.12	1.74	4.19	4.95	-	12.00	3.4 ~ 14.4	2640	510 ~ 3900	13.0	11.9
16 + 25 + 71 + 71	0.87	1.37	3.88	3.88	-	10.00	2.3 ~ 11.2	2610	470 ~ 3280	13.1	12.0	1.05	1.63	4.66	4.66	-	12.00	3.4 ~ 14.4	2630	520 ~ 3890	12.9	11.8
16 + 35 + 35 + 35	1.33	2.89	2.89	2.89	-	10.00	2.3 ~ 10.8	2860	340 ~ 3410	14.3	13.1	1.59	3.47	3.47	3.47	-	12.00	3.4 ~ 14.2	2690	370 ~ 3950	13.2	12.1
16 + 35 + 35 + 42	1.26	2.73	2.73	3.28	-	10.00	2.3 ~ 10.8	2860	350 ~ 3410	14.3	13.1	1.50	3.28	3.28	3.94	-	12.00	3.4 ~ 14.4	2680	370 ~ 4060	13.2	12.1
16 + 35 + 35 + 50	1.18	2.57	2.57	3.68	-	10.00	2.3 ~ 10.8	2730	390 ~ 3190	13.7	12.5	1.41	3.09	3.09	4.41	-	12.00	3.4 ~ 14.4	2630	430 ~ 3910	12.9	11.8
16 + 35 + 35 + 60	1.10	2.40	2.40	4.10	-	10.00	2.3 ~ 11.0	2730	390 ~ 3340	13.7	12.5	1.32	2.88	2.88	4.92	-	12.00	3.4 ~ 14.4	2630	430 ~ 3910	12.9	11.8
16 + 35 + 35 + 71	1.02	2.23	2.23	4.52	-	10.00	2.3 ~ 11.0	2660	390 ~ 3270	13.3	12.2	1.22	2.68	2.68	5.42	-	12.00	3.4 ~ 14.4	2620	450 ~ 3960	12.9	11.8
16 + 35 + 42 + 42	1.19	2.59	3.11	3.11	-	10.00	2.3 ~ 10.8	2860	350 ~ 3410	14.3	13.1	1.43	3.11	3.73	3.73	-	12.00	3.4 ~ 14.4	2710	370 ~ 4040	13.3	12.2
16 + 35 + 42 + 50	1.12	2.45	2.94	3.49	-	10.00	2.3 ~ 11.0	2660	390 ~ 3340	13.3	12.2	1.34	2.94	3.52	4.20	-	12.00	3.4 ~ 14.4	2620	450 ~ 3960	12.9	11.8
16 + 35 + 42 + 60	1.05	2.29	2.75	3.91	-	10.00	2.3 ~ 11.0	2660	390 ~ 3340	13.3	12.2	1.25	2.75	3.29	4.71	-	12.00	3.4 ~ 14.4	2620	450 ~ 3960	12.9	11.8
16 + 35 + 42 + 71	0.98	2.13	2.56	4.33	-	10.00	2.3 ~ 11.2	2670	400 ~ 3410	13.4	12.2	1.17	2.56	3.07	5.20	-	12.00	3.4 ~ 14.4	2650	450 ~ 3940	13.0	11.9
16 + 35 + 50 + 50	1.06	2.32	3.31	3.31	-	10.00	2.3 ~ 11.0	2610	470 ~ 3130	13.1	12.0	1.28	2.78	3.97	3.97	-	12.00	3.4 ~ 14.4	2630	520 ~ 3890	12.9	11.8
16 + 35 + 50 + 60	0.99	2.17	3.11	3.73	-	10.00	2.3 ~ 11.2	2610	470 ~ 3280	13.1	12.0	1.19	2.61	3.73	4.47	-	12.00	3.4 ~ 14.4	2630	520 ~ 3890	12.9	11.8
16 + 35 + 50 + 71	0.93	2.03	2.91	4.13	-	10.00	2.3 ~ 11.2	2610														

CU-5Z100WBH-8: Only Wall-Mounted Indoor Combination

Indoor unit capacity		COOLING OPERATION										HEATING OPERATION											
		Cooling Capacity (kW)						Input Power (W)		Current (A)		Heating Capacity (kW)						Input Power (W)		Current (A)			
		Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V
4 Rooms	16 + 42 + 50 + 71	0.89	2.35	2.79	3.97	-	10.00	2.3 ~ 11.2	2610	470 ~ 3280	13.1	12.0	1.07	2.82	3.35	4.76	-	12.00	3.4 ~ 14.4	2620	540 ~ 3870	12.9	11.8
	16 + 42 + 60 + 60	0.90	2.36	3.37	3.37	-	10.00	2.3 ~ 11.2	2610	470 ~ 3280	13.1	12.0	1.08	2.84	4.04	4.04	-	12.00	3.4 ~ 14.4	2630	530 ~ 3880	12.9	11.8
	16 + 50 + 50 + 50	0.97	3.01	3.01	3.01	-	10.00	2.3 ~ 11.2	2570	520 ~ 3220	12.9	11.8	1.17	3.61	3.61	3.61	-	12.00	3.4 ~ 14.4	2660	630 ~ 3880	13.1	12.0
	16 + 50 + 50 + 60	0.91	2.84	2.84	3.41	-	10.00	2.3 ~ 11.2	2570	520 ~ 3220	12.9	11.8	1.09	3.41	3.41	4.09	-	12.00	3.4 ~ 14.4	2660	630 ~ 3880	13.1	12.0
	20 + 20 + 20 + 20	2.00	2.00	2.00	2.00	-	8.00	2.3 ~ 10.6	2050	310 ~ 3480	10.3	9.4	3.00	3.00	3.00	3.00	-	12.00	3.4 ~ 14.2	2750	340 ~ 4110	13.5	12.4
	20 + 20 + 20 + 25	2.00	2.00	2.00	2.50	-	8.50	2.3 ~ 10.6	2230	310 ~ 3480	11.2	10.2	2.82	2.82	2.82	3.54	-	12.00	3.4 ~ 14.2	2750	340 ~ 4110	13.5	12.4
	20 + 20 + 20 + 35	2.00	2.00	2.00	3.50	-	9.50	2.3 ~ 10.6	2690	320 ~ 3410	13.5	12.3	2.53	2.53	2.53	4.41	-	12.00	3.4 ~ 14.2	2730	350 ~ 4070	13.4	12.3
	20 + 20 + 20 + 42	1.96	1.96	1.96	4.12	-	10.00	2.3 ~ 10.6	2920	320 ~ 3410	14.6	13.4	2.35	2.35	2.35	4.95	-	12.00	3.4 ~ 14.2	2720	360 ~ 4050	13.4	12.2
	20 + 20 + 20 + 50	1.82	1.82	1.82	4.54	-	10.00	2.3 ~ 10.6	2730	380 ~ 3120	13.7	12.5	2.18	2.18	2.18	5.46	-	12.00	3.4 ~ 14.2	2660	420 ~ 3910	13.1	12.0
	20 + 20 + 20 + 60	1.67	1.67	1.67	4.99	-	10.00	2.3 ~ 10.6	2730	380 ~ 3120	13.7	12.5	2.00	2.00	2.00	6.00	-	12.00	3.4 ~ 14.2	2660	420 ~ 3910	13.1	12.0
	20 + 20 + 20 + 71	1.53	1.53	1.53	5.41	-	10.00	2.3 ~ 10.8	2730	390 ~ 3190	13.7	12.5	1.83	1.83	1.83	6.51	-	12.00	3.4 ~ 14.4	2650	420 ~ 3950	13.0	11.9
	20 + 20 + 25 + 25	2.00	2.00	2.50	2.50	-	9.00	2.3 ~ 10.6	2460	310 ~ 3480	12.3	11.3	2.67	2.67	3.33	3.33	-	12.00	3.4 ~ 14.2	2750	340 ~ 4110	13.5	12.4
	20 + 20 + 25 + 35	2.00	2.00	2.50	3.50	-	10.00	2.3 ~ 10.6	2920	320 ~ 3410	14.6	13.4	2.40	2.40	3.00	4.20	-	12.00	3.4 ~ 14.2	2730	350 ~ 4070	13.4	12.3
	20 + 20 + 25 + 42	1.87	1.87	2.34	3.92	-	10.00	2.3 ~ 10.6	2920	320 ~ 3410	14.6	13.4	2.24	2.24	2.81	4.71	-	12.00	3.4 ~ 14.2	2720	360 ~ 4050	13.4	12.2
	20 + 20 + 25 + 50	1.74	1.74	2.17	4.35	-	10.00	2.3 ~ 10.6	2730	380 ~ 3120	13.7	12.5	2.09	2.09	2.61	5.21	-	12.00	3.4 ~ 14.2	2660	420 ~ 3910	13.1	12.0
	20 + 20 + 25 + 60	1.60	1.60	2.00	4.80	-	10.00	2.3 ~ 10.8	2730	380 ~ 3260	13.7	12.5	1.92	1.92	2.40	5.76	-	12.00	3.4 ~ 14.2	2660	420 ~ 3910	13.1	12.0
	20 + 20 + 25 + 71	1.47	1.47	1.84	5.22	-	10.00	2.3 ~ 10.8	2730	390 ~ 3190	13.7	12.5	1.76	1.76	2.22	6.26	-	12.00	3.4 ~ 14.4	2650	420 ~ 3950	13.0	11.9
	20 + 20 + 35 + 35	1.82	1.82	3.18	3.18	-	10.00	2.3 ~ 10.6	2860	320 ~ 3330	14.3	13.1	2.18	2.18	3.82	3.82	-	12.00	3.4 ~ 14.2	2700	370 ~ 3970	13.3	12.2
	20 + 20 + 35 + 42	1.71	1.71	2.99	3.59	-	10.00	2.3 ~ 10.6	2860	320 ~ 3330	14.3	13.1	2.05	2.05	3.59	4.31	-	12.00	3.4 ~ 14.2	2690	370 ~ 3960	13.2	12.1
	20 + 20 + 35 + 50	1.60	1.60	2.80	4.00	-	10.00	2.3 ~ 10.8	2730	390 ~ 3190	13.7	12.5	1.92	1.92	3.36	4.80	-	12.00	3.4 ~ 14.2	2640	420 ~ 3880	13.0	11.9
	20 + 20 + 35 + 60	1.48	1.48	2.60	4.44	-	10.00	2.3 ~ 10.8	2730	390 ~ 3190	13.7	12.5	1.78	1.78	3.11	5.33	-	12.00	3.4 ~ 14.4	2640	420 ~ 3930	13.0	11.9
	20 + 20 + 35 + 71	1.37	1.37	2.40	4.86	-	10.00	2.3 ~ 11.0	2660	390 ~ 3270	13.3	12.2	1.64	1.64	2.88	5.84	-	12.00	3.4 ~ 14.4	2630	430 ~ 3920	12.9	11.8
	20 + 20 + 42 + 42	1.61	1.61	3.39	3.39	-	10.00	2.3 ~ 10.8	2860	340 ~ 3480	14.3	13.1	1.94	1.94	4.06	4.06	-	12.00	3.4 ~ 14.2	2680	370 ~ 3950	13.2	12.1
	20 + 20 + 42 + 50	1.52	1.52	3.18	3.78	-	10.00	2.3 ~ 10.8	2730	390 ~ 3190	13.7	12.5	1.82	1.82	3.82	4.54	-	12.00	3.4 ~ 14.4	2630	430 ~ 3920	12.9	11.8
	20 + 20 + 42 + 60	1.41	1.41	2.96	4.22	-	10.00	2.3 ~ 11.0	2730	390 ~ 3340	13.7	12.5	1.69	1.69	3.55	5.07	-	12.00	3.4 ~ 14.4	2630	430 ~ 3920	12.9	11.8
	20 + 20 + 42 + 71	1.31	1.31	2.75	4.63	-	10.00	2.3 ~ 11.0	2660	390 ~ 3270	13.3	12.2	1.57	1.57	3.29	5.57	-	12.00	3.4 ~ 14.4	2620	440 ~ 3960	12.9	11.8
	20 + 20 + 50 + 50	1.43	1.43	3.57	3.57	-	10.00	2.3 ~ 10.8	2610	440 ~ 3060	13.1	12.0	1.71	1.71	4.29	4.29	-	12.00	3.4 ~ 14.4	2640	510 ~ 3910	13.0	11.9
	20 + 20 + 50 + 60	1.33	1.33	3.34	4.00	-	10.00	2.3 ~ 11.0	2610	440 ~ 3200	13.1	12.0	1.60	1.60	4.00	4.80	-	12.00	3.4 ~ 14.4	2640	510 ~ 3910	13.0	11.9
	20 + 20 + 50 + 71	1.24	1.24	3.11	4.41	-	10.00	2.3 ~ 11.2	2610	470 ~ 3280	13.1	12.0	1.49	1.49	3.73	5.29	-	12.00	3.4 ~ 14.4	2630	520 ~ 3890	12.9	11.8
	20 + 20 + 60 + 60	1.25	1.25	3.75	3.75	-	10.00	2.3 ~ 11.2	2610	440 ~ 3270	13.1	12.0	1.50	1.50	4.50	4.50	-	12.00	3.4 ~ 14.4	2640	510 ~ 3910	13.0	11.9
	20 + 20 + 60 + 71	1.17	1.17	3.51	4.15	-	10.00	2.3 ~ 11.2	2610	470 ~ 3280	13.1	12.0	1.40	1.40	4.22	4.98	-	12.00	3.4 ~ 14.4	2630	520 ~ 3890	12.9	11.8
	20 + 20 + 71 + 71	1.10	1.10	3.90	3.90	-	10.00	2.3 ~ 11.2	2620	480 ~ 3210	13.1	12.0	1.32	1.32	4.68	4.68	-	12.00	3.4 ~ 14.4	2630	530 ~ 3880	12.9	11.8
	20 + 25 + 25 + 25	2.00	2.50	2.50	2.50	-	9.50	2.3 ~ 10.6	2690	310 ~ 3480	13.5	12.3	2.52	3.16	3.16	3.16	-	12.00	3.4 ~ 14.2	2750	340 ~ 4110	13.5	12.4
	20 + 25 + 25 + 35	1.91	2.38	2.38	3.33	-	10.00	2.3 ~ 10.6	2920	320 ~ 3410	14.6	13.4	2.29	2.86	2.86	3.99	-	12.00	3.4 ~ 14.2	2730	350 ~ 4070	13.4	12.3
	20 + 25 + 25 + 42	1.79	2.23	2.23	3.75	-	10.00	2.3 ~ 10.6	2920	320 ~ 3410	14.6	13.4	2.14	2.68	2.68	4.50	-	12.00	3.4 ~ 14.2	2720	360 ~ 4050	13.4	12.2
	20 + 25 + 25 + 50	1.67	2.08	2.08	4.17	-	10.00	2.3 ~ 10.6	2730	380 ~ 3120	13.7	12.5	2.00	2.50	2.50	5.00	-	12.00	3.4 ~ 14.2	2660	420 ~ 3910	13.1	12.0
	20 + 25 + 25 + 60	1.54	1.92	1.92	4.62	-	10.00	2.3 ~ 10.8	2730	380 ~ 3260	13.7	12.5	1.85	2.31	2.31	5.53	-	12.00	3.4 ~ 14.4	2660	420 ~ 3970	13.1	12.0
	20 + 25 + 25 + 71	1.42	1.77	1.77	5.04	-	10.00	2.3 ~ 10.8	2730	390 ~ 3190	13.7	12.5	1.70	2.13	2.13	6.04	-	12.00	3.4 ~ 14.4	2650	420 ~ 3950	13.0	11.9
	20 + 25 + 35 + 35	1.75	2.17	3.04	3.04	-	10.00	2.3 ~ 10.6	2860	320 ~ 3330	14.3	13.1	2.09	2.61	3.65	3.65	-	12.00	3.4 ~ 14.2	2700	370 ~ 3970	13.3	12.2
	20 + 25 + 35 + 42	1.64	2.05	2.87	3.44	-	10.00	2.3 ~ 10.8	2860	320 ~ 3480	14.3	13.1	1.97	2.46	3.44	4.13	-	12.00	3.4 ~ 14.2	2690	370 ~ 3960	13.2	12.1
20 + 25 + 35 + 50	1.54	1.92	2.69	3.85	-	10.00	2.3 ~ 10.8	2730	390 ~ 3190	13.7	12.5	1.85	2.31	3.23	4.61	-	12.00	3.4 ~ 14.4	2640	420 ~ 3930	13.0	11.9	
20 + 25 + 35 + 60	1.43	1.79	2.50	4.28	-	10.00	2.3 ~ 10.8	2730	390 ~ 3190	13.7	12.5	1.72	2.14	3.00	5.14	-	12.00	3.4 ~ 14.4	2640	420 ~ 3930	13.0	11.9	
20 + 25 + 35 + 71	1.32	1.66	2.32	4.70	-	10.00	2.3 ~ 11.0	2660	390 ~ 3270	13.3	12.2	1.59	1.99	2.78	5.64	-	12.00	3.4 ~ 14.4	2630	430 ~ 3920	12.9	11.8	
20 + 25 + 42 + 42	1.55	1.93	3.26	3.26	-	10.00	2.3 ~ 10.8	2860	340 ~ 3480	14.3	13.1	1.86	2.32	3.91	3.91	-	12.00	3.4 ~ 14.4	2680	370 ~ 4070	13.2	12.1	
20 + 25 + 42 + 50	1.46	1.82	3.07	3.65	-	10.00	2.3 ~ 10.8	2730	390 ~ 3190	13.7	12.5	1.75	2.19	3.68	4.38	-	12.00	3.4 ~ 14.4	2630	430 ~ 3920	12.9	11.8	
20 + 25 + 42 + 60	1.36	1.70	2.86	4.08	-	10.00	2.3 ~ 11.0	2730	390 ~ 3340	13.7	12.5	1.63	2.04	3.43	4.90	-	12.00	3.4 ~ 14.4	2630	430 ~ 3920	12.9	11.8	
20 + 25 + 42 + 71	1.27	1.58	2.66	4.49	-	10.00	2.3 ~ 11.2	2660	390 ~ 3410	13.3	12.2	1.52	1.90	3.19	5.39	-	12.00	3.4 ~ 14.4	2620	440 ~ 3960	12.9	11.8	
20 + 25 + 50 + 50	1.38	1.72	3.45	3.45	-	10.00	2.3 ~ 11.0	2610	440 ~ 3200	13.1	12.0	1.66	2.06	4.14	4.14	-	12.00	3.4 ~ 14.4	2640	510 ~ 3910	13.0	11.9	
20 + 25 + 50 + 60	1.29	1.61	3.23	3.87	-	10.00	2.3 ~ 11.0	2610	440 ~ 3200	13.1	12.0	1.55	1.94	3.87	4.64	-	12.00	3.4 ~ 14.4	2640	510 ~ 3910	13.0	11.9	
20 + 25 + 50 + 71	1.20	1.51	3.01	4.28	-	10.00	2.3 ~ 11.2	2610	470 ~ 3280	13.1	12.0	1.45	1.81	3.61	5.13	-	12.00	3.4 ~ 14.4	2630	520 ~ 3890	12.9	11.8	
20 + 25 + 60 + 60	1.21	1.51	3.64	3.64	-	10.00	2.3 ~ 11.2	2610	440 ~ 3270	13.1	12.0	1.46	1.82	4									

CU-5Z100WBH-8: Only Wall-Mounted Indoor Combination

Indoor unit capacity		COOLING OPERATION											HEATING OPERATION										
		Cooling Capacity (kW)						Input Power (W)		Current (A)			Heating Capacity (kW)						Input Power (W)		Current (A)		
		Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V
4 Rooms	20 + 35 + 42 + 60	1.27	2.23	2.68	3.82	-	10.00	2.3 ~ 11.0	2660	390 ~ 3270	13.3	12.2	1.53	2.68	3.21	4.58	-	12.00	3.4 ~ 14.4	2660	450 ~ 3950	13.1	12.0
	20 + 35 + 42 + 71	1.19	2.08	2.50	4.23	-	10.00	2.3 ~ 11.2	2670	420 ~ 3420	13.4	12.2	1.43	2.50	3.00	5.07	-	12.00	3.4 ~ 14.4	2650	460 ~ 3930	13.0	11.9
	20 + 35 + 50 + 50	1.29	2.25	3.23	3.23	-	10.00	2.3 ~ 11.0	2610	470 ~ 3130	13.1	12.0	1.55	2.71	3.87	3.87	-	12.00	3.4 ~ 14.4	2630	530 ~ 3880	12.9	11.8
	20 + 35 + 50 + 60	1.21	2.12	3.03	3.64	-	10.00	2.3 ~ 11.2	2610	470 ~ 3280	13.1	12.0	1.45	2.55	3.64	4.36	-	12.00	3.4 ~ 14.4	2630	530 ~ 3880	12.9	11.8
	20 + 35 + 50 + 71	1.14	1.99	2.84	4.03	-	10.00	2.3 ~ 11.2	2620	480 ~ 3280	13.1	12.0	1.36	2.39	3.41	4.84	-	12.00	3.4 ~ 14.4	2620	540 ~ 3870	12.9	11.8
	20 + 35 + 60 + 60	1.14	2.00	3.43	3.43	-	10.00	2.3 ~ 11.2	2610	470 ~ 3280	13.1	12.0	1.38	2.40	4.11	4.11	-	12.00	3.4 ~ 14.4	2630	530 ~ 3880	12.9	11.8
	20 + 42 + 42 + 42	1.36	2.88	2.88	2.88	-	10.00	2.3 ~ 11.0	2790	350 ~ 3480	14.0	12.8	1.65	3.45	3.45	3.45	-	12.00	3.4 ~ 14.4	2700	390 ~ 4020	13.3	12.2
	20 + 42 + 42 + 50	1.30	2.73	2.73	3.24	-	10.00	2.3 ~ 11.0	2660	390 ~ 3270	13.3	12.2	1.56	3.27	3.27	3.90	-	12.00	3.4 ~ 14.4	2650	450 ~ 3940	13.0	11.9
	20 + 42 + 42 + 60	1.22	2.56	2.56	3.66	-	10.00	2.3 ~ 11.2	2660	390 ~ 3410	13.3	12.2	1.47	3.07	3.07	4.39	-	12.00	3.4 ~ 14.4	2650	450 ~ 3940	13.0	11.9
	20 + 42 + 42 + 71	1.14	2.40	2.40	4.06	-	10.00	2.3 ~ 11.2	2670	420 ~ 3340	13.4	12.2	1.37	2.88	2.88	4.87	-	12.00	3.4 ~ 14.4	2640	460 ~ 3920	13.0	11.9
	20 + 42 + 50 + 50	1.23	2.59	3.09	3.09	-	10.00	2.3 ~ 11.2	2610	470 ~ 3280	13.1	12.0	1.49	3.11	3.70	3.70	-	12.00	3.4 ~ 14.4	2620	540 ~ 3870	12.9	11.8
	20 + 42 + 50 + 60	1.16	2.44	2.91	3.49	-	10.00	2.3 ~ 11.2	2610	470 ~ 3280	13.1	12.0	1.40	2.93	3.49	4.18	-	12.00	3.4 ~ 14.4	2620	540 ~ 3870	12.9	11.8
	20 + 42 + 50 + 71	1.09	2.30	2.73	3.88	-	10.00	2.3 ~ 11.2	2620	480 ~ 3210	13.1	12.0	1.31	2.75	3.28	4.66	-	12.00	3.4 ~ 14.4	2660	550 ~ 3860	13.1	12.0
	20 + 42 + 60 + 60	1.10	2.30	3.30	3.30	-	10.00	2.3 ~ 11.2	2610	470 ~ 3280	13.1	12.0	1.32	2.76	3.96	3.96	-	12.00	3.4 ~ 14.4	2620	540 ~ 3870	12.9	11.8
	20 + 50 + 50 + 50	1.18	2.94	2.94	2.94	-	10.00	2.3 ~ 11.2	2570	550 ~ 3220	12.9	11.8	1.41	3.53	3.53	3.53	-	12.00	3.4 ~ 14.4	2690	630 ~ 3870	13.2	12.1
	20 + 50 + 50 + 60	1.11	2.78	2.78	3.33	-	10.00	2.3 ~ 11.2	2570	550 ~ 3220	12.9	11.8	1.34	3.33	3.33	4.00	-	12.00	3.4 ~ 14.4	2690	630 ~ 3870	13.2	12.1
	25 + 25 + 25 + 25	2.50	2.50	2.50	2.50	-	10.00	2.3 ~ 10.6	2990	310 ~ 3480	15.0	13.7	3.00	3.00	3.00	3.00	-	12.00	3.4 ~ 14.2	2750	340 ~ 4110	13.5	12.4
	25 + 25 + 25 + 35	2.27	2.27	2.27	3.19	-	10.00	2.3 ~ 10.6	2920	320 ~ 3410	14.6	13.4	2.73	2.73	2.73	3.81	-	12.00	3.4 ~ 14.2	2730	350 ~ 4070	13.4	12.3
	25 + 25 + 25 + 42	2.14	2.14	2.14	3.58	-	10.00	2.3 ~ 10.6	2920	320 ~ 3410	14.6	13.4	2.56	2.56	2.56	4.32	-	12.00	3.4 ~ 14.2	2720	360 ~ 4050	13.4	12.2
	25 + 25 + 25 + 50	2.00	2.00	2.00	4.00	-	10.00	2.3 ~ 10.8	2730	380 ~ 3260	13.7	12.5	2.40	2.40	2.40	4.80	-	12.00	3.4 ~ 14.2	2660	420 ~ 3910	13.1	12.0
	25 + 25 + 25 + 60	1.85	1.85	1.85	4.45	-	10.00	2.3 ~ 10.8	2730	380 ~ 3260	13.7	12.5	2.22	2.22	2.22	5.34	-	12.00	3.4 ~ 14.4	2660	420 ~ 3970	13.1	12.0
	25 + 25 + 25 + 71	1.71	1.71	1.71	4.87	-	10.00	2.3 ~ 11.0	2730	390 ~ 3340	13.7	12.5	2.05	2.05	2.05	5.85	-	12.00	3.4 ~ 14.4	2650	420 ~ 3950	13.0	11.9
	25 + 25 + 35 + 35	2.08	2.08	2.92	2.92	-	10.00	2.3 ~ 10.6	2860	320 ~ 3330	14.3	13.1	2.50	2.50	3.50	3.50	-	12.00	3.4 ~ 14.2	2700	370 ~ 3970	13.3	12.2
	25 + 25 + 35 + 42	1.97	1.97	2.76	3.30	-	10.00	2.3 ~ 10.8	2860	320 ~ 3480	14.3	13.1	2.36	2.36	3.31	3.97	-	12.00	3.4 ~ 14.2	2690	370 ~ 3960	13.2	12.1
	25 + 25 + 35 + 50	1.85	1.85	2.60	3.70	-	10.00	2.3 ~ 10.8	2730	390 ~ 3190	13.7	12.5	2.22	2.22	3.12	4.44	-	12.00	3.4 ~ 14.4	2640	420 ~ 3930	13.0	11.9
	25 + 25 + 35 + 60	1.72	1.72	2.42	4.14	-	10.00	2.3 ~ 11.0	2730	390 ~ 3340	13.7	12.5	2.07	2.07	2.90	4.96	-	12.00	3.4 ~ 14.4	2640	420 ~ 3930	13.0	11.9
	25 + 25 + 35 + 71	1.60	1.60	2.25	4.55	-	10.00	2.3 ~ 11.0	2660	390 ~ 3270	13.3	12.2	1.92	1.92	2.70	5.46	-	12.00	3.4 ~ 14.4	2630	430 ~ 3920	12.9	11.8
	25 + 25 + 42 + 42	1.87	1.87	3.13	3.13	-	10.00	2.3 ~ 10.8	2860	340 ~ 3480	14.3	13.1	2.24	2.24	3.76	3.76	-	12.00	3.4 ~ 14.4	2680	370 ~ 4070	13.2	12.1
	25 + 25 + 42 + 50	1.76	1.76	2.96	3.52	-	10.00	2.3 ~ 11.0	2730	390 ~ 3340	13.7	12.5	2.11	2.11	3.55	4.23	-	12.00	3.4 ~ 14.4	2630	430 ~ 3920	12.9	11.8
	25 + 25 + 42 + 60	1.64	1.64	2.77	3.95	-	10.00	2.3 ~ 11.0	2730	390 ~ 3340	13.7	12.5	1.97	1.97	3.32	4.74	-	12.00	3.4 ~ 14.4	2630	430 ~ 3920	12.9	11.8
	25 + 25 + 42 + 71	1.53	1.53	2.58	4.36	-	10.00	2.3 ~ 11.2	2660	390 ~ 3410	13.3	12.2	1.84	1.84	3.09	5.23	-	12.00	3.4 ~ 14.4	2620	440 ~ 3960	12.9	11.8
	25 + 25 + 50 + 50	1.67	1.67	3.33	3.33	-	10.00	2.3 ~ 11.0	2610	440 ~ 3200	13.1	12.0	2.00	2.00	4.00	4.00	-	12.00	3.4 ~ 14.4	2640	510 ~ 3910	13.0	11.9
	25 + 25 + 50 + 60	1.56	1.56	3.13	3.75	-	10.00	2.3 ~ 11.2	2610	440 ~ 3270	13.1	12.0	1.88	1.88	3.75	4.49	-	12.00	3.4 ~ 14.4	2640	510 ~ 3910	13.0	11.9
	25 + 25 + 50 + 71	1.46	1.46	2.93	4.15	-	10.00	2.3 ~ 11.2	2610	470 ~ 3280	13.1	12.0	1.75	1.75	3.52	4.98	-	12.00	3.4 ~ 14.4	2630	520 ~ 3890	12.9	11.8
	25 + 25 + 60 + 60	1.47	1.47	3.53	3.53	-	10.00	2.3 ~ 11.2	2610	440 ~ 3270	13.1	12.0	1.76	1.76	4.24	4.24	-	12.00	3.4 ~ 14.4	2640	510 ~ 3910	13.0	11.9
	25 + 25 + 60 + 71	1.38	1.38	3.32	3.92	-	10.00	2.3 ~ 11.2	2610	470 ~ 3280	13.1	12.0	1.66	1.66	3.98	4.70	-	12.00	3.4 ~ 14.4	2630	520 ~ 3890	12.9	11.8
	25 + 35 + 35 + 35	1.93	2.69	2.69	2.69	-	10.00	2.3 ~ 10.8	2860	350 ~ 3410	14.3	13.1	2.31	3.23	3.23	3.23	-	12.00	3.4 ~ 14.4	2680	370 ~ 4060	13.2	12.1
	25 + 35 + 35 + 42	1.83	2.55	2.55	3.07	-	10.00	2.3 ~ 10.8	2860	350 ~ 3410	14.3	13.1	2.19	3.07	3.07	3.67	-	12.00	3.4 ~ 14.4	2710	370 ~ 4040	13.3	12.2
	25 + 35 + 35 + 50	1.73	2.41	2.41	3.45	-	10.00	2.3 ~ 11.0	2660	390 ~ 3340	13.3	12.2	2.07	2.90	2.90	4.13	-	12.00	3.4 ~ 14.4	2620	450 ~ 3960	12.9	11.8
	25 + 35 + 35 + 60	1.61	2.26	2.26	3.87	-	10.00	2.3 ~ 11.0	2660	390 ~ 3340	13.3	12.2	1.94	2.71	2.71	4.64	-	12.00	3.4 ~ 14.4	2620	450 ~ 3960	12.9	11.8
25 + 35 + 35 + 71	1.51	2.11	2.11	4.27	-	10.00	2.3 ~ 11.2	2670	420 ~ 3410	13.4	12.2	1.81	2.53	2.53	5.13	-	12.00	3.4 ~ 14.4	2650	450 ~ 3940	13.0	11.9	
25 + 35 + 42 + 42	1.74	2.42	2.92	2.92	-	10.00	2.3 ~ 11.0	2860	350 ~ 3560	14.3	13.1	2.08	2.92	3.50	3.50	-	12.00	3.4 ~ 14.4	2700	390 ~ 4030	13.3	12.2	
25 + 35 + 42 + 50	1.65	2.30	2.76	3.29	-	10.00	2.3 ~ 11.0	2660	390 ~ 3270	13.3	12.2	1.97	2.76	3.32	3.95	-	12.00	3.4 ~ 14.4	2660	450 ~ 3950	13.1	12.0	
25 + 35 + 42 + 60	1.55	2.16	2.59	3.70	-	10.00	2.3 ~ 11.2	2660	390 ~ 3410	13.3	12.2	1.86	2.59	3.11	4.44	-	12.00	3.4 ~ 14.4	2660	450 ~ 3950	13.1	12.0	
25 + 35 + 42 + 71	1.45	2.02	2.43	4.10	-	10.00	2.3 ~ 11.2	2670	420 ~ 3420	13.4	12.2	1.74	2.43	2.91	4.92	-	12.00	3.4 ~ 14.4	2650	460 ~ 3930	13.0	11.9	
25 + 35 + 50 + 50	1.56	2.18	3.13	3.13	-	10.00	2.3 ~ 11.2	2610	470 ~ 3280	13.1	12.0	1.88	2.62	3.75	3.75	-	12.00	3.4 ~ 14.4	2630	530 ~ 3880	12.9	11.8	
25 + 35 + 50 + 60	1.47	2.06	2.94	3.53	-	10.00	2.3 ~ 11.2	2610	470 ~ 3280	13.1	12.0	1.76	2.47	3.53	4.24	-	12.00	3.4 ~ 14.4	2630	530 ~ 3880	12.9	11.8	
25 + 35 + 50 + 71	1.39	1.93	2.76	3.92	-	10.00	2.3 ~ 11.2	2620	480 ~ 3280	13.1	12.0	1.66	2.32	3.31	4.71	-	12.00	3.4 ~ 14.4	2620	540 ~ 3870	12.9	11.8	
25 + 35 + 60 + 60	1.40	1.94	3.33	3.33	-	10.00	2.3 ~ 11.2	2610	470 ~ 3280	13.1	12.0	1.67	2.33	4.00	4.00	-	12.00	3.4 ~ 14.4	2630	530 ~ 3880	12.9	11.8	
25 + 42 + 42 + 42	1.66	2.78	2.78	2.78	-	10.00	2.3 ~ 11.0	2790	350 ~ 3480	14.0	12.8	1.98	3.34	3.34	3.34	-	12.00	3.4 ~ 14.4	2700	390 ~ 4020	13.3	12.2	
25 + 42 + 42 + 50	1.58	2.64	2.64	3.14	-	10.00	2.3 ~ 11																

CU-5Z100WBH-8: Only Wall-Mounted Indoor Combination

Indoor unit capacity	COOLING OPERATION												HEATING OPERATION											
	Cooling Capacity (kW)						Input Power (W)		Current (A)		Heating Capacity (kW)						Input Power (W)		Current (A)					
	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V		
4 Rooms	35 + 35 + 35 + 60	2.12	2.12	2.12	3.64	-	10.00	2.3 ~ 11.2	2660	390 ~ 3410	13.3	12.2	2.55	2.55	2.55	4.35	-	12.00	3.4 ~ 14.4	2650	460 ~ 3930	13.0	11.9	
	35 + 35 + 35 + 71	1.99	1.99	1.99	4.03	-	10.00	2.3 ~ 11.2	2670	430 ~ 3340	13.4	12.2	2.39	2.39	2.39	4.83	-	12.00	3.4 ~ 14.4	2640	470 ~ 3910	13.0	11.9	
	35 + 35 + 42 + 42	2.27	2.27	2.73	2.73	-	10.00	2.3 ~ 11.0	2790	350 ~ 3480	14.0	12.8	2.73	2.73	3.27	3.27	-	12.00	3.4 ~ 14.4	2680	400 ~ 4000	13.2	12.1	
	35 + 35 + 42 + 50	2.16	2.16	2.59	3.09	-	10.00	2.3 ~ 11.2	2670	420 ~ 3410	13.4	12.2	2.59	2.59	3.12	3.70	-	12.00	3.4 ~ 14.4	2640	470 ~ 3920	13.0	11.9	
	35 + 35 + 42 + 60	2.03	2.03	2.45	3.49	-	10.00	2.3 ~ 11.2	2670	420 ~ 3410	13.4	12.2	2.44	2.44	2.93	4.19	-	12.00	3.4 ~ 14.4	2640	470 ~ 3920	13.0	11.9	
	35 + 35 + 42 + 71	1.91	1.91	2.30	3.88	-	10.00	2.3 ~ 11.2	2670	430 ~ 3340	13.4	12.2	2.30	2.30	2.75	4.65	-	12.00	3.4 ~ 14.4	2630	480 ~ 3900	12.9	11.8	
	35 + 35 + 50 + 50	2.06	2.06	2.94	2.94	-	10.00	2.3 ~ 11.2	2610	470 ~ 3280	13.1	12.0	2.47	2.47	3.53	3.53	-	12.00	3.4 ~ 14.4	2650	550 ~ 3850	13.0	11.9	
	35 + 35 + 50 + 60	1.94	1.94	2.79	3.33	-	10.00	2.3 ~ 11.2	2610	470 ~ 3280	13.1	12.0	2.33	2.33	3.33	4.01	-	12.00	3.4 ~ 14.4	2650	550 ~ 3850	13.0	11.9	
	35 + 42 + 42 + 42	2.17	2.61	2.61	2.61	-	10.00	2.3 ~ 11.2	2790	350 ~ 3640	14.0	12.8	2.61	3.13	3.13	3.13	-	12.00	3.4 ~ 14.4	2670	400 ~ 3980	13.1	12.0	
	35 + 42 + 42 + 50	2.07	2.49	2.49	2.95	-	10.00	2.3 ~ 11.2	2670	420 ~ 3420	13.4	12.2	2.49	2.98	2.98	3.55	-	12.00	3.4 ~ 14.4	2630	480 ~ 3900	12.9	11.8	
	35 + 42 + 42 + 60	1.96	2.35	2.35	3.34	-	10.00	2.3 ~ 11.2	2670	420 ~ 3420	13.4	12.2	2.35	2.82	2.82	4.01	-	12.00	3.4 ~ 14.4	2630	480 ~ 3900	12.9	11.8	
	35 + 42 + 50 + 50	1.99	2.37	2.82	2.82	-	10.00	2.3 ~ 11.2	2620	470 ~ 3280	13.1	12.0	2.37	2.85	3.39	3.39	-	12.00	3.4 ~ 14.4	2650	560 ~ 3840	13.0	11.9	
	42 + 42 + 42 + 42	2.50	2.50	2.50	2.50	-	10.00	2.3 ~ 11.2	2790	350 ~ 3560	14.0	12.8	3.00	3.00	3.00	3.00	-	12.00	3.4 ~ 14.4	2660	400 ~ 3970	13.1	12.0	
	42 + 42 + 42 + 50	2.39	2.39	2.39	2.83	-	10.00	2.3 ~ 11.2	2670	420 ~ 3340	13.4	12.2	2.86	2.86	2.86	3.42	-	12.00	3.4 ~ 14.4	2620	480 ~ 3890	12.9	11.8	
5 Rooms	16 + 16 + 16 + 16 + 16	1.60	1.60	1.60	1.60	8.00	2.3 ~ 11.5	1840	390 ~ 3660	9.0	8.4	2.40	2.40	2.40	2.40	2.40	12.00	3.4 ~ 14.5	2750	540 ~ 4020	13.0	12.0		
	16 + 16 + 16 + 16 + 20	1.60	1.60	1.60	1.60	2.00	8.40	2.3 ~ 11.5	1950	390 ~ 3660	9.6	8.9	2.29	2.29	2.29	2.29	2.84	12.00	3.4 ~ 14.5	2740	560 ~ 4010	13.0	12.0	
	16 + 16 + 16 + 16 + 25	1.60	1.60	1.60	1.60	2.50	8.90	2.3 ~ 11.5	2120	390 ~ 3660	10.4	9.6	2.16	2.16	2.16	2.16	3.36	12.00	3.4 ~ 14.5	2740	560 ~ 4010	13.0	12.0	
	16 + 16 + 16 + 16 + 35	1.60	1.60	1.60	1.60	3.50	9.90	2.3 ~ 11.5	2540	420 ~ 3590	12.5	11.5	1.94	1.94	1.94	1.94	4.24	12.00	3.4 ~ 14.5	2770	570 ~ 3970	13.1	12.1	
	16 + 16 + 16 + 16 + 42	1.51	1.51	1.51	1.51	3.96	10.00	2.3 ~ 11.5	2600	430 ~ 3590	12.8	11.8	1.81	1.81	1.81	1.81	4.76	12.00	3.4 ~ 14.5	2760	580 ~ 4020	13.1	12.1	
	16 + 16 + 16 + 16 + 50	1.40	1.40	1.40	1.40	4.40	10.00	2.3 ~ 11.5	2550	480 ~ 3450	12.5	11.6	1.68	1.68	1.68	1.68	5.28	12.00	3.4 ~ 14.5	2780	680 ~ 3950	13.1	12.2	
	16 + 16 + 16 + 16 + 60	1.29	1.29	1.29	1.29	4.84	10.00	2.3 ~ 11.5	2550	480 ~ 3450	12.5	11.6	1.55	1.55	1.55	1.55	5.80	12.00	3.4 ~ 14.5	2780	680 ~ 3950	13.1	12.2	
	16 + 16 + 16 + 16 + 71	1.19	1.19	1.19	1.19	5.24	10.00	2.3 ~ 11.5	2560	510 ~ 3380	12.6	11.6	1.42	1.42	1.42	1.42	6.32	12.00	3.4 ~ 14.5	2770	700 ~ 3940	13.1	12.1	
	16 + 16 + 16 + 20 + 20	1.60	1.60	1.60	2.00	8.80	2.3 ~ 11.5	2120	420 ~ 3580	10.4	9.6	2.18	2.18	2.18	2.18	2.73	12.00	3.4 ~ 14.5	2740	560 ~ 3990	13.0	12.0		
	16 + 16 + 16 + 20 + 25	1.60	1.60	1.60	2.00	2.50	9.30	2.3 ~ 11.5	2290	420 ~ 3580	11.3	10.4	2.06	2.06	2.06	2.59	3.23	12.00	3.4 ~ 14.5	2740	560 ~ 3990	13.0	12.0	
	16 + 16 + 16 + 20 + 35	1.55	1.55	1.55	1.95	3.40	10.00	2.3 ~ 11.5	2600	430 ~ 3590	12.8	11.8	1.86	1.86	1.86	2.34	4.08	12.00	3.4 ~ 14.5	2760	580 ~ 4020	13.1	12.1	
	16 + 16 + 16 + 20 + 42	1.45	1.45	1.45	1.83	3.82	10.00	2.3 ~ 11.5	2600	430 ~ 3590	12.8	11.8	1.75	1.75	1.75	2.18	4.57	12.00	3.4 ~ 14.5	2750	600 ~ 4010	13.0	12.0	
	16 + 16 + 16 + 20 + 50	1.36	1.36	1.36	1.69	4.23	10.00	2.3 ~ 11.5	2560	510 ~ 3450	12.6	11.6	1.63	1.63	1.63	2.03	5.08	12.00	3.4 ~ 14.5	2770	700 ~ 3940	13.1	12.1	
	16 + 16 + 16 + 20 + 60	1.25	1.25	1.25	1.56	4.69	10.00	2.3 ~ 11.5	2560	510 ~ 3450	12.6	11.6	1.50	1.50	1.50	1.88	5.62	12.00	3.4 ~ 14.5	2770	700 ~ 3940	13.1	12.1	
	16 + 16 + 16 + 20 + 71	1.15	1.15	1.15	1.44	5.11	10.00	2.3 ~ 11.5	2560	520 ~ 3380	12.6	11.6	1.38	1.38	1.38	1.73	6.13	12.00	3.4 ~ 14.5	2760	710 ~ 3930	13.1	12.1	
	16 + 16 + 16 + 25 + 25	1.60	1.60	1.60	2.50	2.50	9.80	2.3 ~ 11.5	2540	420 ~ 3580	12.5	11.5	1.96	1.96	1.96	3.06	3.06	12.00	3.4 ~ 14.5	2740	560 ~ 3990	13.0	12.0	
	16 + 16 + 16 + 25 + 35	1.48	1.48	1.48	2.32	3.24	10.00	2.3 ~ 11.5	2600	430 ~ 3590	12.8	11.8	1.78	1.78	1.78	2.78	3.88	12.00	3.4 ~ 14.5	2760	580 ~ 4020	13.1	12.1	
	16 + 16 + 16 + 25 + 42	1.39	1.39	1.39	2.18	3.65	10.00	2.3 ~ 11.5	2600	430 ~ 3590	12.8	11.8	1.67	1.67	1.67	2.61	4.38	12.00	3.4 ~ 14.5	2750	600 ~ 4010	13.0	12.0	
	16 + 16 + 16 + 25 + 50	1.30	1.30	1.30	2.03	4.07	10.00	2.3 ~ 11.5	2560	510 ~ 3450	12.6	11.6	1.56	1.56	1.56	2.44	4.88	12.00	3.4 ~ 14.5	2770	700 ~ 3940	13.1	12.1	
	16 + 16 + 16 + 25 + 60	1.20	1.20	1.20	1.89	4.51	10.00	2.3 ~ 11.5	2560	510 ~ 3450	12.6	11.6	1.44	1.44	1.44	2.27	5.41	12.00	3.4 ~ 14.5	2770	700 ~ 3940	13.1	12.1	
	16 + 16 + 16 + 25 + 71	1.11	1.11	1.11	1.74	4.93	10.00	2.3 ~ 11.5	2560	520 ~ 3380	12.6	11.6	1.33	1.33	1.33	2.09	5.92	12.00	3.4 ~ 14.5	2760	710 ~ 3930	13.1	12.1	
	16 + 16 + 16 + 35 + 35	1.36	1.36	1.36	2.96	2.96	10.00	2.3 ~ 11.5	2540	430 ~ 3510	12.5	11.5	1.62	1.62	1.62	3.57	3.57	12.00	3.4 ~ 14.5	2740	600 ~ 3990	13.0	12.0	
	16 + 16 + 16 + 35 + 42	1.28	1.28	1.28	2.80	3.36	10.00	2.3 ~ 11.5	2540	430 ~ 3510	12.5	11.5	1.54	1.54	1.54	3.36	4.02	12.00	3.4 ~ 14.5	2740	610 ~ 3980	13.0	12.0	
	16 + 16 + 16 + 35 + 50	1.20	1.20	1.20	2.64	3.76	10.00	2.3 ~ 11.5	2560	510 ~ 3380	12.6	11.6	1.44	1.44	1.44	3.17	4.51	12.00	3.4 ~ 14.5	2760	720 ~ 3970	13.1	12.1	
	16 + 16 + 16 + 35 + 60	1.12	1.12	1.12	2.45	4.19	10.00	2.3 ~ 11.5	2560	510 ~ 3380	12.6	11.6	1.34	1.34	1.34	2.95	5.03	12.00	3.4 ~ 14.5	2760	720 ~ 3970	13.1	12.1	
	16 + 16 + 16 + 35 + 71	1.04	1.04	1.04	2.27	4.61	10.00	2.3 ~ 11.5	2500	520 ~ 3380	12.3	11.4	1.25	1.25	1.25	2.73	5.52	12.00	3.4 ~ 14.5	2790	740 ~ 3960	13.2	12.2	
	16 + 16 + 16 + 42 + 42	1.22	1.22	1.22	3.17	3.17	10.00	2.3 ~ 11.5	2540	430 ~ 3510	12.5	11.5	1.46	1.46	1.46	3.81	3.81	12.00	3.4 ~ 14.5	2730	630 ~ 3970	12.9	11.9	
	16 + 16 + 16 + 42 + 50	1.14	1.14	1.14	3.01	3.57	10.00	2.3 ~ 11.5	2560	520 ~ 3380	12.6	11.6	1.37	1.37	1.37	3.60	4.29	12.00	3.4 ~ 14.5	2750	740 ~ 3960	13.0	12.0	
	16 + 16 + 16 + 42 + 60	1.07	1.07	1.07	2.80	3.99	10.00	2.3 ~ 11.5	2560	520 ~ 3380	12.6	11.6	1.28	1.28	1.28	3.36	4.80	12.00	3.4 ~ 14.5	2750	740 ~ 3960	13.0	12.0	
	16 + 16 + 16 + 42 + 71	0.99	0.99	0.99	2.62	4.41	10.00	2.3 ~ 11.5	2500	520 ~ 3390	12.3	11.4	1.19	1.19	1.19	3.14	5.29	12.00	3.4 ~ 14.5	2790	750 ~ 3950	13.2	12.2	
	16 + 16 + 16 + 50 + 50	1.08	1.08	1.08	3.38	3.38	10.00	2.3 ~ 11.5	2520	600 ~ 3330														

CU-5Z100WBH-8: Only Wall-Mounted Indoor Combination

Indoor unit capacity	COOLING OPERATION											HEATING OPERATION										
	Cooling Capacity (kW)						Input Power (W)		Current (A)			Heating Capacity (kW)						Input Power (W)		Current (A)		
	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V
16 + 16 + 20 + 25 + 50	1.26	1.26	1.57	1.97	3.94	10.00	2.3 ~ 11.5	2560	510 ~ 3380	12.6	11.6	1.51	1.51	1.90	2.36	4.72	12.00	3.4 ~ 14.5	2770	710 ~ 3930	13.1	12.1
16 + 16 + 20 + 25 + 60	1.17	1.17	1.46	1.82	4.38	10.00	2.3 ~ 11.5	2560	510 ~ 3380	12.6	11.6	1.40	1.40	1.75	2.19	5.26	12.00	3.4 ~ 14.5	2770	710 ~ 3930	13.1	12.1
16 + 16 + 20 + 25 + 71	1.08	1.08	1.35	1.69	4.80	10.00	2.3 ~ 11.5	2560	520 ~ 3380	12.6	11.6	1.30	1.30	1.62	2.03	5.75	12.00	3.4 ~ 14.5	2760	720 ~ 3920	13.1	12.1
16 + 16 + 20 + 35 + 35	1.31	1.31	1.64	2.87	2.87	10.00	2.3 ~ 11.5	2540	430 ~ 3510	12.5	11.5	1.57	1.57	1.98	3.44	3.44	12.00	3.4 ~ 14.5	2740	610 ~ 3980	13.0	12.0
16 + 16 + 20 + 35 + 42	1.24	1.24	1.55	2.71	3.26	10.00	2.3 ~ 11.5	2540	430 ~ 3510	12.5	11.5	1.49	1.49	1.86	3.26	3.90	12.00	3.4 ~ 14.5	2730	630 ~ 3970	12.9	11.9
16 + 16 + 20 + 35 + 50	1.17	1.17	1.46	2.55	3.65	10.00	2.3 ~ 11.5	2560	520 ~ 3380	12.6	11.6	1.40	1.40	1.75	3.07	4.38	12.00	3.4 ~ 14.5	2750	740 ~ 3960	13.0	12.0
16 + 16 + 20 + 35 + 60	1.09	1.09	1.36	2.38	4.08	10.00	2.3 ~ 11.5	2560	520 ~ 3380	12.6	11.6	1.31	1.31	1.63	2.86	4.89	12.00	3.4 ~ 14.5	2750	740 ~ 3960	13.0	12.0
16 + 16 + 20 + 35 + 71	1.01	1.01	1.27	2.22	4.49	10.00	2.3 ~ 11.5	2500	520 ~ 3390	12.3	11.4	1.22	1.22	1.52	2.66	5.38	12.00	3.4 ~ 14.5	2790	750 ~ 3950	13.2	12.2
16 + 16 + 20 + 42 + 42	1.18	1.18	1.46	3.09	3.09	10.00	2.3 ~ 11.5	2540	440 ~ 3520	12.5	11.5	1.41	1.41	1.76	3.71	3.71	12.00	3.4 ~ 14.5	2770	640 ~ 3960	13.1	12.1
16 + 16 + 20 + 42 + 50	1.11	1.11	1.39	2.92	3.47	10.00	2.3 ~ 11.5	2560	520 ~ 3380	12.6	11.6	1.33	1.33	1.67	3.50	4.17	12.00	3.4 ~ 14.5	2790	750 ~ 3950	13.2	12.2
16 + 16 + 20 + 42 + 60	1.04	1.04	1.30	2.73	3.89	10.00	2.3 ~ 11.5	2560	520 ~ 3380	12.6	11.6	1.25	1.25	1.56	3.27	4.67	12.00	3.4 ~ 14.5	2790	750 ~ 3950	13.2	12.2
16 + 16 + 20 + 42 + 71	0.97	0.97	1.21	2.55	4.30	10.00	2.3 ~ 11.5	2510	550 ~ 3390	12.3	11.4	1.17	1.17	1.45	3.05	5.16	12.00	3.4 ~ 14.5	2780	760 ~ 3940	13.1	12.2
16 + 16 + 20 + 50 + 50	1.05	1.05	1.32	3.29	3.29	10.00	2.3 ~ 11.5	2520	610 ~ 3330	12.4	11.5	1.26	1.26	1.58	3.95	3.95	12.00	3.4 ~ 14.5	2830	870 ~ 3970	13.4	12.4
16 + 16 + 20 + 50 + 60	0.99	0.99	1.23	3.09	3.70	10.00	2.3 ~ 11.5	2520	610 ~ 3330	12.4	11.5	1.19	1.19	1.48	3.70	4.44	12.00	3.4 ~ 14.5	2830	870 ~ 3970	13.4	12.4
16 + 16 + 20 + 50 + 71	0.92	0.92	1.17	2.89	4.10	10.00	2.3 ~ 11.5	2530	620 ~ 3340	12.4	11.5	1.11	1.11	1.39	3.47	4.92	12.00	3.4 ~ 14.5	2870	900 ~ 4010	13.6	12.6
16 + 16 + 20 + 60 + 60	0.93	0.93	1.16	3.49	3.49	10.00	2.3 ~ 11.5	2520	610 ~ 3330	12.4	11.5	1.12	1.12	1.40	4.18	4.18	12.00	3.4 ~ 14.5	2830	870 ~ 3970	13.4	12.4
16 + 16 + 20 + 60 + 71	0.87	0.87	1.10	3.28	3.88	10.00	2.3 ~ 11.5	2530	620 ~ 3340	12.4	11.5	1.05	1.05	1.31	3.93	4.66	12.00	3.4 ~ 14.5	2870	900 ~ 4010	13.6	12.6
16 + 16 + 25 + 25 + 25	1.49	1.49	2.34	2.34	2.34	10.00	2.3 ~ 11.5	2600	420 ~ 3590	12.8	11.8	1.80	1.80	2.80	2.80	2.80	12.00	3.4 ~ 14.5	2770	570 ~ 3980	13.1	12.1
16 + 16 + 25 + 25 + 35	1.37	1.37	2.14	2.14	2.98	10.00	2.3 ~ 11.5	2600	430 ~ 3590	12.8	11.8	1.64	1.64	2.56	2.56	3.60	12.00	3.4 ~ 14.5	2750	600 ~ 4010	13.0	12.0
16 + 16 + 25 + 25 + 42	1.29	1.29	2.02	2.02	3.38	10.00	2.3 ~ 11.5	2600	430 ~ 3510	12.8	11.8	1.55	1.55	2.42	2.42	4.06	12.00	3.4 ~ 14.5	2750	600 ~ 4000	13.0	12.0
16 + 16 + 25 + 25 + 50	1.21	1.21	1.89	1.89	3.80	10.00	2.3 ~ 11.5	2560	510 ~ 3380	12.6	11.6	1.45	1.45	2.27	2.27	4.56	12.00	3.4 ~ 14.5	2770	710 ~ 3930	13.1	12.1
16 + 16 + 25 + 25 + 60	1.13	1.13	1.76	1.76	4.22	10.00	2.3 ~ 11.5	2560	510 ~ 3380	12.6	11.6	1.35	1.35	2.11	2.11	5.08	12.00	3.4 ~ 14.5	2770	710 ~ 3930	13.1	12.1
16 + 16 + 25 + 25 + 71	1.05	1.05	1.63	1.63	4.64	10.00	2.3 ~ 11.5	2560	520 ~ 3380	12.6	11.6	1.25	1.25	1.96	1.96	5.58	12.00	3.4 ~ 14.5	2760	720 ~ 3920	13.1	12.1
16 + 16 + 25 + 35 + 35	1.26	1.26	1.96	2.76	2.76	10.00	2.3 ~ 11.5	2540	430 ~ 3510	12.5	11.5	1.51	1.51	2.36	3.31	3.31	12.00	3.4 ~ 14.5	2740	610 ~ 3980	13.0	12.0
16 + 16 + 25 + 35 + 42	1.19	1.19	1.88	2.61	3.13	10.00	2.3 ~ 11.5	2540	430 ~ 3510	12.5	11.5	1.43	1.43	2.25	3.13	3.76	12.00	3.4 ~ 14.5	2730	630 ~ 3970	12.9	11.9
16 + 16 + 25 + 35 + 50	1.13	1.13	1.76	2.46	3.52	10.00	2.3 ~ 11.5	2560	520 ~ 3380	12.6	11.6	1.35	1.35	2.11	2.96	4.23	12.00	3.4 ~ 14.5	2750	740 ~ 3960	13.0	12.0
16 + 16 + 25 + 35 + 60	1.05	1.05	1.65	2.30	3.95	10.00	2.3 ~ 11.5	2560	520 ~ 3380	12.6	11.6	1.26	1.26	1.98	2.76	4.74	12.00	3.4 ~ 14.5	2750	740 ~ 3960	13.0	12.0
16 + 16 + 25 + 35 + 71	0.98	0.98	1.53	2.15	4.36	10.00	2.3 ~ 11.5	2500	520 ~ 3390	12.3	11.4	1.18	1.18	1.84	2.58	5.22	12.00	3.4 ~ 14.5	2790	750 ~ 3950	13.2	12.2
16 + 16 + 25 + 42 + 42	1.13	1.13	1.78	2.98	2.98	10.00	2.3 ~ 11.5	2540	440 ~ 3520	12.5	11.5	1.36	1.36	2.14	3.57	3.57	12.00	3.4 ~ 14.5	2770	640 ~ 3960	13.1	12.1
16 + 16 + 25 + 42 + 50	1.07	1.07	1.68	2.82	3.36	10.00	2.3 ~ 11.5	2560	520 ~ 3380	12.6	11.6	1.29	1.29	2.01	3.38	4.03	12.00	3.4 ~ 14.5	2790	750 ~ 3950	13.2	12.2
16 + 16 + 25 + 42 + 60	1.01	1.01	1.57	2.64	3.77	10.00	2.3 ~ 11.5	2560	520 ~ 3380	12.6	11.6	1.21	1.21	1.89	3.17	4.52	12.00	3.4 ~ 14.5	2790	750 ~ 3950	13.2	12.2
16 + 16 + 25 + 42 + 71	0.94	0.94	1.47	2.47	4.18	10.00	2.3 ~ 11.5	2510	550 ~ 3390	12.3	11.4	1.13	1.13	1.77	2.96	5.01	12.00	3.4 ~ 14.5	2780	760 ~ 3940	13.1	12.2
16 + 16 + 25 + 50 + 50	1.02	1.02	1.60	3.18	3.18	10.00	2.3 ~ 11.5	2520	610 ~ 3330	12.4	11.5	1.22	1.22	1.92	3.82	3.82	12.00	3.4 ~ 14.5	2830	870 ~ 3970	13.4	12.4
16 + 16 + 25 + 50 + 60	0.96	0.96	1.50	2.99	3.59	10.00	2.3 ~ 11.5	2520	610 ~ 3330	12.4	11.5	1.15	1.15	1.80	3.59	4.31	12.00	3.4 ~ 14.5	2830	870 ~ 3970	13.4	12.4
16 + 16 + 25 + 50 + 71	0.90	0.90	1.40	2.81	3.99	10.00	2.3 ~ 11.5	2530	620 ~ 3340	12.4	11.5	1.08	1.08	1.69	3.37	4.78	12.00	3.4 ~ 14.5	2870	900 ~ 4010	13.6	12.6
16 + 16 + 25 + 60 + 60	0.90	0.90	1.42	3.39	3.39	10.00	2.3 ~ 11.5	2520	610 ~ 3330	12.4	11.5	1.08	1.08	1.70	4.07	4.07	12.00	3.4 ~ 14.5	2830	870 ~ 3970	13.4	12.4
16 + 16 + 35 + 35 + 35	1.16	1.16	2.56	2.56	2.56	10.00	2.3 ~ 11.5	2550	460 ~ 3520	12.5	11.6	1.41	1.41	3.06	3.06	3.06	12.00	3.4 ~ 14.5	2760	640 ~ 3950	13.1	12.1
16 + 16 + 35 + 35 + 42	1.11	1.11	2.43	2.43	2.92	10.00	2.3 ~ 11.5	2550	470 ~ 3520	12.5	11.6	1.33	1.33	2.92	2.92	3.50	12.00	3.4 ~ 14.5	2760	650 ~ 3940	13.1	12.1
16 + 16 + 35 + 35 + 50	1.05	1.05	2.30	2.30	3.30	10.00	2.3 ~ 11.5	2500	520 ~ 3380	12.3	11.4	1.26	1.26	2.76	2.76	3.96	12.00	3.4 ~ 14.5	2780	760 ~ 3940	13.1	12.2
16 + 16 + 35 + 35 + 60	0.99	0.99	2.16	2.16	3.70	10.00	2.3 ~ 11.5	2500	520 ~ 3380	12.3	11.4	1.19	1.19	2.59	2.59	4.44	12.00	3.4 ~ 14.5	2780	760 ~ 3940	13.1	12.2
16 + 16 + 35 + 35 + 71	0.93	0.93	2.02	2.02	4.10	10.00	2.3 ~ 11.5	2510	560 ~ 3390	12.3	11.4	1.11	1.11	2.43	2.43	4.92	12.00	3.4 ~ 14.5	2780	780 ~ 3930	13.1	12.2
16 + 16 + 35 + 42 + 42	1.06	1.06	2.32	2.78	2.78	10.00	2.3 ~ 11.5	2550	470 ~ 3440	12.5	11.6	1.27	1.27	2.78	3.34	3.34	12.00	3.4 ~ 14.5	2750	650 ~ 3980	13.0	12.0
16 + 16 + 35 + 42 + 50	1.01	1.01	2.20	2.64	3.14	10.00	2.3 ~ 11.5	2500	520 ~ 3390	12.3	11.4	1.21	1.21	2.64	3.17	3.77	12.00	3.4 ~ 14.5	2780	780 ~ 3930	13.1	12.2
16 + 16 + 35 + 42 + 60	0.95	0.95	2.07	2.49	3.54	10.00	2.3 ~ 11.5	2500	520 ~ 3390	12.3	11.4	1.14	1.14	2.49	2.98	4.25	12.00	3.4 ~ 14.5	2780	780 ~ 3930	13.1	12.2
16 + 16 + 35 + 42 + 71	0.89	0.89	1.95	2.33	3.94	10.00	2.3 ~ 11.5	2510	560 ~ 3390	12.3	11.4	1.07	1.07	2.33	2.80	4.73	12.00	3.4 ~ 14.5	2810	790 ~ 3970	13.3	12.3
16 + 16 + 35 + 50 + 50	0.96	0.96	2.10	2.99	2.99	10.00	2.3 ~ 11.5	2530	620 ~ 3340	12.4	11.5	1.15	1.15	2.52	3.59	3.59	12.00	3.4 ~ 14.5	2860	910 ~ 4000	13.5	12.5
16 + 16 + 35 + 50 + 60	0.90	0.90	1.99	2.82	3.39	10.00	2.3 ~ 11.5	2530	620 ~ 3340	12.4	11.5	1.08	1.08	2.38	3.39	4.07	12.00	3.4 ~ 14.5	2860	910 ~ 4000	13.5	12.5
16 + 16 + 42 + 42 + 42	1.01	1.01	2.66	2.66	2.66	10.00	2.3 ~ 11.5	2550	470 ~ 3440	12.5	11.6	1.23	1.23	3.18	3.18	3.18	12.00	3.4 ~ 14.5	2740	670 ~ 3970	13.0	12

CU-5Z100WBH-8: Only Wall-Mounted Indoor Combination

Indoor unit capacity		COOLING OPERATION										HEATING OPERATION											
		Cooling Capacity (kW)					Input Power (W)		Current (A)			Heating Capacity (kW)					Input Power (W)		Current (A)				
		Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V
5 Rooms	16 + 20 + 20 + 25 + 25	1.50	1.89	1.89	2.36	2.36	10.00	2.3 ~ 11.5	2600	420 ~ 3590	12.8	11.8	1.82	2.26	2.26	2.83	2.83	12.00	3.4 ~ 14.5	2770	570 ~ 4030	13.1	12.1
	16 + 20 + 20 + 25 + 35	1.38	1.72	1.72	2.16	3.02	10.00	2.3 ~ 11.5	2600	430 ~ 3510	12.8	11.8	1.66	2.07	2.07	2.59	3.61	12.00	3.4 ~ 14.5	2750	600 ~ 4000	13.0	12.0
	16 + 20 + 20 + 25 + 42	1.30	1.63	1.63	2.03	3.41	10.00	2.3 ~ 11.5	2540	430 ~ 3510	12.5	11.5	1.56	1.95	1.95	2.44	4.10	12.00	3.4 ~ 14.5	2740	610 ~ 3990	13.0	12.0
	16 + 20 + 20 + 25 + 50	1.22	1.53	1.53	1.91	3.81	10.00	2.3 ~ 11.5	2560	510 ~ 3380	12.6	11.6	1.47	1.83	1.83	2.29	4.58	12.00	3.4 ~ 14.5	2760	720 ~ 3920	13.1	12.1
	16 + 20 + 20 + 25 + 60	1.13	1.42	1.42	1.77	4.26	10.00	2.3 ~ 11.5	2560	510 ~ 3380	12.6	11.6	1.36	1.70	1.70	2.13	5.11	12.00	3.4 ~ 14.5	2760	720 ~ 3920	13.1	12.1
	16 + 20 + 20 + 25 + 71	1.05	1.32	1.32	1.64	4.67	10.00	2.3 ~ 11.5	2500	520 ~ 3380	12.3	11.4	1.26	1.58	1.58	1.97	5.61	12.00	3.4 ~ 14.5	2750	730 ~ 3970	13.0	12.0
	16 + 20 + 20 + 35 + 35	1.26	1.59	1.59	2.78	2.78	10.00	2.3 ~ 11.5	2540	440 ~ 3510	12.5	11.5	1.52	1.90	1.90	3.34	3.34	12.00	3.4 ~ 14.5	2730	630 ~ 3970	12.9	11.9
	16 + 20 + 20 + 35 + 42	1.21	1.50	1.50	2.63	3.16	10.00	2.3 ~ 11.5	2540	440 ~ 3520	12.5	11.5	1.45	1.80	1.80	3.16	3.79	12.00	3.4 ~ 14.5	2770	640 ~ 3960	13.1	12.1
	16 + 20 + 20 + 35 + 50	1.13	1.42	1.42	2.48	3.55	10.00	2.3 ~ 11.5	2560	520 ~ 3380	12.6	11.6	1.36	1.70	1.70	2.98	4.26	12.00	3.4 ~ 14.5	2790	750 ~ 3950	13.2	12.2
	16 + 20 + 20 + 35 + 60	1.07	1.32	1.32	2.32	3.97	10.00	2.3 ~ 11.5	2560	520 ~ 3380	12.6	11.6	1.27	1.59	1.59	2.78	4.77	12.00	3.4 ~ 14.5	2790	750 ~ 3950	13.2	12.2
	16 + 20 + 20 + 35 + 71	1.00	1.23	1.23	2.16	4.38	10.00	2.3 ~ 11.5	2510	550 ~ 3390	12.3	11.4	1.19	1.48	1.48	2.59	5.26	12.00	3.4 ~ 14.5	2780	760 ~ 3940	13.1	12.2
	16 + 20 + 20 + 42 + 42	1.14	1.43	1.43	3.00	3.00	10.00	2.3 ~ 11.5	2550	460 ~ 3520	12.5	11.6	1.38	1.71	1.71	3.60	3.60	12.00	3.4 ~ 14.5	2760	640 ~ 3950	13.1	12.1
	16 + 20 + 20 + 42 + 50	1.08	1.35	1.35	2.84	3.38	10.00	2.3 ~ 11.5	2500	520 ~ 3380	12.3	11.4	1.30	1.62	1.62	3.41	4.05	12.00	3.4 ~ 14.5	2790	760 ~ 3950	13.2	12.2
	16 + 20 + 20 + 42 + 60	1.01	1.27	1.27	2.66	3.79	10.00	2.3 ~ 11.5	2500	520 ~ 3380	12.3	11.4	1.22	1.52	1.52	3.19	4.55	12.00	3.4 ~ 14.5	2790	760 ~ 3950	13.2	12.2
	16 + 20 + 20 + 42 + 71	0.95	1.18	1.18	2.49	4.20	10.00	2.3 ~ 11.5	2510	560 ~ 3390	12.3	11.4	1.14	1.42	1.42	2.98	5.04	12.00	3.4 ~ 14.5	2780	780 ~ 3930	13.1	12.2
	16 + 20 + 20 + 50 + 50	1.02	1.28	1.28	3.21	3.21	10.00	2.3 ~ 11.5	2530	610 ~ 3330	12.4	11.5	1.22	1.54	1.54	3.85	3.85	12.00	3.4 ~ 14.5	2870	890 ~ 3960	13.6	12.6
	16 + 20 + 20 + 50 + 60	0.96	1.21	1.21	3.01	3.61	10.00	2.3 ~ 11.5	2530	610 ~ 3330	12.4	11.5	1.16	1.45	1.45	3.61	4.33	12.00	3.4 ~ 14.5	2870	890 ~ 3960	13.6	12.6
	16 + 20 + 20 + 50 + 71	0.90	1.13	1.13	2.82	4.02	10.00	2.3 ~ 11.5	2530	650 ~ 3340	12.4	11.5	1.08	1.36	1.36	3.39	4.81	12.00	3.4 ~ 14.5	2860	900 ~ 4000	13.5	12.5
	16 + 20 + 20 + 60 + 60	0.90	1.14	1.14	3.41	3.41	10.00	2.3 ~ 11.5	2530	610 ~ 3330	12.4	11.5	1.10	1.36	1.36	4.09	4.09	12.00	3.4 ~ 14.5	2870	890 ~ 3960	13.6	12.6
	16 + 20 + 25 + 25 + 25	1.45	1.80	2.25	2.25	2.25	10.00	2.3 ~ 11.5	2600	420 ~ 3590	12.8	11.8	1.74	2.16	2.70	2.70	2.70	12.00	3.4 ~ 14.5	2770	570 ~ 4030	13.1	12.1
	16 + 20 + 25 + 25 + 35	1.32	1.65	2.07	2.07	2.89	10.00	2.3 ~ 11.5	2600	430 ~ 3510	12.8	11.8	1.59	1.98	2.48	2.48	3.47	12.00	3.4 ~ 14.5	2750	600 ~ 4000	13.0	12.0
	16 + 20 + 25 + 25 + 42	1.26	1.56	1.95	1.95	3.28	10.00	2.3 ~ 11.5	2540	430 ~ 3510	12.5	11.5	1.50	1.88	2.34	2.34	3.94	12.00	3.4 ~ 14.5	2740	610 ~ 3990	13.0	12.0
	16 + 20 + 25 + 25 + 50	1.18	1.47	1.84	1.84	3.67	10.00	2.3 ~ 11.5	2560	510 ~ 3380	12.6	11.6	1.41	1.76	2.21	2.21	4.41	12.00	3.4 ~ 14.5	2760	720 ~ 3920	13.1	12.1
	16 + 20 + 25 + 25 + 60	1.10	1.37	1.71	1.71	4.11	10.00	2.3 ~ 11.5	2560	510 ~ 3380	12.6	11.6	1.33	1.64	2.05	2.05	4.93	12.00	3.4 ~ 14.5	2760	720 ~ 3920	13.1	12.1
	16 + 20 + 25 + 25 + 71	1.03	1.27	1.59	1.59	4.52	10.00	2.3 ~ 11.5	2500	520 ~ 3380	12.3	11.4	1.22	1.53	1.91	1.91	5.43	12.00	3.4 ~ 14.5	2750	730 ~ 3970	13.0	12.0
	16 + 20 + 25 + 35 + 35	1.22	1.53	1.91	2.67	2.67	10.00	2.3 ~ 11.5	2540	440 ~ 3510	12.5	11.5	1.47	1.83	2.28	3.21	3.21	12.00	3.4 ~ 14.5	2730	630 ~ 3970	12.9	11.9
	16 + 20 + 25 + 35 + 42	1.16	1.45	1.81	2.54	3.04	10.00	2.3 ~ 11.5	2540	440 ~ 3520	12.5	11.5	1.40	1.74	2.17	3.04	3.65	12.00	3.4 ~ 14.5	2770	640 ~ 3960	13.1	12.1
	16 + 20 + 25 + 35 + 50	1.10	1.37	1.71	2.40	3.42	10.00	2.3 ~ 11.5	2560	520 ~ 3380	12.6	11.6	1.32	1.64	2.05	2.88	4.11	12.00	3.4 ~ 14.5	2790	750 ~ 3950	13.2	12.2
	16 + 20 + 25 + 35 + 60	1.03	1.28	1.60	2.24	3.85	10.00	2.3 ~ 11.5	2560	520 ~ 3380	12.6	11.6	1.23	1.54	1.92	2.69	4.62	12.00	3.4 ~ 14.5	2790	750 ~ 3950	13.2	12.2
	16 + 20 + 25 + 35 + 71	0.96	1.20	1.50	2.10	4.24	10.00	2.3 ~ 11.5	2510	550 ~ 3390	12.3	11.4	1.15	1.44	1.80	2.51	5.10	12.00	3.4 ~ 14.5	2780	760 ~ 3940	13.1	12.2
	16 + 20 + 25 + 42 + 42	1.10	1.38	1.72	2.90	2.90	10.00	2.3 ~ 11.5	2550	460 ~ 3520	12.5	11.6	1.32	1.66	2.06	3.48	3.48	12.00	3.4 ~ 14.5	2760	640 ~ 3950	13.1	12.1
	16 + 20 + 25 + 42 + 50	1.05	1.31	1.63	2.75	3.26	10.00	2.3 ~ 11.5	2500	520 ~ 3380	12.3	11.4	1.26	1.57	1.96	3.29	3.92	12.00	3.4 ~ 14.5	2790	760 ~ 3950	13.2	12.2
	16 + 20 + 25 + 42 + 60	0.98	1.23	1.53	2.58	3.68	10.00	2.3 ~ 11.5	2500	520 ~ 3380	12.3	11.4	1.18	1.47	1.84	3.09	4.42	12.00	3.4 ~ 14.5	2790	760 ~ 3950	13.2	12.2
	16 + 20 + 25 + 42 + 71	0.92	1.15	1.44	2.41	4.08	10.00	2.3 ~ 11.5	2510	560 ~ 3390	12.3	11.4	1.10	1.38	1.72	2.90	4.90	12.00	3.4 ~ 14.5	2780	780 ~ 3930	13.1	12.2
	16 + 20 + 25 + 50 + 50	0.99	1.24	1.55	3.11	3.11	10.00	2.3 ~ 11.5	2530	610 ~ 3330	12.4	11.5	1.19	1.49	1.86	3.73	3.73	12.00	3.4 ~ 14.5	2870	890 ~ 3960	13.6	12.6
	16 + 20 + 25 + 50 + 60	0.94	1.17	1.46	2.92	3.51	10.00	2.3 ~ 11.5	2530	610 ~ 3330	12.4	11.5	1.13	1.40	1.75	3.51	4.21	12.00	3.4 ~ 14.5	2870	890 ~ 3960	13.6	12.6
	16 + 20 + 25 + 50 + 71	0.88	1.10	1.37	2.75	3.90	10.00	2.3 ~ 11.5	2530	650 ~ 3340	12.4	11.5	1.05	1.32	1.65	3.30	4.68	12.00	3.4 ~ 14.5	2860	900 ~ 4000	13.5	12.5
	16 + 20 + 25 + 60 + 60	0.88	1.10	1.38	3.32	3.32	10.00	2.3 ~ 11.5	2530	610 ~ 3330	12.4	11.5	1.06	1.33	1.65	3.98	3.98	12.00	3.4 ~ 14.5	2870	890 ~ 3960	13.6	12.6
	16 + 20 + 35 + 35 + 35	1.14	1.42	2.48	2.48	2.48	10.00	2.3 ~ 11.5	2550	470 ~ 3440	12.5	11.6	1.36	1.70	2.98	2.98	2.98	12.00	3.4 ~ 14.5	2760	650 ~ 3940	13.1	12.1
	16 + 20 + 35 + 35 + 42	1.09	1.35	2.36	2.36	2.84	10.00	2.3 ~ 11.5	2550	470 ~ 3440	12.5	11.6	1.30	1.62	2.84	2.84	3.40	12.00	3.4 ~ 14.5	2750	650 ~ 3980	13.0	12.0
	16 + 20 + 35 + 35 + 50	1.03	1.28	2.24	2.24	3.21	10.00	2.3 ~ 11.5	2510	550 ~ 3390	12.3	11.4	1.23	1.54	2.69	2.69	3.85	12.00	3.4 ~ 14.5	2780	780 ~ 3930	13.1	12.2
	16 + 20 + 35 + 35 + 60	0.97	1.20	2.11	2.11	3.61	10.00	2.3 ~ 11.5	2510	550 ~ 3390	12.3	11.4	1.16	1.45	2.53	2.53	4.33	12.00	3.4 ~ 14.5	2780	780 ~ 3930	13.1	12.2
	16 + 20 + 35 + 35 + 71	0.90	1.13	1.98	1.98	4.01	10.00	2.3 ~ 11.5	2510	560 ~ 3390	12.3	11.4	1.09	1.36	2.37	2.37	4.81	12.00	3.4 ~ 14.5	2810	790 ~ 3970	13.3	12.3
	16 + 20 + 35 + 42 + 42	1.03	1.29	2.26	2.71	2.71	10.00	2.3 ~ 11.5	2550	470 ~ 3440	12.5	11.6	1.24	1.55	2.71	3.25	3.25	12.00	3.4 ~ 14.5	2740	670 ~ 3970	13.0	12.0
	16 + 20 + 35 + 42 + 50	0.98	1.23	2.15	2.58	3.06	10.00	2.3 ~ 11.5	2510	550 ~ 3390	12.3	11.4	1.18	1.47	2.58	3.09	3.68	12.00	3.4 ~ 14.5	2820	790 ~ 3980	13.3	12.3
	16 + 20 + 35 + 42 + 60	0.92	1.16	2.02	2.43	3.47	10.00	2.3 ~ 11.5	2510	550 ~ 3390	12.3	11.4	1.11	1.39	2.43	2.91	4.16	12.00	3.4 ~ 14.5	2820	790 ~ 3980	13.3	12.3
	16 + 20 + 35 + 50 + 50	0.94	1.17	2.05	2.92	2.92	10.00	2.3 ~ 11.5	2530	620 ~ 3340	12.4	11.5	1.12	1.40	2.46	3.51	3.51	12.00	3.4 ~ 14.5	2860	930 ~ 3990	13.5	12.5
	16 + 20 + 35 + 50 + 60	0.89	1.11	1.93	2.76	3.31	10.00	2.3 ~ 11.5	2530	620 ~ 3340	12.4	11.5	1.06	1.33	2.32	3.31	3.98	12.00	3.4 ~ 14.5	2860	930 ~ 3990	13.5	12.5
	16 + 20 + 42 + 42 + 42	1.00	1.																				

CU-5Z100WBH-8: Only Wall-Mounted Indoor Combination

Indoor unit capacity	COOLING OPERATION											HEATING OPERATION										
	Cooling Capacity (kW)						Input Power (W)		Current (A)			Heating Capacity (kW)						Input Power (W)		Current (A)		
	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V
16 + 25 + 25 + 35 + 42	1.12	1.75	2.45	2.93	10.00	2.3 ~ 11.5	2540	440 ~ 3520	12.5	11.5	1.34	2.10	2.10	2.94	3.52	12.00	3.4 ~ 14.5	2770	640 ~ 3960	13.1	12.1	
16 + 25 + 25 + 35 + 50	1.06	1.66	2.32	3.30	10.00	2.3 ~ 11.5	2560	520 ~ 3380	12.6	11.6	1.27	1.99	1.99	2.78	3.97	12.00	3.4 ~ 14.5	2790	750 ~ 3950	13.2	12.2	
16 + 25 + 25 + 35 + 60	1.00	1.55	2.17	3.73	10.00	2.3 ~ 11.5	2560	520 ~ 3380	12.6	11.6	1.20	1.86	1.86	2.61	4.47	12.00	3.4 ~ 14.5	2790	750 ~ 3950	13.2	12.2	
16 + 25 + 25 + 35 + 71	0.94	1.45	2.03	4.13	10.00	2.3 ~ 11.5	2510	550 ~ 3390	12.3	11.4	1.13	1.74	1.74	2.44	4.95	12.00	3.4 ~ 14.5	2780	760 ~ 3940	13.1	12.2	
16 + 25 + 25 + 42 + 42	1.06	1.67	2.80	2.80	10.00	2.3 ~ 11.5	2550	460 ~ 3520	12.5	11.6	1.28	2.00	2.00	3.36	3.36	12.00	3.4 ~ 14.5	2760	640 ~ 3950	13.1	12.1	
16 + 25 + 25 + 42 + 50	1.02	1.58	2.66	3.16	10.00	2.3 ~ 11.5	2500	520 ~ 3380	12.3	11.4	1.22	1.90	1.90	3.19	3.79	12.00	3.4 ~ 14.5	2790	760 ~ 3950	13.2	12.2	
16 + 25 + 25 + 42 + 60	0.95	1.49	2.50	3.57	10.00	2.3 ~ 11.5	2500	520 ~ 3380	12.3	11.4	1.14	1.79	1.79	3.00	4.28	12.00	3.4 ~ 14.5	2790	760 ~ 3950	13.2	12.2	
16 + 25 + 25 + 42 + 71	0.89	1.40	2.35	3.96	10.00	2.3 ~ 11.5	2510	560 ~ 3390	12.3	11.4	1.07	1.68	1.68	2.82	4.75	12.00	3.4 ~ 14.5	2780	780 ~ 3930	13.1	12.2	
16 + 25 + 25 + 50 + 50	0.96	1.51	3.01	3.01	10.00	2.3 ~ 11.5	2530	610 ~ 3330	12.4	11.5	1.16	1.81	1.81	3.61	3.61	12.00	3.4 ~ 14.5	2870	890 ~ 3960	13.6	12.6	
16 + 25 + 25 + 50 + 60	0.91	1.42	2.84	3.41	10.00	2.3 ~ 11.5	2530	610 ~ 3330	12.4	11.5	1.10	1.70	1.70	3.41	4.09	12.00	3.4 ~ 14.5	2870	890 ~ 3960	13.6	12.6	
16 + 25 + 35 + 35 + 35	1.10	1.70	2.40	2.40	10.00	2.3 ~ 11.5	2550	470 ~ 3440	12.5	11.6	1.32	2.04	2.88	2.88	2.88	12.00	3.4 ~ 14.5	2760	650 ~ 3940	13.1	12.1	
16 + 25 + 35 + 35 + 42	1.05	1.63	2.29	2.74	10.00	2.3 ~ 11.5	2550	470 ~ 3440	12.5	11.6	1.25	1.96	2.75	2.75	3.29	12.00	3.4 ~ 14.5	2750	650 ~ 3980	13.0	12.0	
16 + 25 + 35 + 35 + 50	1.00	1.55	2.17	3.11	10.00	2.3 ~ 11.5	2510	550 ~ 3390	12.3	11.4	1.19	1.86	2.61	2.61	3.73	12.00	3.4 ~ 14.5	2780	780 ~ 3930	13.1	12.2	
16 + 25 + 35 + 35 + 60	0.94	1.46	2.05	3.50	10.00	2.3 ~ 11.5	2510	550 ~ 3390	12.3	11.4	1.12	1.75	2.46	2.46	4.21	12.00	3.4 ~ 14.5	2780	780 ~ 3930	13.1	12.2	
16 + 25 + 35 + 35 + 71	0.89	1.37	1.92	3.90	10.00	2.3 ~ 11.5	2510	560 ~ 3390	12.3	11.4	1.05	1.65	2.31	2.31	4.68	12.00	3.4 ~ 14.5	2810	790 ~ 3970	13.3	12.3	
16 + 25 + 35 + 42 + 42	1.00	1.56	2.18	2.63	10.00	2.3 ~ 11.5	2550	470 ~ 3440	12.5	11.6	1.20	1.88	2.62	3.15	3.15	12.00	3.4 ~ 14.5	2740	670 ~ 3970	13.0	12.0	
16 + 25 + 35 + 42 + 50	0.95	1.49	2.08	2.98	10.00	2.3 ~ 11.5	2510	550 ~ 3390	12.3	11.4	1.14	1.79	2.50	3.00	3.57	12.00	3.4 ~ 14.5	2820	790 ~ 3980	13.3	12.3	
16 + 25 + 35 + 42 + 60	0.90	1.40	1.97	3.37	10.00	2.3 ~ 11.5	2510	550 ~ 3390	12.3	11.4	1.08	1.69	2.36	2.83	4.04	12.00	3.4 ~ 14.5	2820	790 ~ 3980	13.3	12.3	
16 + 25 + 35 + 50 + 50	0.91	1.42	1.99	2.84	10.00	2.3 ~ 11.5	2530	620 ~ 3340	12.4	11.5	1.09	1.70	2.39	3.41	3.41	12.00	3.4 ~ 14.5	2860	930 ~ 3990	13.5	12.5	
16 + 25 + 42 + 42 + 42	0.97	1.50	2.51	2.51	10.00	2.3 ~ 11.5	2550	470 ~ 3440	12.5	11.6	1.15	1.79	3.02	3.02	3.02	12.00	3.4 ~ 14.5	2740	680 ~ 3960	13.0	12.0	
16 + 25 + 42 + 42 + 50	0.91	1.43	2.40	2.86	10.00	2.3 ~ 11.5	2510	560 ~ 3390	12.3	11.4	1.10	1.71	2.88	2.88	3.43	12.00	3.4 ~ 14.5	2810	800 ~ 3970	13.3	12.3	
16 + 25 + 42 + 50 + 50	0.87	1.37	2.30	2.73	10.00	2.3 ~ 11.5	2530	650 ~ 3340	12.4	11.5	1.05	1.64	2.75	3.28	3.28	12.00	3.4 ~ 14.5	2900	940 ~ 3990	13.7	12.7	
16 + 35 + 35 + 35 + 35	1.04	2.24	2.24	2.24	10.00	2.3 ~ 11.5	2550	470 ~ 3450	12.5	11.6	1.24	2.69	2.69	2.69	2.69	12.00	3.4 ~ 14.5	2740	680 ~ 3970	13.0	12.0	
16 + 35 + 35 + 35 + 42	0.98	2.15	2.15	2.57	10.00	2.3 ~ 11.5	2550	470 ~ 3450	12.5	11.6	1.18	2.58	2.58	3.08	3.08	12.00	3.4 ~ 14.5	2780	680 ~ 3960	13.1	12.2	
16 + 35 + 35 + 35 + 50	0.94	2.05	2.05	2.91	10.00	2.3 ~ 11.5	2510	560 ~ 3390	12.3	11.4	1.12	2.46	2.46	3.50	3.50	12.00	3.4 ~ 14.5	2810	810 ~ 3960	13.3	12.3	
16 + 35 + 35 + 35 + 60	0.88	1.94	1.94	3.30	10.00	2.3 ~ 11.5	2510	560 ~ 3390	12.3	11.4	1.06	2.32	2.32	3.98	3.98	12.00	3.4 ~ 14.5	2810	810 ~ 3960	13.3	12.3	
16 + 35 + 35 + 42 + 42	0.94	2.06	2.47	2.47	10.00	2.3 ~ 11.5	2550	480 ~ 3450	12.5	11.6	1.14	2.47	2.47	2.96	2.96	12.00	3.4 ~ 14.5	2770	690 ~ 3950	13.1	12.1	
16 + 35 + 35 + 42 + 50	0.90	1.97	2.36	2.80	10.00	2.3 ~ 11.5	2510	560 ~ 3390	12.3	11.4	1.08	2.36	2.36	2.83	3.37	12.00	3.4 ~ 14.5	2810	820 ~ 3950	13.3	12.3	
16 + 35 + 42 + 42 + 42	0.91	1.98	2.37	2.37	10.00	2.3 ~ 11.5	2550	480 ~ 3450	12.5	11.6	1.08	2.37	2.85	2.85	2.85	12.00	3.4 ~ 14.5	2770	710 ~ 3940	13.1	12.1	
20 + 20 + 20 + 20 + 20	2.00	2.00	2.00	2.00	10.00	2.3 ~ 11.5	2600	430 ~ 3590	12.8	11.8	2.40	2.40	2.40	2.40	2.40	12.00	3.4 ~ 14.5	2760	580 ~ 4020	13.1	12.1	
20 + 20 + 20 + 20 + 25	1.90	1.90	1.90	2.40	10.00	2.3 ~ 11.5	2600	430 ~ 3590	12.8	11.8	2.29	2.29	2.29	2.29	2.84	12.00	3.4 ~ 14.5	2760	580 ~ 4020	13.1	12.1	
20 + 20 + 20 + 20 + 35	1.74	1.74	1.74	3.04	10.00	2.3 ~ 11.5	2540	430 ~ 3510	12.5	11.5	2.09	2.09	2.09	2.09	3.64	12.00	3.4 ~ 14.5	2740	610 ~ 3990	13.0	12.0	
20 + 20 + 20 + 20 + 42	1.64	1.64	1.64	3.44	10.00	2.3 ~ 11.5	2540	430 ~ 3510	12.5	11.5	1.97	1.97	1.97	1.97	4.12	12.00	3.4 ~ 14.5	2730	610 ~ 3980	12.9	11.9	
20 + 20 + 20 + 20 + 50	1.54	1.54	1.54	3.84	10.00	2.3 ~ 11.5	2560	510 ~ 3380	12.6	11.6	1.85	1.85	1.85	1.85	4.60	12.00	3.4 ~ 14.5	2760	720 ~ 3970	13.1	12.1	
20 + 20 + 20 + 20 + 60	1.43	1.43	1.43	4.28	10.00	2.3 ~ 11.5	2560	510 ~ 3380	12.6	11.6	1.71	1.71	1.71	1.71	5.16	12.00	3.4 ~ 14.5	2760	720 ~ 3970	13.1	12.1	
20 + 20 + 20 + 20 + 71	1.32	1.32	1.32	4.72	10.00	2.3 ~ 11.5	2500	520 ~ 3380	12.3	11.4	1.59	1.59	1.59	1.59	5.64	12.00	3.4 ~ 14.5	2790	750 ~ 3960	13.2	12.2	
20 + 20 + 20 + 25 + 25	1.82	1.82	2.27	2.27	10.00	2.3 ~ 11.5	2600	430 ~ 3590	12.8	11.8	2.18	2.18	2.18	2.73	2.73	12.00	3.4 ~ 14.5	2760	580 ~ 4020	13.1	12.1	
20 + 20 + 20 + 25 + 35	1.67	1.67	2.08	2.91	10.00	2.3 ~ 11.5	2540	430 ~ 3510	12.5	11.5	2.00	2.00	2.00	2.50	3.50	12.00	3.4 ~ 14.5	2740	610 ~ 3990	13.0	12.0	
20 + 20 + 20 + 25 + 42	1.57	1.57	1.98	3.31	10.00	2.3 ~ 11.5	2540	430 ~ 3510	12.5	11.5	1.89	1.89	1.89	2.36	3.97	12.00	3.4 ~ 14.5	2730	610 ~ 3980	12.9	11.9	
20 + 20 + 20 + 25 + 50	1.48	1.48	1.86	3.70	10.00	2.3 ~ 11.5	2560	510 ~ 3380	12.6	11.6	1.78	1.78	1.78	2.22	4.44	12.00	3.4 ~ 14.5	2760	720 ~ 3970	13.1	12.1	
20 + 20 + 20 + 25 + 60	1.38	1.38	1.72	4.14	10.00	2.3 ~ 11.5	2560	510 ~ 3380	12.6	11.6	1.66	1.66	1.66	2.06	4.96	12.00	3.4 ~ 14.5	2760	720 ~ 3970	13.1	12.1	
20 + 20 + 20 + 25 + 71	1.28	1.28	1.61	4.55	10.00	2.3 ~ 11.5	2500	520 ~ 3380	12.3	11.4	1.54	1.54	1.54	1.92	5.46	12.00	3.4 ~ 14.5	2790	750 ~ 3960	13.2	12.2	
20 + 20 + 20 + 35 + 35	1.54	1.54	2.69	2.69	10.00	2.3 ~ 11.5	2550	460 ~ 3520	12.5	11.6	1.84	1.84	1.84	3.24	3.24	12.00	3.4 ~ 14.5	2770	640 ~ 3960	13.1	12.1	
20 + 20 + 20 + 35 + 42	1.46	1.46	2.55	3.07	10.00	2.3 ~ 11.5	2550	460 ~ 3520	12.5	11.6	1.75	1.75	1.75	3.07	3.68	12.00	3.4 ~ 14.5	2760	640 ~ 3950	13.1	12.1	
20 + 20 + 20 + 35 + 50	1.38	1.38	2.41	3.45	10.00	2.3 ~ 11.5	2500	520 ~ 3380	12.3	11.4	1.66	1.66	1.66	2.89	4.13	12.00	3.4 ~ 14.5	2790	760 ~ 3950	13.2	12.2	
20 + 20 + 20 + 35 + 60	1.29	1.29	2.26	3.87	10.00	2.3 ~ 11.5	2500	520 ~ 3380	12.3	11.4	1.55	1.55	1.55	2.71	4.64	12.00	3.4 ~ 14.5	2790	760 ~ 3950	13.2	12.2	
20 + 20 + 20 + 35 + 71	1.20	1.20	2.12	4.28	10.00	2.3 ~ 11.5	2510	560 ~ 3390	12.3	11.4	1.45	1.45	1.45	2.53	5.12	12.00	3.4 ~ 14.5	2780	780 ~ 3930	13.1	12.2	
20 + 20 + 20 + 42 + 42	1.38	1.38	2.93	2.93	10.00	2.3 ~ 11.5	2550	470 ~ 3520	12.5	11.6	1.66	1.66	1.66	3.51	3.51	12.00	3.4 ~ 14.5	2760	650 ~ 3930	13.1	12.1	
20 + 20 + 20 + 42 + 50	1.32	1.32	2.76	3.28	10.00	2.3 ~ 11.5	2500	520 ~ 3380	12.3	11.4	1.58	1.58	1.58	3.32	3.94	12.00	3.4 ~ 14.5	2780	760 ~ 3940	13.1	12.2	
20 + 20 + 20 + 42 + 60	1.23	1.23	2.61	3.70	10.00	2.3 ~ 11.5	2500	520 ~ 3380	12.3	11.4	1.48	1.48	1.48	3.12	4.44	12.00	3.					

CU-5Z100WBH-8: Only Wall-Mounted Indoor Combination

Indoor unit capacity		COOLING OPERATION										HEATING OPERATION											
		Cooling Capacity (kW)					Input Power (W)		Current (A)			Heating Capacity (kW)					Input Power (W)		Current (A)				
		Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V
5 Rooms	20 + 20 + 25 + 25 + 60	1.33	1.33	1.67	1.67	4.00	10.00	2.3 ~ 11.5	2560	510 ~ 3380	12.6	11.6	1.60	1.60	2.00	2.00	4.80	12.00	3.4 ~ 14.5	2760	720 ~ 3970	13.1	12.1
	20 + 20 + 25 + 25 + 71	1.24	1.24	1.55	1.55	4.42	10.00	2.3 ~ 11.5	2500	520 ~ 3380	12.3	11.4	1.49	1.49	1.86	1.86	5.30	12.00	3.4 ~ 14.5	2790	750 ~ 3960	13.2	12.2
	20 + 20 + 25 + 35 + 35	1.48	1.48	1.86	2.59	2.59	10.00	2.3 ~ 11.5	2550	460 ~ 3520	12.5	11.6	1.78	1.78	2.22	3.11	3.11	12.00	3.4 ~ 14.5	2770	640 ~ 3960	13.1	12.1
	20 + 20 + 25 + 35 + 42	1.41	1.41	1.76	2.46	2.96	10.00	2.3 ~ 11.5	2550	460 ~ 3520	12.5	11.6	1.69	1.69	2.11	2.96	3.55	12.00	3.4 ~ 14.5	2760	640 ~ 3950	13.1	12.1
	20 + 20 + 25 + 35 + 50	1.33	1.33	1.68	2.33	3.33	10.00	2.3 ~ 11.5	2500	520 ~ 3380	12.3	11.4	1.60	1.60	2.00	2.80	4.00	12.00	3.4 ~ 14.5	2790	760 ~ 3950	13.2	12.2
	20 + 20 + 25 + 35 + 60	1.25	1.25	1.56	2.19	3.75	10.00	2.3 ~ 11.5	2500	520 ~ 3380	12.3	11.4	1.50	1.50	1.88	2.63	4.49	12.00	3.4 ~ 14.5	2790	760 ~ 3950	13.2	12.2
	20 + 20 + 25 + 35 + 71	1.17	1.17	1.46	2.05	4.15	10.00	2.3 ~ 11.5	2510	560 ~ 3390	12.3	11.4	1.40	1.40	1.76	2.46	4.98	12.00	3.4 ~ 14.5	2780	780 ~ 3930	13.1	12.2
	20 + 20 + 25 + 42 + 42	1.34	1.34	1.68	2.82	2.82	10.00	2.3 ~ 11.5	2550	470 ~ 3520	12.5	11.6	1.61	1.61	2.02	3.38	3.38	12.00	3.4 ~ 14.5	2760	650 ~ 3930	13.1	12.1
	20 + 20 + 25 + 42 + 50	1.27	1.27	1.60	2.68	3.18	10.00	2.3 ~ 11.5	2500	520 ~ 3380	12.3	11.4	1.53	1.53	1.91	3.21	3.82	12.00	3.4 ~ 14.5	2780	760 ~ 3940	13.1	12.2
	20 + 20 + 25 + 42 + 60	1.20	1.20	1.50	2.51	3.59	10.00	2.3 ~ 11.5	2500	520 ~ 3380	12.3	11.4	1.44	1.44	1.80	3.02	4.30	12.00	3.4 ~ 14.5	2780	760 ~ 3940	13.1	12.2
	20 + 20 + 25 + 42 + 71	1.12	1.12	1.41	2.36	3.99	10.00	2.3 ~ 11.5	2510	560 ~ 3390	12.3	11.4	1.35	1.35	1.69	2.83	4.78	12.00	3.4 ~ 14.5	2780	780 ~ 3980	13.1	12.2
	20 + 20 + 25 + 50 + 50	1.21	1.21	1.52	3.03	3.03	10.00	2.3 ~ 11.5	2530	610 ~ 3330	12.4	11.5	1.45	1.45	1.82	3.64	3.64	12.00	3.4 ~ 14.5	2870	900 ~ 4010	13.6	12.6
	20 + 20 + 25 + 50 + 60	1.14	1.14	1.43	2.86	3.43	10.00	2.3 ~ 11.5	2530	610 ~ 3330	12.4	11.5	1.37	1.37	1.72	3.43	4.11	12.00	3.4 ~ 14.5	2870	900 ~ 4010	13.6	12.6
	20 + 20 + 35 + 35 + 35	1.37	1.37	2.42	2.42	2.42	10.00	2.3 ~ 11.5	2550	470 ~ 3440	12.5	11.6	1.65	1.65	2.90	2.90	2.90	12.00	3.4 ~ 14.5	2750	650 ~ 3980	13.0	12.0
	20 + 20 + 35 + 35 + 42	1.32	1.32	2.30	2.30	2.76	10.00	2.3 ~ 11.5	2550	470 ~ 3440	12.5	11.6	1.58	1.58	2.76	2.76	3.32	12.00	3.4 ~ 14.5	2740	670 ~ 3970	13.0	12.0
	20 + 20 + 35 + 35 + 50	1.25	1.25	2.19	2.19	3.12	10.00	2.3 ~ 11.5	2510	550 ~ 3390	12.3	11.4	1.50	1.50	2.63	2.63	3.74	12.00	3.4 ~ 14.5	2820	790 ~ 3980	13.3	12.3
	20 + 20 + 35 + 35 + 60	1.18	1.18	2.06	2.06	3.52	10.00	2.3 ~ 11.5	2510	550 ~ 3390	12.3	11.4	1.41	1.41	2.47	2.47	4.24	12.00	3.4 ~ 14.5	2820	790 ~ 3980	13.3	12.3
	20 + 20 + 35 + 35 + 71	1.11	1.11	1.93	1.93	3.92	10.00	2.3 ~ 11.5	2510	560 ~ 3390	12.3	11.4	1.33	1.33	2.32	2.32	4.70	12.00	3.4 ~ 14.5	2810	800 ~ 3960	13.3	12.3
	20 + 20 + 35 + 42 + 42	1.26	1.26	2.20	2.64	2.64	10.00	2.3 ~ 11.5	2550	470 ~ 3450	12.5	11.6	1.51	1.51	2.64	3.17	3.17	12.00	3.4 ~ 14.5	2740	680 ~ 3960	13.0	12.0
	20 + 20 + 35 + 42 + 50	1.20	1.20	2.10	2.51	2.99	10.00	2.3 ~ 11.5	2510	560 ~ 3390	12.3	11.4	1.44	1.44	2.51	3.02	3.59	12.00	3.4 ~ 14.5	2810	800 ~ 3970	13.3	12.3
	20 + 20 + 35 + 42 + 60	1.13	1.13	1.98	2.37	3.39	10.00	2.3 ~ 11.5	2510	560 ~ 3390	12.3	11.4	1.36	1.36	2.37	2.85	4.06	12.00	3.4 ~ 14.5	2810	800 ~ 3970	13.3	12.3
	20 + 20 + 35 + 50 + 50	1.14	1.14	2.00	2.86	2.86	10.00	2.3 ~ 11.5	2540	650 ~ 3340	12.5	11.5	1.37	1.37	2.40	3.43	3.43	12.00	3.4 ~ 14.5	2900	940 ~ 3990	13.7	12.7
	20 + 20 + 42 + 42 + 42	1.19	1.19	2.54	2.54	2.54	10.00	2.3 ~ 11.5	2550	470 ~ 3450	12.5	11.6	1.44	1.44	3.04	3.04	3.04	12.00	3.4 ~ 14.5	2780	680 ~ 3950	13.1	12.2
	20 + 20 + 42 + 42 + 50	1.15	1.15	2.41	2.41	2.88	10.00	2.3 ~ 11.5	2510	560 ~ 3390	12.3	11.4	1.38	1.38	2.90	2.90	3.44	12.00	3.4 ~ 14.5	2810	810 ~ 3960	13.3	12.3
	20 + 20 + 42 + 50 + 50	1.10	1.10	2.30	2.75	2.75	10.00	2.3 ~ 11.5	2540	650 ~ 3340	12.5	11.5	1.32	1.32	2.76	3.30	3.30	12.00	3.4 ~ 14.5	2900	950 ~ 4030	13.7	12.7
	20 + 25 + 25 + 25 + 25	1.68	2.08	2.08	2.08	2.08	10.00	2.3 ~ 11.5	2600	430 ~ 3590	12.8	11.8	2.00	2.50	2.50	2.50	2.50	12.00	3.4 ~ 14.5	2760	580 ~ 4020	13.1	12.1
	20 + 25 + 25 + 25 + 35	1.55	1.92	1.92	1.92	2.69	10.00	2.3 ~ 11.5	2540	430 ~ 3510	12.5	11.5	1.85	2.31	2.31	2.31	3.22	12.00	3.4 ~ 14.5	2740	610 ~ 3990	13.0	12.0
	20 + 25 + 25 + 25 + 42	1.47	1.82	1.82	1.82	3.07	10.00	2.3 ~ 11.5	2540	430 ~ 3510	12.5	11.5	1.75	2.19	2.19	2.19	3.68	12.00	3.4 ~ 14.5	2730	610 ~ 3980	12.9	11.9
	20 + 25 + 25 + 25 + 50	1.39	1.72	1.72	1.72	3.45	10.00	2.3 ~ 11.5	2560	510 ~ 3380	12.6	11.6	1.66	2.07	2.07	2.07	4.13	12.00	3.4 ~ 14.5	2760	720 ~ 3970	13.1	12.1
	20 + 25 + 25 + 25 + 60	1.30	1.61	1.61	1.61	3.87	10.00	2.3 ~ 11.5	2560	510 ~ 3380	12.6	11.6	1.54	1.94	1.94	1.94	4.64	12.00	3.4 ~ 14.5	2760	720 ~ 3970	13.1	12.1
	20 + 25 + 25 + 25 + 71	1.20	1.51	1.51	1.51	4.27	10.00	2.3 ~ 11.5	2500	520 ~ 3380	12.3	11.4	1.45	1.81	1.81	1.81	5.12	12.00	3.4 ~ 14.5	2790	750 ~ 3960	13.2	12.2
	20 + 25 + 25 + 35 + 35	1.42	1.79	1.79	2.50	2.50	10.00	2.3 ~ 11.5	2550	460 ~ 3520	12.5	11.6	1.72	2.14	2.14	3.00	3.00	12.00	3.4 ~ 14.5	2770	640 ~ 3960	13.1	12.1
	20 + 25 + 25 + 35 + 42	1.36	1.70	1.70	2.38	2.86	10.00	2.3 ~ 11.5	2550	460 ~ 3520	12.5	11.6	1.63	2.04	2.04	2.86	3.43	12.00	3.4 ~ 14.5	2760	640 ~ 3950	13.1	12.1
	20 + 25 + 25 + 35 + 50	1.29	1.61	1.61	2.26	3.23	10.00	2.3 ~ 11.5	2500	520 ~ 3380	12.3	11.4	1.45	1.94	1.94	2.71	3.86	12.00	3.4 ~ 14.5	2790	760 ~ 3950	13.2	12.2
	20 + 25 + 25 + 35 + 60	1.21	1.52	1.52	2.12	3.63	10.00	2.3 ~ 11.5	2500	520 ~ 3380	12.3	11.4	1.55	1.82	1.82	2.55	4.36	12.00	3.4 ~ 14.5	2790	760 ~ 3950	13.2	12.2
	20 + 25 + 25 + 35 + 71	1.14	1.42	1.42	1.99	4.03	10.00	2.3 ~ 11.5	2510	560 ~ 3390	12.3	11.4	1.37	1.70	1.70	2.39	4.84	12.00	3.4 ~ 14.5	2780	780 ~ 3930	13.1	12.2
	20 + 25 + 25 + 42 + 42	1.30	1.62	1.62	2.73	2.73	10.00	2.3 ~ 11.5	2550	470 ~ 3520	12.5	11.6	1.56	1.95	1.95	3.27	3.27	12.00	3.4 ~ 14.5	2760	650 ~ 3930	13.1	12.1
	20 + 25 + 25 + 42 + 50	1.24	1.54	1.54	2.59	3.09	10.00	2.3 ~ 11.5	2500	520 ~ 3380	12.3	11.4	1.49	1.85	1.85	3.11	3.70	12.00	3.4 ~ 14.5	2780	760 ~ 3940	13.1	12.2
	20 + 25 + 25 + 42 + 60	1.17	1.45	1.45	2.44	3.49	10.00	2.3 ~ 11.5	2500	520 ~ 3380	12.3	11.4	1.40	1.74	1.74	2.93	4.19	12.00	3.4 ~ 14.5	2780	760 ~ 3940	13.1	12.2
	20 + 25 + 25 + 42 + 71	1.09	1.37	1.37	2.30	3.87	10.00	2.3 ~ 11.5	2510	560 ~ 3390	12.3	11.4	1.31	1.64	1.64	2.75	4.66	12.00	3.4 ~ 14.5	2780	780 ~ 3980	13.1	12.2
20 + 25 + 25 + 50 + 50	1.18	1.47	1.47	2.94	2.94	10.00	2.3 ~ 11.5	2530	610 ~ 3330	12.4	11.5	1.42	1.76	1.76	3.53	3.53	12.00	3.4 ~ 14.5	2870	900 ~ 4010	13.6	12.6	
20 + 25 + 25 + 50 + 60	1.11	1.39	1.39	2.78	3.33	10.00	2.3 ~ 11.5	2530	610 ~ 3330	12.4	11.5	1.33	1.67	1.67	3.33	4.00	12.00	3.4 ~ 14.5	2870	900 ~ 4010	13.6	12.6	
20 + 25 + 35 + 35 + 35	1.34	1.67	2.33	2.33	2.33	10.00	2.3 ~ 11.5	2550	470 ~ 3440	12.5	11.6	1.60	2.00	2.80	2.80	2.80	12.00	3.4 ~ 14.5	2750	650 ~ 3980	13.0	12.0	
20 + 25 + 35 + 35 + 42	1.27	1.59	2.23	2.23	2.68	10.00	2.3 ~ 11.5	2550	470 ~ 3440	12.5	11.6	1.53	1.91	2.68	2.68	3.20	12.00	3.4 ~ 14.5	2740	670 ~ 3970	13.0	12.0	
20 + 25 + 35 + 35 + 50	1.21	1.52	2.12	2.12	3.03	10.00	2.3 ~ 11.5	2510	550 ~ 3390	12.3	11.4	1.45	1.82	2.55	2.55	3.63	12.00	3.4 ~ 14.5	2820	790 ~ 3980	13.3	12.3	
20 + 25 + 35 + 35 + 60	1.14	1.43	2.00	2.00	3.43	10.00	2.3 ~ 11.5	2510	550 ~ 3390	12.3	11.4	1.38	1.71	2.40	2.40	4.11	12.00	3.4 ~ 14.5	2820	790 ~ 3980	13.3	12.3	
20 + 25 + 35 + 42 + 42	1.23	1.52	2.13	2.56	2.56	10.00	2.3 ~ 11.5	2550	470 ~ 3450	12.5	11.6	1.47	1.83	2.56	3.07	3.07	12.00	3.4 ~ 14.5	2740	680 ~ 3960	13.0	12.0	
20 + 25 + 35 + 42 + 50	1.17	1.45	2.03	2.44	2.91	10.00	2.3 ~ 11.5	2510	560 ~ 3390	12.3	11.4	1.40	1.74	2.44	2.93	3.49	12.00	3.4 ~ 14.5	2810	800 ~ 3970	13.3	12.3	
20 + 25 + 35 + 42 + 60	1.10	1.																					

CU-5Z100WBH-8: Only Wall-Mounted Indoor Combination

Indoor unit capacity		COOLING OPERATION										HEATING OPERATION											
		Cooling Capacity (kW)					Input Power (W)		Current (A)			Heating Capacity (kW)					Input Power (W)		Current (A)				
		Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V
5 Rooms	25 + 25 + 25 + 25 + 35	1.85	1.85	1.85	1.85	2.60	10.00	2.3 ~ 11.5	2540	430 ~ 3510	12.5	11.5	2.22	2.22	2.22	2.22	3.12	12.00	3.4 ~ 14.5	2740	610 ~ 3990	13.0	12.0
	25 + 25 + 25 + 25 + 42	1.76	1.76	1.76	1.76	2.96	10.00	2.3 ~ 11.5	2540	430 ~ 3510	12.5	11.5	2.11	2.11	2.11	2.11	3.56	12.00	3.4 ~ 14.5	2730	610 ~ 3980	12.9	11.9
	25 + 25 + 25 + 25 + 50	1.67	1.67	1.67	1.67	3.32	10.00	2.3 ~ 11.5	2560	510 ~ 3380	12.6	11.6	2.00	2.00	2.00	2.00	4.00	12.00	3.4 ~ 14.5	2760	720 ~ 3970	13.1	12.1
	25 + 25 + 25 + 25 + 60	1.56	1.56	1.56	1.56	3.76	10.00	2.3 ~ 11.5	2560	510 ~ 3380	12.6	11.6	1.88	1.88	1.88	1.88	4.48	12.00	3.4 ~ 14.5	2760	720 ~ 3970	13.1	12.1
	25 + 25 + 25 + 25 + 71	1.46	1.46	1.46	1.46	4.16	10.00	2.3 ~ 11.5	2500	520 ~ 3380	12.3	11.4	1.75	1.75	1.75	1.75	5.00	12.00	3.4 ~ 14.5	2790	750 ~ 3960	13.2	12.2
	25 + 25 + 25 + 35 + 35	1.72	1.72	1.72	2.42	2.42	10.00	2.3 ~ 11.5	2550	460 ~ 3520	12.5	11.6	2.06	2.06	2.06	2.91	2.91	12.00	3.4 ~ 14.5	2770	640 ~ 3960	13.1	12.1
	25 + 25 + 25 + 35 + 42	1.64	1.64	1.64	2.31	2.77	10.00	2.3 ~ 11.5	2550	460 ~ 3520	12.5	11.6	1.97	1.97	1.97	2.77	3.32	12.00	3.4 ~ 14.5	2760	640 ~ 3950	13.1	12.1
	25 + 25 + 25 + 35 + 50	1.56	1.56	1.56	2.19	3.13	10.00	2.3 ~ 11.5	2500	520 ~ 3380	12.3	11.4	1.88	1.88	1.88	2.62	3.74	12.00	3.4 ~ 14.5	2790	760 ~ 3950	13.2	12.2
	25 + 25 + 25 + 35 + 60	1.47	1.47	1.47	2.06	3.53	10.00	2.3 ~ 11.5	2500	520 ~ 3380	12.3	11.4	1.76	1.76	1.76	2.48	4.24	12.00	3.4 ~ 14.5	2790	760 ~ 3950	13.2	12.2
	25 + 25 + 25 + 35 + 71	1.38	1.38	1.38	1.93	3.93	10.00	2.3 ~ 11.5	2510	560 ~ 3390	12.3	11.4	1.66	1.66	1.66	2.32	4.70	12.00	3.4 ~ 14.5	2780	780 ~ 3930	13.1	12.2
	25 + 25 + 25 + 42 + 42	1.58	1.58	1.58	2.63	2.63	10.00	2.3 ~ 11.5	2550	470 ~ 3520	12.5	11.6	1.88	1.88	1.88	3.18	3.18	12.00	3.4 ~ 14.5	2760	650 ~ 3930	13.1	12.1
	25 + 25 + 25 + 42 + 50	1.50	1.50	1.50	2.51	2.99	10.00	2.3 ~ 11.5	2500	520 ~ 3380	12.3	11.4	1.80	1.80	1.80	3.02	3.58	12.00	3.4 ~ 14.5	2780	760 ~ 3940	13.1	12.2
	25 + 25 + 25 + 42 + 60	1.41	1.41	1.41	2.38	3.39	10.00	2.3 ~ 11.5	2500	520 ~ 3380	12.3	11.4	1.69	1.69	1.69	2.86	4.07	12.00	3.4 ~ 14.5	2780	760 ~ 3940	13.1	12.2
	25 + 25 + 25 + 50 + 50	1.42	1.42	1.42	2.87	2.87	10.00	2.3 ~ 11.5	2530	610 ~ 3330	12.4	11.5	1.72	1.72	1.72	3.42	3.42	12.00	3.4 ~ 14.5	2870	900 ~ 4010	13.6	12.6
	25 + 25 + 35 + 35 + 35	1.61	1.61	2.26	2.26	2.26	10.00	2.3 ~ 11.5	2550	470 ~ 3440	12.5	11.6	1.95	1.95	2.70	2.70	2.70	12.00	3.4 ~ 14.5	2750	650 ~ 3980	13.0	12.0
	25 + 25 + 35 + 35 + 42	1.54	1.54	2.16	2.16	2.60	10.00	2.3 ~ 11.5	2550	470 ~ 3440	12.5	11.6	1.85	1.85	2.59	2.59	3.12	12.00	3.4 ~ 14.5	2740	670 ~ 3970	13.0	12.0
	25 + 25 + 35 + 35 + 50	1.47	1.47	2.06	2.06	2.94	10.00	2.3 ~ 11.5	2510	550 ~ 3390	12.3	11.4	1.76	1.76	2.47	2.47	3.54	12.00	3.4 ~ 14.5	2820	790 ~ 3980	13.3	12.3
	25 + 25 + 35 + 35 + 60	1.39	1.39	1.94	1.94	3.34	10.00	2.3 ~ 11.5	2510	550 ~ 3390	12.3	11.4	1.67	1.67	2.33	2.33	4.00	12.00	3.4 ~ 14.5	2820	790 ~ 3980	13.3	12.3
	25 + 25 + 35 + 42 + 42	1.48	1.48	2.06	2.49	2.49	10.00	2.3 ~ 11.5	2550	470 ~ 3450	12.5	11.6	1.78	1.78	2.48	2.98	2.98	12.00	3.4 ~ 14.5	2740	680 ~ 3960	13.0	12.0
	25 + 25 + 35 + 42 + 50	1.41	1.41	1.99	2.37	2.82	10.00	2.3 ~ 11.5	2510	560 ~ 3390	12.3	11.4	1.69	1.69	2.37	2.85	3.40	12.00	3.4 ~ 14.5	2810	800 ~ 3970	13.3	12.3
25 + 25 + 42 + 42 + 42	1.43	1.43	2.38	2.38	2.38	10.00	2.3 ~ 11.5	2550	470 ~ 3450	12.5	11.6	1.71	1.71	2.86	2.86	2.86	12.00	3.4 ~ 14.5	2780	680 ~ 3950	13.1	12.2	
25 + 35 + 35 + 35 + 35	1.52	2.12	2.12	2.12	2.12	10.00	2.3 ~ 11.5	2550	470 ~ 3450	12.5	11.6	1.80	2.55	2.55	2.55	2.55	12.00	3.4 ~ 14.5	2780	680 ~ 3960	13.1	12.2	
25 + 35 + 35 + 35 + 42	1.46	2.03	2.03	2.03	2.45	10.00	2.3 ~ 11.5	2550	480 ~ 3450	12.5	11.6	1.75	2.44	2.44	2.44	2.93	12.00	3.4 ~ 14.5	2770	690 ~ 3950	13.1	12.1	
25 + 35 + 35 + 35 + 50	1.40	1.94	1.94	1.94	2.78	10.00	2.3 ~ 11.5	2510	560 ~ 3390	12.3	11.4	1.68	2.33	2.33	2.33	3.33	12.00	3.4 ~ 14.5	2810	820 ~ 3950	13.3	12.3	
25 + 35 + 35 + 42 + 42	1.40	1.96	1.96	2.34	2.34	10.00	2.3 ~ 11.5	2550	480 ~ 3450	12.5	11.6	1.68	2.35	2.35	2.81	2.81	12.00	3.4 ~ 14.5	2770	710 ~ 3940	13.1	12.1	
35 + 35 + 35 + 35 + 35	2.00	2.00	2.00	2.00	2.00	10.00	2.3 ~ 11.5	2550	510 ~ 3450	12.5	11.6	2.40	2.40	2.40	2.40	2.40	12.00	3.4 ~ 14.5	2760	710 ~ 3930	13.1	12.1	
35 + 35 + 35 + 35 + 42	1.92	1.92	1.92	1.92	2.32	10.00	2.3 ~ 11.5	2560	510 ~ 3450	12.6	11.6	2.31	2.31	2.31	2.31	2.76	12.00	3.4 ~ 14.5	2760	720 ~ 3980	13.1	12.1	

CU-5Z100WBH-8: Free Multi Indoor Combination

Indoor unit capacity		COOLING OPERATION										HEATING OPERATION									
		Cooling Capacity (kW)					Input Power (W)		Current (A)			Heating Capacity (kW)					Input Power (W)		Current (A)		
		Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max
1 Room	16	1.60	-	-	-	1.60	1.3 ~ 2.3	450	250 ~ 690	2.4	2.2	2.60	-	-	-	2.60	1.2 ~ 3.2	700	290 ~ 1060	3.5	3.2
	20	2.00	-	-	-	2.00	1.8 ~ 2.9	550	340 ~ 860	2.8	2.6	3.20	-	-	-	3.20	1.2 ~ 4.1	840	290 ~ 1330	4.3	3.9
	25	2.50	-	-	-	2.50	1.8 ~ 2.9	680	340 ~ 860	3.5	3.2	3.60	-	-	-	3.60	1.2 ~ 4.3	1040	290 ~ 1330	5.4	4.9
	35	3.50	-	-	-	3.50	1.8 ~ 4.1	990	340 ~ 1410	5.0	4.6	4.50	-	-	-	4.50	1.2 ~ 5.8	1330	290 ~ 2200	6.8	6.2
	42	4.20	-	-	-	4.20	1.8 ~ 4.5	1420	340 ~ 2040	6.9	6.3	5.60	-	-	-	5.60	1.2 ~ 6.8	1820	290 ~ 3030	8.8	8.0
	50	5.00	-	-	-	5.00	1.9 ~ 5.4	1630	340 ~ 2150	7.9	7.3	6.80	-	-	-	6.80	1.2 ~ 6.9	2350	290 ~ 2840	11.3	10.4
	60	6.00	-	-	-	6.00	1.9 ~ 6.2	2080	340 ~ 2380	9.8	9.0	8.50	-	-	-	8.50	1.3 ~ 9.0	2500	320 ~ 2650	12.1	11.0
71	7.10	-	-	-	7.10	2.0 ~ 7.2	2580	370 ~ 2820	12.2	11.2	8.70	-	-	-	8.70	1.4 ~ 9.2	2650	380 ~ 2820	12.8	11.7	
2 Rooms	16 + 16	1.60	1.60	-	-	3.20	2.3 ~ 5.8	760	260 ~ 1840	4.0	3.7	2.60	2.60	-	-	5.20	2.0 ~ 8.2	1580	220 ~ 2610	7.8	7.2
	16 + 20	1.60	2.00	-	-	3.60	2.3 ~ 5.8	890	250 ~ 1840	4.6	4.3	2.58	3.22	-	-	5.80	2.0 ~ 8.2	1740	220 ~ 2600	8.6	7.9
	16 + 25	1.60	2.50	-	-	4.10	2.3 ~ 5.8	1060	250 ~ 1840	5.4	5.0	2.42	3.78	-	-	6.20	2.0 ~ 8.2	1880	220 ~ 2600	9.2	8.5
	16 + 35	1.60	3.50	-	-	5.10	2.3 ~ 5.8	1420	250 ~ 1780	7.2	6.6	2.23	4.87	-	-	7.10	2.0 ~ 8.6	2110	210 ~ 2680	10.4	9.5
	16 + 42	1.60	4.20	-	-	5.80	2.3 ~ 6.7	1730	250 ~ 2230	8.7	8.0	2.26	5.94	-	-	8.20	2.0 ~ 10.1	2470	210 ~ 3230	12.1	11.1
	16 + 50	1.60	5.00	-	-	6.60	2.3 ~ 7.2	1940	240 ~ 2230	9.7	8.9	2.28	7.12	-	-	9.40	2.0 ~ 11.0	2670	160 ~ 3240	13.1	12.0
	16 + 60	1.60	6.00	-	-	7.60	2.3 ~ 8.6	2470	240 ~ 3180	12.4	11.3	2.34	8.76	-	-	11.10	2.0 ~ 11.0	3090	160 ~ 3240	15.2	13.9
	16 + 71	1.60	7.10	-	-	8.70	2.3 ~ 9.1	3020	230 ~ 3260	15.1	13.9	2.08	9.22	-	-	11.30	2.0 ~ 13.0	3030	160 ~ 4180	14.9	13.6
	20 + 20	2.00	2.00	-	-	4.00	2.3 ~ 5.8	1020	250 ~ 1780	5.3	4.8	3.20	3.20	-	-	6.40	2.0 ~ 8.2	1910	220 ~ 2590	9.4	8.6
	20 + 25	2.00	2.50	-	-	4.50	2.3 ~ 5.8	1220	250 ~ 1780	6.2	5.7	3.02	3.78	-	-	6.80	2.0 ~ 8.2	2030	220 ~ 2590	10.0	9.1
	20 + 35	2.00	3.50	-	-	5.50	2.3 ~ 5.8	1570	250 ~ 1730	7.9	7.3	2.80	4.90	-	-	7.70	2.0 ~ 8.6	2280	210 ~ 2620	11.2	10.3
	20 + 42	2.00	4.20	-	-	6.20	2.3 ~ 7.2	1940	250 ~ 2590	9.7	8.9	2.84	5.96	-	-	8.80	2.0 ~ 11.0	2620	200 ~ 3430	12.9	11.8
	20 + 50	2.00	5.00	-	-	7.00	2.3 ~ 8.1	2050	240 ~ 2710	10.3	9.4	2.86	7.14	-	-	10.00	2.0 ~ 11.0	2850	160 ~ 3180	14.0	12.8
	20 + 60	2.00	6.00	-	-	8.00	2.3 ~ 8.6	2650	240 ~ 3110	13.3	12.2	2.93	8.77	-	-	11.70	2.0 ~ 11.9	3180	160 ~ 3670	15.6	14.3
	20 + 71	2.00	7.10	-	-	9.10	2.3 ~ 10.0	3190	260 ~ 4130	16.0	14.6	2.62	9.28	-	-	11.90	2.0 ~ 13.0	3260	160 ~ 4170	16.0	14.7
	25 + 25	2.50	2.50	-	-	5.00	2.3 ~ 5.8	1370	250 ~ 1780	6.9	6.3	3.60	3.60	-	-	7.20	2.0 ~ 8.6	2170	220 ~ 2700	10.7	9.8
25 + 35	2.50	3.50	-	-	6.00	2.3 ~ 6.7	1830	250 ~ 2230	9.2	8.4	3.38	4.72	-	-	8.10	2.0 ~ 10.1	2420	21			

CU-5Z100WBH-8: Free Multi Indoor Combination

Indoor unit capacity		COOLING OPERATION										HEATING OPERATION											
		Cooling Capacity (kW)					Input Power (W)		Current (A)			Heating Capacity (kW)					Input Power (W)		Current (A)				
		Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V
2 Rooms	25 + 50	2.50	5.00	-	-	-	7.50	2.3 ~ 8.6	2350	240 ~ 3110	11.8	10.8	3.47	6.93	-	-	-	10.40	2.0 ~ 11.0	2880	160 ~ 3180	14.1	13.0
	25 + 60	2.50	6.00	-	-	-	8.50	2.3 ~ 9.1	3040	240 ~ 3390	15.2	13.9	3.53	8.47	-	-	-	12.00	2.0 ~ 13.0	3330	160 ~ 4180	16.4	15.0
	25 + 71	2.50	7.10	-	-	-	9.60	2.3 ~ 10.1	3630	260 ~ 4280	18.2	16.7	3.13	8.87	-	-	-	12.00	2.0 ~ 13.0	3310	160 ~ 4170	16.3	14.9
	35 + 35	3.50	3.50	-	-	-	7.00	2.3 ~ 8.1	2350	250 ~ 3160	11.8	10.8	4.50	4.50	-	-	-	9.00	2.0 ~ 11.0	2650	200 ~ 3420	13.0	11.9
	35 + 42	3.50	4.20	-	-	-	7.70	2.3 ~ 8.6	2770	250 ~ 3650	13.9	12.7	4.59	5.51	-	-	-	10.10	2.0 ~ 11.0	3000	200 ~ 3360	14.7	13.5
	35 + 50	3.50	5.00	-	-	-	8.50	2.3 ~ 9.1	2910	230 ~ 3260	14.6	13.3	4.65	6.65	-	-	-	11.30	2.0 ~ 13.0	2960	160 ~ 4160	14.5	13.3
	35 + 60	3.50	6.00	-	-	-	9.50	2.3 ~ 10.1	3670	230 ~ 4280	18.4	16.8	4.42	7.58	-	-	-	12.00	2.0 ~ 13.0	3250	160 ~ 4160	16.0	14.6
	35 + 71	3.30	6.70	-	-	-	10.00	2.3 ~ 10.4	3920	260 ~ 4440	19.6	18.0	3.96	8.04	-	-	-	12.00	2.0 ~ 13.8	3240	160 ~ 4510	15.9	14.6
	42 + 42	4.20	4.20	-	-	-	8.40	2.3 ~ 9.1	3440	250 ~ 4060	17.2	15.8	5.60	5.60	-	-	-	11.20	2.0 ~ 13.0	3140	190 ~ 4350	15.4	14.1
	42 + 50	4.20	5.00	-	-	-	9.20	2.3 ~ 10.0	3330	230 ~ 4130	16.7	15.3	5.48	6.52	-	-	-	12.00	2.0 ~ 13.0	3240	160 ~ 4090	15.9	14.6
	42 + 60	4.12	5.88	-	-	-	10.00	2.3 ~ 10.4	4130	230 ~ 4430	20.7	18.9	4.94	7.06	-	-	-	12.00	2.0 ~ 13.8	3240	160 ~ 4510	15.9	14.6
	42 + 71	3.72	6.28	-	-	-	10.00	2.3 ~ 10.4	3850	260 ~ 4440	19.3	17.7	4.46	7.54	-	-	-	12.00	2.0 ~ 13.8	3230	160 ~ 4500	15.9	14.5
	50 + 50	5.00	5.00	-	-	-	10.00	2.3 ~ 10.4	3370	250 ~ 3710	16.9	15.5	6.00	6.00	-	-	-	12.00	2.0 ~ 13.8	3030	170 ~ 4260	14.9	13.6
	50 + 60	4.55	5.45	-	-	-	10.00	2.3 ~ 10.4	3370	250 ~ 3710	16.9	15.5	5.45	6.55	-	-	-	12.00	2.0 ~ 13.8	3030	170 ~ 4260	14.9	13.6
	50 + 71	4.13	5.87	-	-	-	10.00	2.3 ~ 10.4	3230	250 ~ 3580	16.2	14.8	4.96	7.04	-	-	-	12.00	2.0 ~ 13.8	3010	170 ~ 4240	14.8	13.6
	60 + 60	5.00	5.00	-	-	-	10.00	2.3 ~ 10.4	3370	250 ~ 3710	16.9	15.5	6.00	6.00	-	-	-	12.00	2.0 ~ 13.8	3030	170 ~ 4260	14.9	13.6
	60 + 71	4.58	5.42	-	-	-	10.00	2.3 ~ 10.4	3230	250 ~ 3580	16.2	14.8	5.50	6.50	-	-	-	12.00	2.0 ~ 13.8	3010	170 ~ 4240	14.8	13.6
71 + 71	5.00	5.00	-	-	-	10.00	2.3 ~ 10.4	3100	280 ~ 3440	15.5	14.2	6.00	6.00	-	-	-	12.00	2.0 ~ 13.8	3000	180 ~ 4220	14.7	13.5	
3 Rooms	16 + 16 + 16	1.60	1.60	1.60	-	-	4.80	2.3 ~ 8.5	1140	260 ~ 2770	5.8	5.3	2.60	2.60	2.60	-	-	7.80	2.7 ~ 12.3	2100	230 ~ 3820	10.3	9.5
	16 + 16 + 20	1.60	1.60	2.00	-	-	5.20	2.3 ~ 8.5	1250	260 ~ 2770	6.3	5.8	2.58	2.58	3.24	-	-	8.40	2.7 ~ 12.3	2320	230 ~ 3800	11.4	10.4
	16 + 16 + 25	1.60	1.60	2.50	-	-	5.70	2.3 ~ 8.5	1440	260 ~ 2770	7.3	6.7	2.47	2.47	3.86	-	-	8.80	2.7 ~ 12.3	2390	230 ~ 3800	11.7	10.8
	16 + 16 + 35	1.60	1.60	3.50	-	-	6.70	2.3 ~ 8.5	1760	260 ~ 2700	8.8	8.1	2.32	2.32	5.06	-	-	9.70	2.7 ~ 12.3	2700	230 ~ 3720	13.3	12.2
	16 + 16 + 42	1.60	1.60	4.20	-	-	7.40	2.3 ~ 8.5	2100	250 ~ 2640	10.5	9.6	2.34	2.34	6.12	-	-	10.80	2.7 ~ 12.3	2830	230 ~ 3700	13.9	12.7
	16 + 16 + 50	1.60	1.60	5.00	-	-	8.20	2.3 ~ 8.7	2260	280 ~ 2440	11.3	10.4	2.34	2.34	7.32	-	-	12.00	2.7 ~ 12.9	3050	250 ~ 3790	15.0	13.7
	16 + 16 + 60	1.60	1.60	6.00	-	-	9.20	2.3 ~ 10.1	2600	280 ~ 3150	13.0	11.9	2.09	2.09	7.82	-	-	12.00	2.7 ~ 13.6	3050	250 ~ 4150	15.0	13.7
	16 + 16 + 71	1.55	1.55	6.90	-	-	10.00	2.3 ~ 10.7	2960	280 ~ 3490	14.8	13.6	1.86	1.86	8.28	-	-	12.00	2.7 ~ 13.6	3040	250 ~ 4070	14.9	13.7
	16 + 20 + 20	1.60	2.00	2.00	-	-	5.60	2.3 ~ 8.5	1390	260 ~ 2700	7.0	6.4	2.58	3.21	3.21	-	-	9.00	2.7 ~ 12.3	2430	230 ~ 3790	11.9	10.9
	16 + 20 + 25	1.60	2.00	2.50	-	-	6.10	2.3 ~ 8.5	1600	260 ~ 2700	8.1	7.4	2.47	3.08	3.85	-	-	9.40	2.7 ~ 12.3	2570	230 ~ 3790	12.6	11.6
	16 + 20 + 35	1.60	2.00	3.50	-	-	7.10	2.3 ~ 8.5	1930	250 ~ 2640	9.7	8.9	2.32	2.90	5.08	-	-	10.30	2.7 ~ 12.3	2730	230 ~ 3700	13.4	12.3
	16 + 20 + 42	1.60	2.00	4.20	-	-	7.80	2.3 ~ 8.5	2210	250 ~ 2640	11.1	10.1	2.34	2.92	6.14	-	-	11.40	2.7 ~ 12.9	2970	230 ~ 3980	14.6	13.4
	16 + 20 + 50	1.60	2.00	5.00	-	-	8.60	2.3 ~ 9.6	2450	280 ~ 2770	12.3	11.2	2.23	2.79	6.98	-	-	12.00	2.7 ~ 13.6	3040	250 ~ 4070	14.9	13.7
	16 + 20 + 60	1.60	2.00	6.00	-	-	9.60	2.3 ~ 10.1	2770	280 ~ 3090	13.9	12.7	2.00	2.50	7.50	-	-	12.00	2.7 ~ 13.6	3040	250 ~ 4070	14.9	13.7
	16 + 20 + 71	1.50	1.87	6.63	-	-	10.00	2.3 ~ 10.7	2960	280 ~ 3490	14.8	13.6	1.80	2.24	7.96	-	-	12.00	2.7 ~ 13.8	3030	250 ~ 4180	14.9	13.6
	16 + 25 + 25	1.60	2.50	2.50	-	-	6.60	2.3 ~ 8.5	1810	260 ~ 2700	9.1	8.3	2.38	3.71	3.71	-	-	9.80	2.7 ~ 12.3	2770	230 ~ 3790	13.6	12.5
	16 + 25 + 35	1.60	2.50	3.50	-	-	7.60	2.3 ~ 8.5	2210	250 ~ 2640	11.1	10.1	2.25	3.52	4.93	-	-	10.70	2.7 ~ 12.3	2870	230 ~ 3700	14.1	12.9
	16 + 25 + 42	1.60	2.50	4.20	-	-	8.30	2.3 ~ 8.7	2510	250 ~ 2690	12.6	11.5	2.28	3.55	5.97	-	-	11.80	2.7 ~ 12.9	3110	230 ~ 3980	15.3	14.0
	16 + 25 + 50	1.60	2.50	5.00	-	-	9.10	2.3 ~ 10.1	2540	280 ~ 3090	12.7	11.7	2.11	3.30	6.59	-	-	12.00	2.7 ~ 13.6	3040	250 ~ 4070	14.9	13.7
	16 + 25 + 60	1.58	2.48	5.94	-	-	10.00	2.3 ~ 10.7	3020	280 ~ 3630	15.1	13.9	1.90	2.97	7.13	-	-	12.00	2.7 ~ 13.6	3040	250 ~ 4070	14.9	13.7
	16 + 25 + 71	1.43	2.23	6.34	-	-	10.00	2.3 ~ 10.7	2960	280 ~ 3490	14.8	13.6	1.71	2.68	7.61	-	-	12.00	2.7 ~ 13.8	3030	250 ~ 4180	14.9	13.6
	16 + 35 + 35	1.60	3.50	3.50	-	-	8.60	2.3 ~ 9.6	2640	250 ~ 3080	13.2	12.1	2.16	4.72	4.72	-	-	11.60	2.7 ~ 13.6	3000	230 ~ 4320	14.7	13.5
	16 + 35 + 42	1.60	3.50	4.20	-	-	9.30	2.3 ~ 10.1	2920	250 ~ 3480	14.6	13.4	2.06	4.52	5.42	-	-	12.00	2.7 ~ 13.6	3130	240 ~ 4310	15.4	14.1
	16 + 35 + 50	1.58	3.47	4.95	-	-	10.00	2.3 ~ 10.7	2960	280 ~ 3490	14.8	13.6	1.90	4.16	5.94	-	-	12.00	2.7 ~ 13.6	2960	250 ~ 4040	14.5	13.3
	16 + 35 + 60	1.44	3.15	5.41	-	-	10.00	2.3 ~ 10.7	2960	280 ~ 3490	14.8	13.6	1.73	3.78	6.49	-	-	12.00	2.7 ~ 13.8	2960	250 ~ 4160	14.5	13.3
	16 + 35 + 71	1.31	2.87	5.82	-	-	10.00	2.3 ~ 10.7	2890	280 ~ 3350	14.5	13.3	1.58	3.44	6.98	-	-	12.00	2.7 ~ 13.8	2950	270 ~ 4140	14.5	13.3
	16 + 42 + 42	1.60	4.20	4.20	-	-	10.00	2.3 ~ 10.7	3350	250 ~ 4060	16.8	15.4	1.92	5.04	5.04	-	-	12.00	2.7 ~ 13.6	3120	240 ~ 4230	15.3	14.1
	16 + 42 + 50	1.48	3.89	4.63	-	-	10.00	2.3 ~ 10.7	2960	280 ~ 3490	14.8	13.6	1.78	4.67	5.55	-	-	12.00	2.7 ~ 13.8	2950	270 ~ 4150	14.5	13.3
	16 + 42 + 60	1.36	3.56	5.08	-	-	10.00	2.3 ~ 10.7	2960	280 ~ 3490	14.8	13.6	1.63	4.27	6.10	-	-	12.00	2.7 ~ 13.8	2950	270 ~ 4150	14.5	13.3
	16 + 42 + 71	1.24	3.26	5.50	-	-	10.00	2.3 ~ 10.7	2890	280 ~ 3350	14.5	13.3	1.49	3.91	6.60	-	-	12.00	2.7 ~ 14.1	2940	270 ~ 4250	14.4	13.2
	16 + 50 + 50	1.38	4.31	4.31	-	-	10.00	2.3 ~ 10.7	2700	320 ~ 3090	13.5	12.4	1.66	5.17	5.17	-	-	12.00	2.7 ~ 13.8	2840	300 ~ 3940	14.0	12.8
	16 + 50 + 60																						

CU-5Z100WBH-8: Free Multi Indoor Combination

Indoor unit capacity		COOLING OPERATION											HEATING OPERATION										
		Cooling Capacity (kW)						Input Power (W)		Current (A)			Heating Capacity (kW)						Input Power (W)		Current (A)		
		Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V
3 Rooms	20 + 20 + 60	2.00	2.00	6.00	-	-	10.00	2.3 ~ 10.7	3020	280 ~ 3560	15.1	13.9	2.40	2.40	7.20	-	-	12.00	2.7 ~ 13.6	3030	250 ~ 4060	14.9	13.6
	20 + 20 + 71	1.80	1.80	6.40	-	-	10.00	2.3 ~ 10.7	2960	280 ~ 3420	14.8	13.6	2.16	2.16	7.68	-	-	12.00	2.7 ~ 13.8	2970	250 ~ 4160	14.6	13.4
	20 + 25 + 25	2.00	2.50	2.50	-	-	7.00	2.3 ~ 8.5	1930	260 ~ 2700	9.7	8.9	2.98	3.71	3.71	-	-	10.40	2.7 ~ 12.3	2790	230 ~ 3780	13.7	12.6
	20 + 25 + 35	2.00	2.50	3.50	-	-	8.00	2.3 ~ 8.5	2330	250 ~ 2640	11.7	10.7	2.83	3.53	4.94	-	-	11.30	2.7 ~ 12.9	2920	230 ~ 3980	14.3	13.1
	20 + 25 + 42	2.00	2.50	4.20	-	-	8.70	2.3 ~ 9.6	2690	250 ~ 3150	13.5	12.3	2.76	3.45	5.79	-	-	12.00	2.7 ~ 13.6	3200	230 ~ 4330	15.7	14.4
	20 + 25 + 50	2.00	2.50	5.00	-	-	9.50	2.3 ~ 10.1	2790	280 ~ 3090	14.0	12.8	2.53	3.16	6.31	-	-	12.00	2.7 ~ 13.6	3030	250 ~ 4060	14.9	13.6
	20 + 25 + 60	1.91	2.38	5.71	-	-	10.00	2.3 ~ 10.7	3020	280 ~ 3560	15.1	13.9	2.29	2.86	6.85	-	-	12.00	2.7 ~ 13.8	3030	250 ~ 4180	14.9	13.6
	20 + 25 + 71	1.72	2.16	6.12	-	-	10.00	2.3 ~ 10.7	2960	280 ~ 3420	14.8	13.6	2.07	2.59	7.34	-	-	12.00	2.7 ~ 13.8	2970	250 ~ 4160	14.6	13.4
	20 + 35 + 35	2.00	3.50	3.50	-	-	9.00	2.3 ~ 9.6	2810	250 ~ 3080	14.1	12.9	2.66	4.67	4.67	-	-	12.00	2.7 ~ 13.6	3130	240 ~ 4310	15.4	14.1
	20 + 35 + 42	2.00	3.50	4.20	-	-	9.70	2.3 ~ 10.7	3080	250 ~ 4060	15.4	14.1	2.47	4.33	5.20	-	-	12.00	2.7 ~ 13.6	3120	240 ~ 4230	15.3	14.1
	20 + 35 + 50	1.91	3.33	4.76	-	-	10.00	2.3 ~ 10.7	2960	280 ~ 3490	14.8	13.6	2.29	4.00	5.71	-	-	12.00	2.7 ~ 13.8	2950	270 ~ 4150	14.5	13.3
	20 + 35 + 60	1.74	3.04	5.22	-	-	10.00	2.3 ~ 10.7	2960	280 ~ 3490	14.8	13.6	2.09	3.65	6.26	-	-	12.00	2.7 ~ 13.8	2950	270 ~ 4150	14.5	13.3
	20 + 35 + 71	1.59	2.78	5.63	-	-	10.00	2.3 ~ 10.7	2890	280 ~ 3350	14.5	13.3	1.91	3.33	6.76	-	-	12.00	2.7 ~ 13.8	2940	270 ~ 4130	14.4	13.2
	20 + 42 + 42	1.92	4.04	4.04	-	-	10.00	2.3 ~ 10.7	3350	250 ~ 4060	16.8	15.4	2.30	4.85	4.85	-	-	12.00	2.7 ~ 13.6	3110	240 ~ 4220	15.3	14.0
	20 + 42 + 50	1.79	3.75	4.46	-	-	10.00	2.3 ~ 10.7	2960	280 ~ 3420	14.8	13.6	2.14	4.50	5.36	-	-	12.00	2.7 ~ 13.8	2940	270 ~ 4130	14.4	13.2
	20 + 42 + 60	1.64	3.44	4.92	-	-	10.00	2.3 ~ 10.7	2960	280 ~ 3420	14.8	13.6	1.97	4.13	5.90	-	-	12.00	2.7 ~ 13.8	2940	270 ~ 4130	14.4	13.2
	20 + 42 + 71	1.50	3.16	5.34	-	-	10.00	2.3 ~ 10.7	2830	280 ~ 3350	14.2	13.0	1.80	3.79	6.41	-	-	12.00	2.7 ~ 14.1	2930	270 ~ 4240	14.4	13.2
	20 + 50 + 50	1.66	4.17	4.17	-	-	10.00	2.3 ~ 10.7	2710	320 ~ 3090	13.6	12.4	2.00	5.00	5.00	-	-	12.00	2.7 ~ 13.8	2830	310 ~ 3920	13.9	12.7
	20 + 50 + 60	1.54	3.85	4.61	-	-	10.00	2.3 ~ 10.7	2710	320 ~ 3090	13.6	12.4	1.85	4.62	5.53	-	-	12.00	2.7 ~ 14.1	2830	310 ~ 4100	13.9	12.7
	20 + 50 + 71	1.42	3.55	5.03	-	-	10.00	2.3 ~ 10.7	2640	350 ~ 3020	13.2	12.1	1.70	4.26	6.04	-	-	12.00	2.7 ~ 14.1	2820	320 ~ 4080	13.9	12.7
	20 + 60 + 60	1.42	4.29	4.29	-	-	10.00	2.3 ~ 10.7	2710	320 ~ 3090	13.6	12.4	1.72	5.14	5.14	-	-	12.00	2.7 ~ 14.1	2830	310 ~ 4100	13.9	12.7
	20 + 60 + 71	1.33	3.97	4.70	-	-	10.00	2.3 ~ 10.7	2640	350 ~ 3020	13.2	12.1	1.59	4.77	5.64	-	-	12.00	2.7 ~ 14.4	2820	320 ~ 4200	13.9	12.7
	20 + 71 + 71	1.24	4.38	4.38	-	-	10.00	2.3 ~ 10.7	2580	350 ~ 2960	12.9	11.8	1.48	5.26	5.26	-	-	12.00	2.7 ~ 14.4	2850	330 ~ 4190	14.0	12.8
	25 + 25 + 25	2.50	2.50	2.50	-	-	7.50	2.3 ~ 8.5	2160	260 ~ 2700	10.8	9.9	3.60	3.60	3.60	-	-	10.80	2.7 ~ 12.3	2850	230 ~ 3780	14.0	12.8
	25 + 25 + 35	2.50	2.50	3.50	-	-	8.50	2.3 ~ 9.6	2640	250 ~ 3150	13.2	12.1	3.44	3.44	4.82	-	-	11.70	2.7 ~ 13.6	3060	230 ~ 4340	15.0	13.8
	25 + 25 + 42	2.50	2.50	4.20	-	-	9.20	2.3 ~ 10.1	2920	250 ~ 3550	14.6	13.4	3.26	3.26	5.48	-	-	12.00	2.7 ~ 13.6	3200	230 ~ 4330	15.7	14.4
	25 + 25 + 50	2.50	2.50	5.00	-	-	10.00	2.3 ~ 10.7	3020	280 ~ 3560	15.1	13.9	3.00	3.00	6.00	-	-	12.00	2.7 ~ 13.6	3030	250 ~ 4060	14.9	13.6
	25 + 25 + 60	2.27	2.27	5.46	-	-	10.00	2.3 ~ 10.7	3020	280 ~ 3560	15.1	13.9	2.73	2.73	6.54	-	-	12.00	2.7 ~ 13.8	3030	250 ~ 4180	14.9	13.6
	25 + 25 + 71	2.07	2.07	5.86	-	-	10.00	2.3 ~ 10.7	2960	280 ~ 3420	14.8	13.6	2.48	2.48	7.04	-	-	12.00	2.7 ~ 13.8	2970	250 ~ 4160	14.6	13.4
	25 + 35 + 35	2.50	3.50	3.50	-	-	9.50	2.3 ~ 10.1	3050	250 ~ 3480	15.3	14.0	3.16	4.42	4.42	-	-	12.00	2.7 ~ 13.6	3130	240 ~ 4310	15.4	14.1
	25 + 35 + 42	2.45	3.43	4.12	-	-	10.00	2.3 ~ 10.7	3350	250 ~ 4060	16.8	15.4	2.94	4.12	4.94	-	-	12.00	2.7 ~ 13.6	3120	240 ~ 4230	15.3	14.1
	25 + 35 + 50	2.27	3.18	4.55	-	-	10.00	2.3 ~ 10.7	2960	280 ~ 3490	14.8	13.6	2.73	3.82	5.45	-	-	12.00	2.7 ~ 13.8	2950	270 ~ 4150	14.5	13.3
	25 + 35 + 60	2.08	2.92	5.00	-	-	10.00	2.3 ~ 10.7	2960	280 ~ 3490	14.8	13.6	2.50	3.50	6.00	-	-	12.00	2.7 ~ 13.8	2950	270 ~ 4150	14.5	13.3
	25 + 35 + 71	1.91	2.67	5.42	-	-	10.00	2.3 ~ 10.7	2890	280 ~ 3350	14.5	13.3	2.29	3.21	6.50	-	-	12.00	2.7 ~ 14.1	2940	270 ~ 4250	14.4	13.2
	25 + 42 + 42	2.30	3.85	3.85	-	-	10.00	2.3 ~ 10.7	3350	250 ~ 4060	16.8	15.4	2.76	4.62	4.62	-	-	12.00	2.7 ~ 13.8	3110	240 ~ 4340	15.3	14.0
25 + 42 + 50	2.14	3.59	4.27	-	-	10.00	2.3 ~ 10.7	2960	280 ~ 3420	14.8	13.6	2.56	4.31	5.13	-	-	12.00	2.7 ~ 13.8	2940	270 ~ 4130	14.4	13.2	
25 + 42 + 60	1.97	3.31	4.72	-	-	10.00	2.3 ~ 10.7	2960	280 ~ 3420	14.8	13.6	2.36	3.97	5.67	-	-	12.00	2.7 ~ 14.1	2940	270 ~ 4250	14.4	13.2	
25 + 42 + 71	1.82	3.04	5.14	-	-	10.00	2.3 ~ 10.7	2830	280 ~ 3350	14.2	13.0	2.18	3.65	6.17	-	-	12.00	2.7 ~ 14.1	2930	270 ~ 4240	14.4	13.2	
25 + 50 + 50	2.00	4.00	4.00	-	-	10.00	2.3 ~ 10.7	2710	320 ~ 3090	13.6	12.4	2.40	4.80	4.80	-	-	12.00	2.7 ~ 13.8	2830	310 ~ 3920	13.9	12.7	
25 + 50 + 60	1.86	3.70	4.44	-	-	10.00	2.3 ~ 10.7	2710	320 ~ 3090	13.6	12.4	2.23	4.44	5.33	-	-	12.00	2.7 ~ 14.1	2830	310 ~ 4100	13.9	12.7	
25 + 50 + 71	1.72	3.42	4.86	-	-	10.00	2.3 ~ 10.7	2640	350 ~ 3020	13.2	12.1	2.05	4.11	5.84	-	-	12.00	2.7 ~ 14.1	2820	320 ~ 4080	13.9	12.7	
25 + 60 + 60	1.72	4.14	4.14	-	-	10.00	2.3 ~ 10.7	2710	320 ~ 3090	13.6	12.4	2.06	4.97	4.97	-	-	12.00	2.7 ~ 14.1	2830	310 ~ 4100	13.9	12.7	
25 + 60 + 71	1.60	3.85	4.55	-	-	10.00	2.3 ~ 10.7	2640	350 ~ 3020	13.2	12.1	1.92	4.62	5.46	-	-	12.00	2.7 ~ 14.4	2820	320 ~ 4200	13.9	12.7	
25 + 71 + 71	1.50	4.25	4.25	-	-	10.00	2.3 ~ 10.7	2580	350 ~ 2960	12.9	11.8	1.80	5.10	5.10	-	-	12.00	2.7 ~ 14.4	2850	330 ~ 4190	14.0	12.8	
35 + 35 + 35	3.33	3.33	3.33	-	-	9.99	2.3 ~ 10.7	3280	250 ~ 3980	16.4	15.0	4.00	4.00	4.00	-	-	12.00	2.7 ~ 13.8	3100	240 ~ 4330	15.2	14.0	
35 + 35 + 42	3.13	3.13	3.74	-	-	10.00	2.3 ~ 10.7	3280	250 ~ 3910	16.4	15.0	3.75	3.75	4.50	-	-	12.00	2.7 ~ 13.8	3090	240 ~ 4320	15.2	13.9	
35 + 35 + 50	2.92	2.92	4.16	-	-	10.00	2.3 ~ 10.7	2890	280 ~ 3350	14.5	13.3	3.50	3.50	5.00	-	-	12.00	2.7 ~ 13.8	2930	270 ~ 4110	14.4	13.2	
35 + 35 + 60	2.69	2.69	4.62	-	-	10.00	2.3 ~ 10.7	2890	280 ~ 3350	14.5	13.3	3.23	3.23	5.54	-	-	12.00	2.7 ~ 14.1	2930	270 ~ 4230	14.4	13.2	
35 + 35 + 71	2.48	2.48	5.04	-	-	10.00	2.3 ~ 10.7	2830	310 ~ 3290	14.2	13.0	2.98	2.98	6.04	-	-	12.00	2.7 ~ 14.1	2910	270 ~ 4210	14.3	13.1	
35 + 42 + 42	2.94	3.53	3.53	-	-	10.00	2.3 ~ 10.7	3220	250 ~ 3910	16.1	14.8	3.52	4.24	4.24	-	-	12.00	2.7 ~ 13.8	3080	250 ~ 4310	15.1	13.9	
35 + 42 + 50	2.76	3.31	3.93	-	-	10.00	2.3 ~ 10.7	2890	280 ~ 3350	14.5	13.3	3.31	3.97	4.72	-	-	12.00	2.7 ~ 14.1	2920	270 ~ 4220	14.3	13.1	
35 + 42 + 60	2.55	3.07	4.38	-	-	10.00	2.3 ~ 10.7	2890	280 ~ 3350	14.5	13.3	3.07	3.68	5.25	-	-	12.00	2.7 ~ 14.1	2920	270 ~ 4220	14.3	13.1	
35 + 42 + 71	2.36	2.84	4.80	-	-	10.00	2.3 ~ 10.7	2830	310 ~ 3290	14.2	13.0	2.84	3.41	5.75	-	-	12.00	2.7 ~ 14.1	2900	280 ~ 4200	14.2	13.1	
35 + 50 + 50	2.60	3.																					

CU-5Z100WBH-8: Free Multi Indoor Combination

Indoor unit capacity	COOLING OPERATION												HEATING OPERATION											
	Cooling Capacity (kW)						Input Power (W)		Current (A)		Heating Capacity (kW)						Input Power (W)		Current (A)					
	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V		
3 Rooms	42 + 42 + 42	3.33	3.33	3.33	-	-	9.99	2.3 ~ 10.7	3220	250 ~ 3840	16.1	14.8	4.00	4.00	4.00	-	-	12.00	2.7 ~ 13.8	3070	250 ~ 4230	15.1	13.8	
	42 + 42 + 50	3.13	3.13	3.74	-	-	10.00	2.3 ~ 10.7	2830	280 ~ 3350	14.2	13.0	3.76	3.76	4.48	-	-	12.00	2.7 ~ 14.1	2910	280 ~ 4200	14.3	13.1	
	42 + 42 + 60	2.92	2.92	4.16	-	-	10.00	2.3 ~ 10.7	2830	280 ~ 3350	14.2	13.0	3.50	3.50	5.00	-	-	12.00	2.7 ~ 14.1	2910	280 ~ 4200	14.3	13.1	
	42 + 42 + 71	2.71	2.71	4.58	-	-	10.00	2.3 ~ 10.7	2770	310 ~ 3220	13.9	12.7	3.25	3.25	5.50	-	-	12.00	2.7 ~ 14.4	2890	280 ~ 4310	14.2	13.0	
	42 + 50 + 50	2.96	3.52	3.52	-	-	10.00	2.3 ~ 10.7	2640	350 ~ 3020	13.2	12.1	3.54	4.23	4.23	-	-	12.00	2.7 ~ 14.1	2850	330 ~ 4050	14.0	12.8	
	42 + 50 + 60	2.76	3.29	3.95	-	-	10.00	2.3 ~ 10.7	2640	350 ~ 3020	13.2	12.1	3.32	3.95	4.73	-	-	12.00	2.7 ~ 14.4	2850	330 ~ 4170	14.0	12.8	
	42 + 50 + 71	2.58	3.07	4.35	-	-	10.00	2.3 ~ 10.7	2580	350 ~ 2960	12.9	11.8	3.09	3.68	5.23	-	-	12.00	2.7 ~ 14.4	2830	340 ~ 4160	13.9	12.7	
	42 + 60 + 60	2.60	3.70	3.70	-	-	10.00	2.3 ~ 10.7	2640	350 ~ 3020	13.2	12.1	3.12	4.44	4.44	-	-	12.00	2.7 ~ 14.4	2850	330 ~ 4170	14.0	12.8	
	42 + 60 + 71	2.43	3.47	4.10	-	-	10.00	2.3 ~ 10.7	2580	350 ~ 2960	12.9	11.8	2.92	4.16	4.92	-	-	12.00	2.7 ~ 14.4	2830	340 ~ 4160	13.9	12.7	
	50 + 50 + 50	3.33	3.33	3.33	-	-	9.99	2.3 ~ 10.7	2470	390 ~ 2830	12.4	11.3	4.00	4.00	4.00	-	-	12.00	2.7 ~ 14.4	2800	400 ~ 4090	13.8	12.6	
	50 + 50 + 60	3.13	3.13	3.74	-	-	10.00	2.3 ~ 10.7	2530	390 ~ 2830	12.7	11.6	3.75	3.75	4.50	-	-	12.00	2.7 ~ 14.4	2800	400 ~ 4090	13.8	12.6	
	50 + 50 + 71	2.92	2.92	4.16	-	-	10.00	2.3 ~ 10.7	2470	390 ~ 2840	12.4	11.3	3.51	3.51	4.98	-	-	12.00	2.7 ~ 14.4	2790	410 ~ 4070	13.7	12.6	
	50 + 60 + 60	2.94	3.53	3.53	-	-	10.00	2.3 ~ 10.7	2530	390 ~ 2830	12.7	11.6	3.52	4.24	4.24	-	-	12.00	2.7 ~ 14.4	2800	400 ~ 4090	13.8	12.6	
	50 + 60 + 71	2.77	3.31	3.92	-	-	10.00	2.3 ~ 10.7	2470	390 ~ 2840	12.4	11.3	3.31	3.98	4.71	-	-	12.00	2.7 ~ 14.4	2790	410 ~ 4070	13.7	12.6	
	60 + 60 + 60	3.33	3.33	3.33	-	-	9.99	2.3 ~ 10.7	2470	390 ~ 2830	12.4	11.3	4.00	4.00	4.00	-	-	12.00	2.7 ~ 14.4	2800	400 ~ 4090	13.8	12.6	
4 Rooms	16 + 16 + 16 + 16	1.60	1.60	1.60	1.60	-	6.40	2.3 ~ 10.6	1600	310 ~ 3680	8.1	7.4	2.60	2.60	2.60	2.60	-	10.40	3.4 ~ 14.2	2640	340 ~ 4400	13.0	11.9	
	16 + 16 + 16 + 20	1.60	1.60	1.60	2.00	-	6.80	2.3 ~ 10.6	1740	310 ~ 3680	8.8	8.1	2.59	2.59	2.59	3.23	-	11.00	3.4 ~ 14.2	2780	340 ~ 4390	13.7	12.5	
	16 + 16 + 16 + 25	1.60	1.60	1.60	2.50	-	7.30	2.3 ~ 10.6	1900	310 ~ 3680	9.5	8.7	2.50	2.50	2.50	3.90	-	11.40	3.4 ~ 14.2	2840	340 ~ 4390	14.0	12.8	
	16 + 16 + 16 + 35	1.60	1.60	1.60	3.50	-	8.30	2.3 ~ 10.6	2290	310 ~ 3600	11.5	10.5	2.31	2.31	2.31	5.07	-	12.00	3.4 ~ 14.2	3000	340 ~ 4350	14.7	13.5	
	16 + 16 + 16 + 42	1.60	1.60	1.60	4.20	-	9.00	2.3 ~ 10.6	2580	310 ~ 3600	12.9	11.8	2.13	2.13	2.13	5.61	-	12.00	3.4 ~ 14.2	2990	340 ~ 4340	14.7	13.5	
	16 + 16 + 16 + 50	1.60	1.60	1.60	5.00	-	9.80	2.3 ~ 10.6	2780	350 ~ 3310	13.9	12.8	1.96	1.96	1.96	6.12	-	12.00	3.4 ~ 14.2	2930	390 ~ 4190	14.4	13.2	
	16 + 16 + 16 + 60	1.48	1.48	1.48	5.56	-	10.00	2.3 ~ 10.6	2910	350 ~ 3310	14.6	13.3	1.78	1.78	1.78	6.66	-	12.00	3.4 ~ 14.2	2930	390 ~ 4190	14.4	13.2	
	16 + 16 + 16 + 71	1.34	1.34	1.34	5.98	-	10.00	2.3 ~ 10.6	2850	380 ~ 3240	14.3	13.1	1.61	1.61	1.61	7.17	-	12.00	3.4 ~ 14.2	2920	400 ~ 4170	14.3	13.1	
	16 + 16 + 20 + 20	1.60	1.60	2.00	2.00	-	7.20	2.3 ~ 10.6	1850	310 ~ 3600	9.3	8.5	2.58	2.58	3.22	3.22	-	11.60	3.4 ~ 14.2	2870	340 ~ 4370	14.1	12.9	
	16 + 16 + 20 + 25	1.60	1.60	2.00	2.50	-	7.70	2.3 ~ 10.6	2050	310 ~ 3600	10.3	9.4	2.49	2.49	3.12	3.90	-	12.00	3.4 ~ 14.2	3010	340 ~ 4370	14.8	13.6	
	16 + 16 + 20 + 35	1.60	1.60	2.00	3.50	-	8.70	2.3 ~ 10.6	2450	310 ~ 3530	12.3	11.2	2.21	2.21	2.76	4.82	-	12.00	3.4 ~ 14.2	2990	340 ~ 4340	14.7	13.5	
	16 + 16 + 20 + 42	1.60	1.60	2.00	4.20	-	9.40	2.3 ~ 10.6	2740	310 ~ 3530	13.7	12.6	2.04	2.04	2.56	5.36	-	12.00	3.4 ~ 14.2	2980	340 ~ 4320	14.6	13.4	
	16 + 16 + 20 + 50	1.57	1.57	1.96	4.90	-	10.00	2.3 ~ 10.6	2910	350 ~ 3310	14.6	13.3	1.88	1.88	2.36	5.88	-	12.00	3.4 ~ 14.2	2920	400 ~ 4170	14.3	13.1	
	16 + 16 + 20 + 60	1.43	1.43	1.79	5.35	-	10.00	2.3 ~ 10.6	2910	350 ~ 3310	14.6	13.3	1.71	1.71	2.15	6.43	-	12.00	3.4 ~ 14.2	2920	400 ~ 4170	14.3	13.1	
	16 + 16 + 20 + 71	1.30	1.30	1.63	5.77	-	10.00	2.3 ~ 10.8	2850	380 ~ 3380	14.3	13.1	1.56	1.56	1.95	6.93	-	12.00	3.4 ~ 14.2	2910	400 ~ 4160	14.3	13.1	
	16 + 16 + 25 + 25	1.60	1.60	2.50	2.50	-	8.20	2.3 ~ 10.6	2230	310 ~ 3600	11.2	10.2	2.34	2.34	3.66	3.66	-	12.00	3.4 ~ 14.2	3010	340 ~ 4370	14.8	13.6	
	16 + 16 + 25 + 35	1.60	1.60	2.50	3.50	-	9.20	2.3 ~ 10.6	2680	310 ~ 3530	13.4	12.3	2.09	2.09	3.26	4.56	-	12.00	3.4 ~ 14.2	2990	340 ~ 4340	14.7	13.5	
	16 + 16 + 25 + 42	1.60	1.60	2.50	4.20	-	9.90	2.3 ~ 10.6	3040	310 ~ 3530	15.2	13.9	1.94	1.94	3.03	5.09	-	12.00	3.4 ~ 14.2	2980	340 ~ 4320	14.6	13.4	
	16 + 16 + 25 + 50	1.50	1.50	2.34	4.66	-	10.00	2.3 ~ 10.6	2910	350 ~ 3310	14.6	13.3	1.79	1.79	2.81	5.61	-	12.00	3.4 ~ 14.2	2920	400 ~ 4170	14.3	13.1	
	16 + 16 + 25 + 60	1.37	1.37	2.14	5.12	-	10.00	2.3 ~ 10.6	2910	350 ~ 3310	14.6	13.3	1.64	1.64	2.57	6.15	-	12.00	3.4 ~ 14.2	2920	400 ~ 4170	14.3	13.1	
	16 + 16 + 25 + 71	1.25	1.25	1.95	5.55	-	10.00	2.3 ~ 10.8	2850	380 ~ 3380	14.3	13.1	1.50	1.50	2.34	6.66	-	12.00	3.4 ~ 14.4	2910	400 ~ 4220	14.3	13.1	
	16 + 16 + 35 + 35	1.57	1.57	3.43	3.43	-	10.00	2.3 ~ 10.6	3040	320 ~ 3530	15.2	13.9	1.88	1.88	4.12	4.12	-	12.00	3.4 ~ 14.2	2960	360 ~ 4300	14.5	13.3	
	16 + 16 + 35 + 42	1.47	1.47	3.21	3.85	-	10.00	2.3 ~ 10.6	3040	320 ~ 3450	15.2	13.9	1.76	1.76	3.86	4.62	-	12.00	3.4 ~ 14.2	2950	360 ~ 4220	14.5	13.3	
	16 + 16 + 35 + 50	1.37	1.37	2.99	4.27	-	10.00	2.3 ~ 10.6	2850	380 ~ 3240	14.3	13.1	1.64	1.64	3.59	5.13	-	12.00	3.4 ~ 14.2	2900	420 ~ 4140	14.2	13.1	
	16 + 16 + 35 + 60	1.26	1.26	2.76	4.72	-	10.00	2.3 ~ 10.8	2850	380 ~ 3380	14.3	13.1	1.51	1.51	3.31	5.67	-	12.00	3.4 ~ 14.2	2900	420 ~ 4140	14.2	13.1	
	16 + 16 + 35 + 71	1.16	1.16	2.54	5.14	-	10.00	2.3 ~ 10.8	2850	390 ~ 3310	14.3	13.1	1.39	1.39	3.05	6.17	-	12.00	3.4 ~ 14.4	2890	420 ~ 4180	14.2	13.0	
	16 + 16 + 42 + 42	1.38	1.38	3.62	3.62	-	10.00	2.3 ~ 10.6	3040	320 ~ 3450	15.2	13.9	1.66	1.66	4.34	4.34	-	12.00	3.4 ~ 14.2	2940	370 ~ 4210	14.4	13.2	
	16 + 16 + 42 + 50	1.29	1.29	3.39	4.03	-	10.00	2.3 ~ 10.8	2850	380 ~ 3380	14.3	13.1	1.55	1.55	4.06	4.84	-	12.00	3.4 ~ 14.2	2890	420 ~ 4130	14.2	13.0	
	16 + 16 + 42 + 60	1.19	1.19	3.14	4.48	-	10.00	2.3 ~ 10.8	2850	380 ~ 3380	14.3	13.1	1.43	1.43	3.77	5.37	-	12.00	3.4 ~ 14.4	2890	420 ~ 4190	14.2	13.0	
	16 + 16 + 42 + 71	1.10	1.10	2.90	4.90	-	10.00	2.3 ~ 11.0	2850	390 ~ 3460	14.3	13.1	1.32	1.32	3.48	5.88	-	12.00	3.4 ~ 14.4	2880	430 ~ 4170	14.1	13.0	
16 + 16 + 50 + 50	1.21	1.21	3.79	3.79	-	10.00	2.3 ~ 10.8	2730	430 ~ 3180	13.7	12.5	1.45	1.45	4.55	4.55	-	12.00	3.4 ~ 14.4	2850	490 ~ 4110	14.0	12.8		
16 + 16 + 50 + 60	1.13	1.13	3.52	4.22	-	10.00	2.3 ~ 11.0	2730	430 ~ 3320	13.7	12.5</													

CU-5Z100WBH-8: Free Multi Indoor Combination

Indoor unit capacity		COOLING OPERATION											HEATING OPERATION										
		Cooling Capacity (kW)						Input Power (W)		Current (A)			Heating Capacity (kW)						Input Power (W)		Current (A)		
		Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V
4 Rooms	16 + 20 + 25 + 35	1.60	2.00	2.50	3.50	-	9.60	2.3 ~ 10.6	2840	310 ~ 3530	14.2	13.0	2.00	2.50	3.13	4.37	-	12.00	3.4 ~ 14.2	2980	340 ~ 4320	14.6	13.4
	16 + 20 + 25 + 42	1.55	1.94	2.43	4.08	-	10.00	2.3 ~ 10.6	3040	310 ~ 3530	15.2	13.9	1.87	2.33	2.91	4.89	-	12.00	3.4 ~ 14.2	2970	350 ~ 4310	14.6	13.4
	16 + 20 + 25 + 50	1.45	1.80	2.25	4.50	-	10.00	2.3 ~ 10.6	2850	360 ~ 3240	14.3	13.1	1.73	2.16	2.70	5.41	-	12.00	3.4 ~ 14.2	2910	400 ~ 4160	14.3	13.1
	16 + 20 + 25 + 60	1.32	1.65	2.07	4.96	-	10.00	2.3 ~ 10.8	2850	360 ~ 3380	14.3	13.1	1.59	1.98	2.48	5.95	-	12.00	3.4 ~ 14.2	2910	400 ~ 4160	14.3	13.1
	16 + 20 + 25 + 71	1.21	1.52	1.89	5.38	-	10.00	2.3 ~ 10.8	2850	390 ~ 3310	14.3	13.1	1.46	1.82	2.27	6.45	-	12.00	3.4 ~ 14.4	2900	420 ~ 4200	14.2	13.1
	16 + 20 + 35 + 35	1.51	1.89	3.30	3.30	-	10.00	2.3 ~ 10.6	3040	320 ~ 3450	15.2	13.9	1.82	2.26	3.96	3.96	-	12.00	3.4 ~ 14.2	2950	360 ~ 4220	14.5	13.3
	16 + 20 + 35 + 42	1.42	1.77	3.10	3.71	-	10.00	2.3 ~ 10.6	3040	320 ~ 3450	15.2	13.9	1.70	2.12	3.72	4.46	-	12.00	3.4 ~ 14.2	2940	370 ~ 4210	14.4	13.2
	16 + 20 + 35 + 50	1.33	1.65	2.89	4.13	-	10.00	2.3 ~ 10.8	2850	380 ~ 3380	14.3	13.1	1.59	1.98	3.47	4.96	-	12.00	3.4 ~ 14.2	2890	420 ~ 4130	14.2	13.0
	16 + 20 + 35 + 60	1.22	1.53	2.67	4.58	-	10.00	2.3 ~ 10.8	2850	380 ~ 3380	14.3	13.1	1.47	1.83	3.21	5.49	-	12.00	3.4 ~ 14.4	2890	420 ~ 4190	14.2	13.0
	16 + 20 + 35 + 71	1.13	1.41	2.46	5.00	-	10.00	2.3 ~ 11.0	2780	390 ~ 3460	13.9	12.8	1.35	1.69	2.96	6.00	-	12.00	3.4 ~ 14.4	2880	430 ~ 4170	14.1	13.0
	16 + 20 + 42 + 42	1.33	1.67	3.50	3.50	-	10.00	2.3 ~ 10.6	2980	320 ~ 3450	14.9	13.7	1.60	2.00	4.20	4.20	-	12.00	3.4 ~ 14.2	2930	370 ~ 4200	14.4	13.2
	16 + 20 + 42 + 50	1.25	1.56	3.28	3.91	-	10.00	2.3 ~ 10.8	2850	390 ~ 3310	14.3	13.1	1.50	1.88	3.94	4.68	-	12.00	3.4 ~ 14.4	2880	420 ~ 4170	14.1	13.0
	16 + 20 + 42 + 60	1.16	1.45	3.04	4.35	-	10.00	2.3 ~ 10.8	2850	390 ~ 3310	14.3	13.1	1.39	1.74	3.65	5.22	-	12.00	3.4 ~ 14.4	2880	420 ~ 4170	14.1	13.0
	16 + 20 + 42 + 71	1.07	1.34	2.82	4.77	-	10.00	2.3 ~ 11.0	2780	390 ~ 3390	13.9	12.8	1.29	1.61	3.38	5.72	-	12.00	3.4 ~ 14.4	2870	430 ~ 4160	14.1	12.9
	16 + 20 + 50 + 50	1.18	1.47	3.68	3.67	-	10.00	2.3 ~ 10.8	2730	430 ~ 3180	13.7	12.5	1.42	1.76	4.41	4.41	-	12.00	3.4 ~ 14.4	2890	500 ~ 4100	14.2	13.0
	16 + 20 + 50 + 60	1.10	1.37	3.42	4.11	-	10.00	2.3 ~ 11.0	2730	430 ~ 3320	13.7	12.5	1.32	1.64	4.11	4.93	-	12.00	3.4 ~ 14.4	2890	500 ~ 4100	14.2	13.0
	16 + 20 + 50 + 71	1.03	1.27	3.18	4.52	-	10.00	2.3 ~ 11.0	2730	470 ~ 3250	13.7	12.5	1.22	1.53	3.82	5.43	-	12.00	3.4 ~ 14.4	2880	510 ~ 4140	14.1	13.0
	16 + 20 + 60 + 60	1.03	1.27	3.85	3.85	-	10.00	2.3 ~ 11.0	2730	430 ~ 3320	13.7	12.5	1.23	1.53	4.62	4.62	-	12.00	3.4 ~ 14.4	2890	500 ~ 4100	14.2	13.0
	16 + 20 + 60 + 71	0.96	1.20	3.59	4.25	-	10.00	2.3 ~ 11.2	2730	470 ~ 3400	13.7	12.5	1.15	1.44	4.31	5.10	-	12.00	3.4 ~ 14.4	2880	510 ~ 4140	14.1	13.0
	16 + 20 + 71 + 71	0.90	1.12	3.99	3.99	-	10.00	2.3 ~ 11.2	2730	470 ~ 3400	13.7	12.5	1.08	1.34	4.79	4.79	-	12.00	3.4 ~ 14.4	2870	520 ~ 4130	14.1	12.9
	16 + 25 + 25 + 25	1.60	2.50	2.50	2.50	-	9.10	2.3 ~ 10.6	2610	310 ~ 3600	13.1	12.0	2.10	3.30	3.30	3.30	-	12.00	3.4 ~ 14.2	3000	340 ~ 4360	14.7	13.5
	16 + 25 + 25 + 35	1.58	2.48	2.48	3.46	-	10.00	2.3 ~ 10.6	3040	310 ~ 3530	15.2	13.9	1.90	2.97	2.97	4.16	-	12.00	3.4 ~ 14.2	2980	340 ~ 4320	14.6	13.4
	16 + 25 + 25 + 42	1.49	2.31	2.31	3.89	-	10.00	2.3 ~ 10.6	3040	310 ~ 3530	15.2	13.9	1.78	2.78	2.78	4.66	-	12.00	3.4 ~ 14.2	2970	350 ~ 4310	14.6	13.4
	16 + 25 + 25 + 50	1.38	2.16	2.16	4.30	-	10.00	2.3 ~ 10.6	2850	360 ~ 3240	14.3	13.1	1.66	2.59	2.59	5.16	-	12.00	3.4 ~ 14.2	2910	400 ~ 4160	14.3	13.1
	16 + 25 + 25 + 60	1.28	1.98	1.98	4.76	-	10.00	2.3 ~ 10.8	2850	360 ~ 3380	14.3	13.1	1.53	2.38	2.38	5.71	-	12.00	3.4 ~ 14.2	2910	400 ~ 4160	14.3	13.1
	16 + 25 + 25 + 71	1.18	1.82	1.82	5.18	-	10.00	2.3 ~ 10.8	2850	390 ~ 3310	14.3	13.1	1.40	2.19	2.19	6.22	-	12.00	3.4 ~ 14.4	2900	420 ~ 4200	14.2	13.1
	16 + 25 + 35 + 35	1.45	2.25	3.15	3.15	-	10.00	2.3 ~ 10.6	3040	320 ~ 3450	15.2	13.9	1.74	2.70	3.78	3.78	-	12.00	3.4 ~ 14.2	2950	360 ~ 4220	14.5	13.3
	16 + 25 + 35 + 42	1.36	2.12	2.97	3.55	-	10.00	2.3 ~ 10.6	3040	320 ~ 3450	15.2	13.9	1.63	2.54	3.56	4.27	-	12.00	3.4 ~ 14.2	2940	370 ~ 4210	14.4	13.2
	16 + 25 + 35 + 50	1.27	1.98	2.78	3.97	-	10.00	2.3 ~ 10.8	2850	380 ~ 3380	14.3	13.1	1.53	2.38	3.33	4.76	-	12.00	3.4 ~ 14.2	2890	420 ~ 4130	14.2	13.0
	16 + 25 + 35 + 60	1.18	1.84	2.57	4.41	-	10.00	2.3 ~ 10.8	2850	380 ~ 3380	14.3	13.1	1.41	2.21	3.09	5.29	-	12.00	3.4 ~ 14.4	2890	420 ~ 4190	14.2	13.0
	16 + 25 + 35 + 71	1.09	1.70	2.38	4.83	-	10.00	2.3 ~ 11.0	2780	390 ~ 3460	13.9	12.8	1.31	2.04	2.86	5.79	-	12.00	3.4 ~ 14.4	2880	430 ~ 4170	14.1	13.0
	16 + 25 + 42 + 42	1.28	2.00	3.36	3.36	-	10.00	2.3 ~ 10.8	2980	320 ~ 3600	14.9	13.7	1.54	2.40	4.03	4.03	-	12.00	3.4 ~ 14.2	2930	370 ~ 4200	14.4	13.2
	16 + 25 + 42 + 50	1.20	1.88	3.16	3.76	-	10.00	2.3 ~ 10.8	2850	390 ~ 3310	14.3	13.1	1.44	2.26	3.79	4.51	-	12.00	3.4 ~ 14.4	2880	420 ~ 4170	14.1	13.0
	16 + 25 + 42 + 60	1.12	1.75	2.94	4.19	-	10.00	2.3 ~ 11.0	2850	390 ~ 3460	14.3	13.1	1.35	2.10	3.52	5.03	-	12.00	3.4 ~ 14.4	2880	420 ~ 4170	14.1	13.0
	16 + 25 + 42 + 71	1.04	1.62	2.73	4.61	-	10.00	2.3 ~ 11.0	2780	390 ~ 3390	13.9	12.8	1.25	1.95	3.27	5.53	-	12.00	3.4 ~ 14.4	2870	430 ~ 4160	14.1	12.9
	16 + 25 + 50 + 50	1.13	1.77	3.55	3.55	-	10.00	2.3 ~ 10.8	2730	430 ~ 3180	13.7	12.5	1.36	2.12	4.26	4.26	-	12.00	3.4 ~ 14.4	2890	500 ~ 4100	14.2	13.0
	16 + 25 + 50 + 60	1.06	1.66	3.31	3.97	-	10.00	2.3 ~ 11.0	2730	430 ~ 3320	13.7	12.5	1.27	1.99	3.97	4.77	-	12.00	3.4 ~ 14.4	2890	500 ~ 4100	14.2	13.0
	16 + 25 + 50 + 71	0.99	1.54	3.09	4.38	-	10.00	2.3 ~ 11.2	2730	470 ~ 3400	13.7	12.5	1.19	1.85	3.70	5.26	-	12.00	3.4 ~ 14.4	2880	510 ~ 4140	14.1	13.0
	16 + 25 + 60 + 60	0.99	1.55	3.73	3.73	-	10.00	2.3 ~ 11.2	2730	430 ~ 3390	13.7	12.5	1.20	1.86	4.47	4.47	-	12.00	3.4 ~ 14.4	2890	500 ~ 4100	14.2	13.0
	16 + 25 + 60 + 71	0.93	1.45	3.49	4.13	-	10.00	2.3 ~ 11.2	2730	470 ~ 3400	13.7	12.5	1.12	1.74	4.19	4.95	-	12.00	3.4 ~ 14.4	2880	510 ~ 4140	14.1	13.0
16 + 25 + 71 + 71	0.87	1.37	3.88	3.88	-	10.00	2.3 ~ 11.2	2730	470 ~ 3400	13.7	12.5	1.05	1.63	4.66	4.66	-	12.00	3.4 ~ 14.4	2870	520 ~ 4130	14.1	12.9	
16 + 35 + 35 + 35	1.33	2.89	2.89	2.89	-	10.00	2.3 ~ 10.8	2980	340 ~ 3530	14.9	13.7	1.59	3.47	3.47	3.47	-	12.00	3.4 ~ 14.2	2930	370 ~ 4190	14.4	13.2	
16 + 35 + 35 + 42	1.26	2.73	2.73	3.28	-	10.00	2.3 ~ 10.8	2980	350 ~ 3530	14.9	13.7	1.50	3.28	3.28	3.94	-	12.00	3.4 ~ 14.4	2920	370 ~ 4300	14.3	13.1	
16 + 35 + 35 + 50	1.18	2.57	2.57	3.68	-	10.00	2.3 ~ 10.8	2850	390 ~ 3310	14.3	13.1	1.41	3.09	3.09	4.41	-	12.00	3.4 ~ 14.4	2870	430 ~ 4150	14.1	12.9	
16 + 35 + 35 + 60	1.10	2.40	2.40	4.10	-	10.00	2.3 ~ 11.0	2850	390 ~ 3460	14.3	13.1	1.32	2.88	2.88	4.92	-	12.00	3.4 ~ 14.4	2870	430 ~ 4150	14.1	12.9	
16 + 35 + 35 + 71	1.02	2.23	2.23	4.52	-	10.00	2.3 ~ 11.0	2780	390 ~ 3390	13.9	12.8	1.22	2.68	2.68	5.42	-	12.00	3.4 ~ 14.4	2860	450 ~ 4200	14.1	12.9	
16 + 35 + 42 + 42	1.19	2.59	3.11	3.11	-	10.00	2.3 ~ 10.8	2980	350 ~ 3530	14.9	13.7	1.43	3.11	3.73	3.73	-	12.00	3.4 ~ 14.4	2950	370 ~ 4280	14.5	13.3	
16 + 35 + 42 + 50	1.12	2.45	2.94	3.49	-	10.00	2.3 ~ 11.0	2780	390 ~ 3460	13.9	12.8	1.34	2.94	3.52	4.20	-	12.00	3.4 ~ 14.4	2860	450 ~ 4200	14.1	12.9	
16 + 35 + 42 + 60	1.05	2.29	2.75	3.91	-	10.00	2.3 ~ 11.0	2780	390 ~ 3460	13.9	12.8	1.25	2.75	3.29	4.71	-	12.00	3.4 ~ 14.4	2860	450 ~ 4200	14.1	12.9	
16 + 35 + 42 + 71	0.98	2.13	2.56	4.33	-	10.00	2.3 ~ 11.2	2790	400 ~ 3530	14.0	12.8	1.17	2.56	3.07	5.20	-	12.00	3.4 ~ 14.4	2890	450 ~ 4180	14.2	13.0	
16 + 35 + 50 + 50	1.06	2.32	3.31	3.31	-	10.00	2.3 ~ 11.0</																

CU-5Z100WBH-8: Free Multi Indoor Combination

Indoor unit capacity	COOLING OPERATION											HEATING OPERATION										
	Cooling Capacity (kW)						Input Power (W)		Current (A)			Heating Capacity (kW)						Input Power (W)		Current (A)		
	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V
16 + 42 + 50 + 50	1.02	2.66	3.16	3.16	-	10.00	2.3 ~ 11.2	2730	470 ~ 3400	13.7	12.5	1.22	3.18	3.80	3.80	-	12.00	3.4 ~ 14.4	2870	530 ~ 4120	14.1	12.9
16 + 42 + 50 + 60	0.95	2.50	2.98	3.57	-	10.00	2.3 ~ 11.2	2730	470 ~ 3400	13.7	12.5	1.14	3.00	3.57	4.29	-	12.00	3.4 ~ 14.4	2870	530 ~ 4120	14.1	12.9
16 + 42 + 50 + 71	0.89	2.35	2.79	3.97	-	10.00	2.3 ~ 11.2	2730	470 ~ 3400	13.7	12.5	1.07	2.82	3.35	4.76	-	12.00	3.4 ~ 14.4	2860	540 ~ 4110	14.1	12.9
16 + 42 + 60 + 60	0.90	2.36	3.37	3.37	-	10.00	2.3 ~ 11.2	2730	470 ~ 3400	13.7	12.5	1.08	2.84	4.04	4.04	-	12.00	3.4 ~ 14.4	2870	530 ~ 4120	14.1	12.9
16 + 50 + 50 + 50	0.97	3.01	3.01	3.01	-	10.00	2.3 ~ 11.2	2690	520 ~ 3340	13.5	12.3	1.17	3.61	3.61	3.61	-	12.00	3.4 ~ 14.4	2900	630 ~ 4120	14.2	13.1
16 + 50 + 50 + 60	0.91	2.84	2.84	3.41	-	10.00	2.3 ~ 11.2	2690	520 ~ 3340	13.5	12.3	1.09	3.41	3.41	4.09	-	12.00	3.4 ~ 14.4	2900	630 ~ 4120	14.2	13.1
20 + 20 + 20 + 20	2.00	2.00	2.00	2.00	-	8.00	2.3 ~ 10.6	2170	310 ~ 3600	10.9	10.0	3.00	3.00	3.00	3.00	-	12.00	3.4 ~ 14.2	2990	340 ~ 4350	14.7	13.5
20 + 20 + 20 + 25	2.00	2.00	2.00	2.50	-	8.50	2.3 ~ 10.6	2350	310 ~ 3600	11.8	10.8	2.82	2.82	2.82	3.54	-	12.00	3.4 ~ 14.2	2990	340 ~ 4350	14.7	13.5
20 + 20 + 20 + 35	2.00	2.00	2.00	3.50	-	9.50	2.3 ~ 10.6	2810	320 ~ 3530	14.1	12.9	2.53	2.53	2.53	4.41	-	12.00	3.4 ~ 14.2	2970	350 ~ 4310	14.6	13.4
20 + 20 + 20 + 42	1.96	1.96	1.96	4.12	-	10.00	2.3 ~ 10.6	3040	320 ~ 3530	15.2	13.9	2.35	2.35	2.35	4.95	-	12.00	3.4 ~ 14.2	2960	360 ~ 4290	14.5	13.3
20 + 20 + 20 + 50	1.82	1.82	1.82	4.54	-	10.00	2.3 ~ 10.6	2850	380 ~ 3240	14.3	13.1	2.18	2.18	2.18	5.46	-	12.00	3.4 ~ 14.2	2900	420 ~ 4150	14.2	13.1
20 + 20 + 20 + 60	1.67	1.67	1.67	4.99	-	10.00	2.3 ~ 10.6	2850	380 ~ 3240	14.3	13.1	2.00	2.00	2.00	6.00	-	12.00	3.4 ~ 14.2	2900	420 ~ 4150	14.2	13.1
20 + 20 + 20 + 71	1.53	1.53	1.53	5.41	-	10.00	2.3 ~ 10.8	2850	390 ~ 3310	14.3	13.1	1.83	1.83	1.83	6.51	-	12.00	3.4 ~ 14.4	2890	420 ~ 4190	14.2	13.0
20 + 20 + 25 + 25	2.00	2.00	2.50	2.50	-	9.00	2.3 ~ 10.6	2580	310 ~ 3600	12.9	11.8	2.67	2.67	3.33	3.33	-	12.00	3.4 ~ 14.2	2990	340 ~ 4350	14.7	13.5
20 + 20 + 25 + 35	2.00	2.00	2.50	3.50	-	10.00	2.3 ~ 10.6	3040	320 ~ 3530	15.2	13.9	2.40	2.40	3.00	4.20	-	12.00	3.4 ~ 14.2	2970	350 ~ 4310	14.6	13.4
20 + 20 + 25 + 42	1.87	1.87	2.34	3.92	-	10.00	2.3 ~ 10.6	3040	320 ~ 3530	15.2	13.9	2.24	2.24	2.81	4.71	-	12.00	3.4 ~ 14.2	2960	360 ~ 4290	14.5	13.3
20 + 20 + 25 + 50	1.74	1.74	2.17	4.35	-	10.00	2.3 ~ 10.6	2850	380 ~ 3240	14.3	13.1	2.09	2.09	2.61	5.21	-	12.00	3.4 ~ 14.2	2900	420 ~ 4150	14.2	13.1
20 + 20 + 25 + 60	1.60	1.60	2.00	4.80	-	10.00	2.3 ~ 10.8	2850	380 ~ 3380	14.3	13.1	1.92	1.92	2.40	5.76	-	12.00	3.4 ~ 14.2	2900	420 ~ 4150	14.2	13.1
20 + 20 + 25 + 71	1.47	1.47	1.84	5.22	-	10.00	2.3 ~ 10.8	2850	390 ~ 3310	14.3	13.1	1.76	1.76	2.22	6.26	-	12.00	3.4 ~ 14.4	2890	420 ~ 4190	14.2	13.0
20 + 20 + 35 + 35	1.82	1.82	3.18	3.18	-	10.00	2.3 ~ 10.6	2980	320 ~ 3450	14.9	13.7	2.18	2.18	3.82	3.82	-	12.00	3.4 ~ 14.2	2940	370 ~ 4210	14.4	13.2
20 + 20 + 35 + 42	1.71	1.71	2.99	3.59	-	10.00	2.3 ~ 10.6	2980	320 ~ 3450	14.9	13.7	2.05	2.05	3.59	4.31	-	12.00	3.4 ~ 14.2	2930	370 ~ 4200	14.4	13.2
20 + 20 + 35 + 50	1.60	1.60	2.80	4.00	-	10.00	2.3 ~ 10.8	2850	390 ~ 3310	14.3	13.1	1.92	1.92	3.36	4.80	-	12.00	3.4 ~ 14.2	2880	420 ~ 4120	14.1	13.0
20 + 20 + 35 + 60	1.48	1.48	2.60	4.44	-	10.00	2.3 ~ 10.8	2850	390 ~ 3310	14.3	13.1	1.78	1.78	3.11	5.33	-	12.00	3.4 ~ 14.4	2880	420 ~ 4170	14.1	13.0
20 + 20 + 35 + 71	1.37	1.37	2.40	4.86	-	10.00	2.3 ~ 11.0	2780	390 ~ 3390	13.9	12.8	1.64	1.64	2.88	5.84	-	12.00	3.4 ~ 14.4	2870	430 ~ 4160	14.1	12.9
20 + 20 + 42 + 42	1.61	1.61	3.39	3.39	-	10.00	2.3 ~ 10.8	2980	340 ~ 3600	14.9	13.7	1.94	1.94	4.06	4.06	-	12.00	3.4 ~ 14.2	2920	370 ~ 4190	14.3	13.1
20 + 20 + 42 + 50	1.52	1.52	3.18	3.78	-	10.00	2.3 ~ 10.8	2850	390 ~ 3310	14.3	13.1	1.82	1.82	3.82	4.54	-	12.00	3.4 ~ 14.4	2870	430 ~ 4160	14.1	12.9
20 + 20 + 42 + 60	1.41	1.41	2.96	4.22	-	10.00	2.3 ~ 11.0	2850	390 ~ 3460	14.3	13.1	1.69	1.69	3.55	5.07	-	12.00	3.4 ~ 14.4	2870	430 ~ 4160	14.1	12.9
20 + 20 + 42 + 71	1.31	1.31	2.75	4.63	-	10.00	2.3 ~ 11.0	2780	390 ~ 3390	13.9	12.8	1.57	1.57	3.29	5.57	-	12.00	3.4 ~ 14.4	2860	440 ~ 4200	14.1	12.9
20 + 20 + 50 + 50	1.43	1.43	3.57	3.57	-	10.00	2.3 ~ 10.8	2730	440 ~ 3180	13.7	12.5	1.71	1.71	4.29	4.29	-	12.00	3.4 ~ 14.4	2880	510 ~ 4150	14.1	13.0
20 + 20 + 50 + 60	1.33	1.33	3.34	4.00	-	10.00	2.3 ~ 11.0	2730	440 ~ 3320	13.7	12.5	1.60	1.60	4.00	4.80	-	12.00	3.4 ~ 14.4	2880	510 ~ 4150	14.1	13.0
20 + 20 + 50 + 71	1.24	1.24	3.11	4.41	-	10.00	2.3 ~ 11.2	2730	470 ~ 3400	13.7	12.5	1.49	1.49	3.73	5.29	-	12.00	3.4 ~ 14.4	2870	520 ~ 4130	14.1	12.9
20 + 20 + 60 + 60	1.25	1.25	3.75	3.75	-	10.00	2.3 ~ 11.2	2730	440 ~ 3390	13.7	12.5	1.50	1.50	4.50	4.50	-	12.00	3.4 ~ 14.4	2880	510 ~ 4150	14.1	13.0
20 + 20 + 60 + 71	1.17	1.17	3.51	4.15	-	10.00	2.3 ~ 11.2	2730	470 ~ 3400	13.7	12.5	1.40	1.40	4.22	4.98	-	12.00	3.4 ~ 14.4	2870	520 ~ 4130	14.1	12.9
20 + 20 + 71 + 71	1.10	1.10	3.90	3.90	-	10.00	2.3 ~ 11.2	2740	480 ~ 3330	13.7	12.6	1.32	1.32	4.68	4.68	-	12.00	3.4 ~ 14.4	2870	530 ~ 4120	14.1	12.9
20 + 25 + 25 + 25	2.00	2.50	2.50	2.50	-	9.50	2.3 ~ 10.6	2810	310 ~ 3600	14.1	12.9	2.52	3.16	3.16	3.16	-	12.00	3.4 ~ 14.2	2990	340 ~ 4350	14.7	13.5
20 + 25 + 25 + 35	1.91	2.38	2.38	3.33	-	10.00	2.3 ~ 10.6	3040	320 ~ 3530	15.2	13.9	2.29	2.86	2.86	3.99	-	12.00	3.4 ~ 14.2	2970	350 ~ 4310	14.6	13.4
20 + 25 + 25 + 42	1.79	2.23	2.23	3.75	-	10.00	2.3 ~ 10.6	3040	320 ~ 3530	15.2	13.9	2.14	2.68	2.68	4.50	-	12.00	3.4 ~ 14.2	2960	360 ~ 4290	14.5	13.3
20 + 25 + 25 + 50	1.67	2.08	2.08	4.17	-	10.00	2.3 ~ 10.6	2850	380 ~ 3240	14.3	13.1	2.00	2.50	2.50	5.00	-	12.00	3.4 ~ 14.2	2900	420 ~ 4150	14.2	13.1
20 + 25 + 25 + 60	1.54	1.92	1.92	4.62	-	10.00	2.3 ~ 10.8	2850	380 ~ 3380	14.3	13.1	1.85	2.31	2.31	5.53	-	12.00	3.4 ~ 14.4	2900	420 ~ 4210	14.2	13.1
20 + 25 + 25 + 71	1.42	1.77	1.77	5.04	-	10.00	2.3 ~ 10.8	2850	390 ~ 3310	14.3	13.1	1.70	2.13	2.13	6.04	-	12.00	3.4 ~ 14.4	2890	420 ~ 4190	14.2	13.0
20 + 25 + 35 + 35	1.75	2.17	3.04	3.04	-	10.00	2.3 ~ 10.6	2980	320 ~ 3450	14.9	13.7	2.09	2.61	3.65	3.65	-	12.00	3.4 ~ 14.2	2940	370 ~ 4210	14.4	13.2
20 + 25 + 35 + 42	1.64	2.05	2.87	3.44	-	10.00	2.3 ~ 10.8	2980	320 ~ 3600	14.9	13.7	1.97	2.46	3.44	4.13	-	12.00	3.4 ~ 14.2	2930	370 ~ 4200	14.4	13.2
20 + 25 + 35 + 50	1.54	1.92	2.69	3.85	-	10.00	2.3 ~ 10.8	2850	390 ~ 3310	14.3	13.1	1.85	2.31	3.23	4.61	-	12.00	3.4 ~ 14.4	2880	420 ~ 4170	14.1	13.0
20 + 25 + 35 + 60	1.43	1.79	2.50	4.28	-	10.00	2.3 ~ 10.8	2850	390 ~ 3310	14.3	13.1	1.72	2.14	3.00	5.14	-	12.00	3.4 ~ 14.4	2880	420 ~ 4170	14.1	13.0
20 + 25 + 35 + 71	1.32	1.66	2.32	4.70	-	10.00	2.3 ~ 11.0	2780	390 ~ 3390	13.9	12.8	1.59	1.99	2.78	5.64	-	12.00	3.4 ~ 14.4	2870	430 ~ 4160	14.1	12.9
20 + 25 + 42 + 42	1.55	1.93	3.26	3.26	-	10.00	2.3 ~ 10.8	2980	340 ~ 3600	14.9	13.7	1.86	2.32	3.91	3.91	-	12.00	3.4 ~ 14.4	2920	370 ~ 4310	14.3	13.1
20 + 25 + 42 + 50	1.46	1.82	3.07	3.65	-	10.00	2.3 ~ 10.8	2850	390 ~ 3310	14.3	13.1	1.75	2.19	3.68	4.38	-	12.00	3.4 ~ 14.4	2870	430 ~ 4160	14.1	12.9
20 + 25 + 42 + 60	1.36	1.70	2.86	4.08	-	10.00	2.3 ~ 11.0	2850	390 ~ 3460	14.3	13.1	1.63	2.04	3.43	4.90	-	12.00	3.4 ~ 14.4	2870	430 ~ 4160	14.1	12.9
20 + 25 + 42 + 71	1.27	1.58	2.66	4.49	-	10.00	2.3 ~ 11.2	2780	390 ~ 3530	13.9	12.8	1.52	1.90	3.19	5.39	-	12.00	3.4 ~ 14.4	2860	440 ~ 4200	14.1	12.9
20 + 25 + 50 + 50	1.38	1.72	3.45	3.45	-	10.00	2.3 ~ 11.0	2730	440 ~ 3320	13.7	12.5	1.66	2.06	4.14	4.14	-	12.00	3.4 ~ 14.4	2880	510 ~ 4150	14.1	13.0
20 + 25 + 50 + 60	1.29	1.61	3.23	3.87	-	10.00	2.3 ~ 11.0	2730	440 ~ 3320	13.7	12.5	1.55	1.94	3.87	4.64	-						

CU-5Z100WBH-8: Free Multi Indoor Combination

Indoor unit capacity		COOLING OPERATION											HEATING OPERATION										
		Cooling Capacity (kW)						Input Power (W)		Current (A)			Heating Capacity (kW)						Input Power (W)		Current (A)		
		Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V
4 Rooms	20 + 35 + 42 + 42	1.44	2.52	3.02	3.02	-	10.00	2.3 ~ 10.8	2980	350 ~ 3530	14.9	13.7	1.73	3.01	3.63	3.63	-	12.00	3.4 ~ 14.4	2940	390 ~ 4270	14.4	13.2
	20 + 35 + 42 + 50	1.36	2.38	2.86	3.40	-	10.00	2.3 ~ 11.0	2780	390 ~ 3390	13.9	12.8	1.63	2.86	3.43	4.08	-	12.00	3.4 ~ 14.4	2900	450 ~ 4190	14.2	13.1
	20 + 35 + 42 + 60	1.27	2.23	2.68	3.82	-	10.00	2.3 ~ 11.0	2780	390 ~ 3390	13.9	12.8	1.53	2.68	3.21	4.58	-	12.00	3.4 ~ 14.4	2900	450 ~ 4190	14.2	13.1
	20 + 35 + 42 + 71	1.19	2.08	2.50	4.23	-	10.00	2.3 ~ 11.2	2790	420 ~ 3540	14.0	12.8	1.43	2.50	3.00	5.07	-	12.00	3.4 ~ 14.4	2890	460 ~ 4170	14.2	13.0
	20 + 35 + 50 + 50	1.29	2.25	3.23	3.23	-	10.00	2.3 ~ 11.0	2730	470 ~ 3250	13.7	12.5	1.55	2.71	3.87	3.87	-	12.00	3.4 ~ 14.4	2870	530 ~ 4120	14.1	12.9
	20 + 35 + 50 + 60	1.21	2.12	3.03	3.64	-	10.00	2.3 ~ 11.2	2730	470 ~ 3400	13.7	12.5	1.45	2.55	3.64	4.36	-	12.00	3.4 ~ 14.4	2870	530 ~ 4120	14.1	12.9
	20 + 35 + 50 + 71	1.14	1.99	2.84	4.03	-	10.00	2.3 ~ 11.2	2740	480 ~ 3400	13.7	12.6	1.36	2.39	3.41	4.84	-	12.00	3.4 ~ 14.4	2860	540 ~ 4110	14.1	12.9
	20 + 35 + 60 + 60	1.14	2.00	3.43	3.43	-	10.00	2.3 ~ 11.2	2730	470 ~ 3400	13.7	12.5	1.38	2.40	4.11	4.11	-	12.00	3.4 ~ 14.4	2870	530 ~ 4120	14.1	12.9
	20 + 42 + 42 + 42	1.36	2.88	2.88	2.88	-	10.00	2.3 ~ 11.0	2910	350 ~ 3600	14.6	13.3	1.65	3.45	3.45	3.45	-	12.00	3.4 ~ 14.4	2940	390 ~ 4260	14.4	13.2
	20 + 42 + 42 + 50	1.30	2.73	2.73	3.24	-	10.00	2.3 ~ 11.0	2780	390 ~ 3390	13.9	12.8	1.56	3.27	3.27	3.90	-	12.00	3.4 ~ 14.4	2890	450 ~ 4180	14.2	13.0
	20 + 42 + 42 + 60	1.22	2.56	2.56	3.66	-	10.00	2.3 ~ 11.2	2780	390 ~ 3530	13.9	12.8	1.47	3.07	3.07	4.39	-	12.00	3.4 ~ 14.4	2890	450 ~ 4180	14.2	13.0
	20 + 42 + 42 + 71	1.14	2.40	2.40	4.06	-	10.00	2.3 ~ 11.2	2790	420 ~ 3460	14.0	12.8	1.37	2.88	2.88	4.87	-	12.00	3.4 ~ 14.4	2880	460 ~ 4160	14.1	13.0
	20 + 42 + 50 + 50	1.23	2.59	3.09	3.09	-	10.00	2.3 ~ 11.2	2730	470 ~ 3400	13.7	12.5	1.49	3.11	3.70	3.70	-	12.00	3.4 ~ 14.4	2860	540 ~ 4110	14.1	12.9
	20 + 42 + 50 + 60	1.16	2.44	2.91	3.49	-	10.00	2.3 ~ 11.2	2730	470 ~ 3400	13.7	12.5	1.40	2.93	3.49	4.18	-	12.00	3.4 ~ 14.4	2860	540 ~ 4110	14.1	12.9
	20 + 42 + 50 + 71	1.09	2.30	2.73	3.88	-	10.00	2.3 ~ 11.2	2740	480 ~ 3330	13.7	12.6	1.31	2.75	3.28	4.66	-	12.00	3.4 ~ 14.4	2900	550 ~ 4100	14.2	13.1
	20 + 42 + 60 + 60	1.10	2.30	3.30	3.30	-	10.00	2.3 ~ 11.2	2730	470 ~ 3400	13.7	12.5	1.32	2.76	3.96	3.96	-	12.00	3.4 ~ 14.4	2860	540 ~ 4110	14.1	12.9
	20 + 50 + 50 + 50	1.18	2.94	2.94	2.94	-	10.00	2.3 ~ 11.2	2690	550 ~ 3340	13.5	12.3	1.41	3.53	3.53	3.53	-	12.00	3.4 ~ 14.4	2930	630 ~ 4110	14.4	13.2
	20 + 50 + 50 + 60	1.11	2.78	2.78	3.33	-	10.00	2.3 ~ 11.2	2690	550 ~ 3340	13.5	12.3	1.34	3.33	3.33	4.00	-	12.00	3.4 ~ 14.4	2930	630 ~ 4110	14.4	13.2
	25 + 25 + 25 + 25	2.50	2.50	2.50	2.50	-	10.00	2.3 ~ 10.6	3110	310 ~ 3600	15.6	14.3	3.00	3.00	3.00	3.00	-	12.00	3.4 ~ 14.2	2990	340 ~ 4350	14.7	13.5
	25 + 25 + 25 + 35	2.27	2.27	2.27	3.19	-	10.00	2.3 ~ 10.6	3040	320 ~ 3530	15.2	13.9	2.73	2.73	2.73	3.81	-	12.00	3.4 ~ 14.2	2970	350 ~ 4310	14.6	13.4
	25 + 25 + 25 + 42	2.14	2.14	2.14	3.58	-	10.00	2.3 ~ 10.6	3040	320 ~ 3530	15.2	13.9	2.56	2.56	2.56	4.32	-	12.00	3.4 ~ 14.2	2960	360 ~ 4290	14.5	13.3
	25 + 25 + 25 + 50	2.00	2.00	2.00	4.00	-	10.00	2.3 ~ 10.8	2850	380 ~ 3380	14.3	13.1	2.40	2.40	2.40	4.80	-	12.00	3.4 ~ 14.2	2900	420 ~ 4150	14.2	13.1
	25 + 25 + 25 + 60	1.85	1.85	1.85	4.45	-	10.00	2.3 ~ 10.8	2850	380 ~ 3380	14.3	13.1	2.22	2.22	2.22	5.34	-	12.00	3.4 ~ 14.4	2900	420 ~ 4210	14.2	13.1
	25 + 25 + 25 + 71	1.71	1.71	1.71	4.87	-	10.00	2.3 ~ 11.0	2850	390 ~ 3460	14.3	13.1	2.05	2.05	2.05	5.85	-	12.00	3.4 ~ 14.4	2890	420 ~ 4190	14.2	13.0
	25 + 25 + 35 + 35	2.08	2.08	2.92	2.92	-	10.00	2.3 ~ 10.6	2980	320 ~ 3450	14.9	13.7	2.50	2.50	3.50	3.50	-	12.00	3.4 ~ 14.2	2940	370 ~ 4210	14.4	13.2
	25 + 25 + 35 + 42	1.97	1.97	2.76	3.30	-	10.00	2.3 ~ 10.8	2980	320 ~ 3600	14.9	13.7	2.36	2.36	3.31	3.97	-	12.00	3.4 ~ 14.2	2930	370 ~ 4200	14.4	13.2
	25 + 25 + 35 + 50	1.85	1.85	2.60	3.70	-	10.00	2.3 ~ 10.8	2850	390 ~ 3310	14.3	13.1	2.22	2.22	3.12	4.44	-	12.00	3.4 ~ 14.4	2880	420 ~ 4170	14.1	13.0
	25 + 25 + 35 + 60	1.72	1.72	2.42	4.14	-	10.00	2.3 ~ 11.0	2850	390 ~ 3460	14.3	13.1	2.07	2.07	2.90	4.96	-	12.00	3.4 ~ 14.4	2880	420 ~ 4170	14.1	13.0
	25 + 25 + 35 + 71	1.60	1.60	2.25	4.55	-	10.00	2.3 ~ 11.0	2780	390 ~ 3390	13.9	12.8	1.92	1.92	2.70	5.46	-	12.00	3.4 ~ 14.4	2870	430 ~ 4160	14.1	12.9
	25 + 25 + 42 + 42	1.87	1.87	3.13	3.13	-	10.00	2.3 ~ 10.8	2980	340 ~ 3600	14.9	13.7	2.24	2.24	3.76	3.76	-	12.00	3.4 ~ 14.4	2920	370 ~ 4310	14.3	13.1
	25 + 25 + 42 + 50	1.76	1.76	2.96	3.52	-	10.00	2.3 ~ 11.0	2850	390 ~ 3460	14.3	13.1	2.11	2.11	3.55	4.23	-	12.00	3.4 ~ 14.4	2870	430 ~ 4160	14.1	12.9
	25 + 25 + 42 + 60	1.64	1.64	2.77	3.95	-	10.00	2.3 ~ 11.0	2850	390 ~ 3460	14.3	13.1	1.97	1.97	3.32	4.74	-	12.00	3.4 ~ 14.4	2870	430 ~ 4160	14.1	12.9
	25 + 25 + 42 + 71	1.53	1.53	2.58	4.36	-	10.00	2.3 ~ 11.2	2780	390 ~ 3530	13.9	12.8	1.84	1.84	3.09	5.23	-	12.00	3.4 ~ 14.4	2860	440 ~ 4200	14.1	12.9
	25 + 25 + 50 + 50	1.67	1.67	3.33	3.33	-	10.00	2.3 ~ 11.0	2730	440 ~ 3320	13.7	12.5	2.00	2.00	4.00	4.00	-	12.00	3.4 ~ 14.4	2880	510 ~ 4150	14.1	13.0
	25 + 25 + 50 + 60	1.56	1.56	3.13	3.75	-	10.00	2.3 ~ 11.2	2730	440 ~ 3390	13.7	12.5	1.88	1.88	3.75	4.49	-	12.00	3.4 ~ 14.4	2880	510 ~ 4150	14.1	13.0
	25 + 25 + 50 + 71	1.46	1.46	2.93	4.15	-	10.00	2.3 ~ 11.2	2730	470 ~ 3400	13.7	12.5	1.75	1.75	3.52	4.98	-	12.00	3.4 ~ 14.4	2870	520 ~ 4130	14.1	12.9
	25 + 25 + 60 + 60	1.47	1.47	3.53	3.53	-	10.00	2.3 ~ 11.2	2730	440 ~ 3390	13.7	12.5	1.76	1.76	4.24	4.24	-	12.00	3.4 ~ 14.4	2880	510 ~ 4150	14.1	13.0
	25 + 25 + 60 + 71	1.38	1.38	3.32	3.92	-	10.00	2.3 ~ 11.2	2730	470 ~ 3400	13.7	12.5	1.66	1.66	3.98	4.70	-	12.00	3.4 ~ 14.4	2870	520 ~ 4130	14.1	12.9
	25 + 35 + 35 + 35	1.93	2.69	2.69	2.69	-	10.00	2.3 ~ 10.8	2980	350 ~ 3530	14.9	13.7	2.31	3.23	3.23	3.23	-	12.00	3.4 ~ 14.4	2920	370 ~ 4300	14.3	13.1
	25 + 35 + 35 + 42	1.83	2.55	2.55	3.07	-	10.00	2.3 ~ 10.8	2980	350 ~ 3530	14.9	13.7	2.19	3.07	3.07	3.67	-	12.00	3.4 ~ 14.4	2950	370 ~ 4280	14.5	13.3
	25 + 35 + 35 + 50	1.73	2.41	2.41	3.45	-	10.00	2.3 ~ 11.0	2780	390 ~ 3460	13.9	12.8	2.07	2.90	2.90	4.13	-	12.00	3.4 ~ 14.4	2860	450 ~ 4200	14.1	12.9
	25 + 35 + 35 + 60	1.61	2.26	2.26	3.87	-	10.00	2.3 ~ 11.0	2780	390 ~ 3460	13.9	12.8	1.94	2.71	2.71	4.64	-	12.00	3.4 ~ 14.4	2860	450 ~ 4200	14.1	12.9
25 + 35 + 35 + 71	1.51	2.11	2.11	4.27	-	10.00	2.3 ~ 11.2	2790	420 ~ 3530	14.0	12.8	1.81	2.53	2.53	5.13	-	12.00	3.4 ~ 14.4	2890	450 ~ 4180	14.2	13.0	
25 + 35 + 42 + 42	1.74	2.42	2.92	3.92	-	10.00	2.3 ~ 11.0	2980	350 ~ 3680	14.9	13.7	2.08	2.92	3.50	3.50	-	12.00	3.4 ~ 14.4	2940	390 ~ 4270	14.4	13.2	
25 + 35 + 42 + 50	1.65	2.30	2.76	3.29	-	10.00	2.3 ~ 11.0	2780	390 ~ 3390	13.9	12.8	1.97	2.76	3.32	3.95	-	12.00	3.4 ~ 14.4	2900	450 ~ 4190	14.2	13.1	
25 + 35 + 42 + 60	1.55	2.16	2.59	3.70	-	10.00	2.3 ~ 11.2	2780	390 ~ 3530	13.9	12.8	1.86	2.59	3.11	4.44	-	12.00	3.4 ~ 14.4	2900	450 ~ 4190	14.2	13.1	
25 + 35 + 42 + 71	1.45	2.02	2.43	4.10	-	10.00	2.3 ~ 11.2	2790	420 ~ 3540	14.0	12.8	1.74	2.43	2.91	4.92	-	12.00	3.4 ~ 14.4	2890	460 ~ 4170	14.2	13.0	
25 + 35 + 50 + 50	1.56	2.18	3.13	3.13	-	10.00	2.3 ~ 11.2	2730	470 ~ 3400	13.7	12.5	1.88	2.62	3.75	3.75	-	12.00	3.4 ~ 14.4	2870	530 ~ 4120	14.1	12.9	
25 + 35 + 50 + 60	1.47	2.06	2.94	3.53	-	10.00	2.3 ~ 11.2	2730	470 ~ 3400	13.7	12.5	1.76	2.47	3.53	4.24	-	12.00	3.4 ~ 14.4	2870	530 ~ 4120	14.1	12.9	
25 + 35 + 50 + 71	1.39	1.93	2.76	3.92	-	10.00	2.3 ~ 11.2	2740	480 ~ 3400	13.7	12.6	1.66	2.32	3.31	4.71	-	12.00	3.4 ~ 14.4	2860	540 ~ 4110	14.1	12.9	
25 + 35 + 60 + 60	1.40	1.94	3.33	3.33	-	10.00	2.3 ~ 11.2</																

CU-5Z100WBH-8: Free Multi Indoor Combination

Indoor unit capacity		COOLING OPERATION											HEATING OPERATION										
		Cooling Capacity (kW)						Input Power (W)		Current (A)			Heating Capacity (kW)						Input Power (W)		Current (A)		
		Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V
4 Rooms	35 + 35 + 35 + 42	2.38	2.38	2.38	2.86	-	10.00	2.3 ~ 11.0	2910	350 ~ 3600	14.6	13.3	2.86	2.86	2.86	3.42	-	12.00	3.4 ~ 14.4	2930	390 ~ 4250	14.4	13.2
	35 + 35 + 35 + 50	2.26	2.26	2.26	3.22	-	10.00	2.3 ~ 11.0	2780	390 ~ 3390	13.9	12.8	2.71	2.71	2.71	3.87	-	12.00	3.4 ~ 14.4	2890	460 ~ 4170	14.2	13.0
	35 + 35 + 35 + 60	2.12	2.12	2.12	3.64	-	10.00	2.3 ~ 11.2	2780	390 ~ 3530	13.9	12.8	2.55	2.55	2.55	4.35	-	12.00	3.4 ~ 14.4	2890	460 ~ 4170	14.2	13.0
	35 + 35 + 35 + 71	1.99	1.99	1.99	4.03	-	10.00	2.3 ~ 11.2	2790	430 ~ 3460	14.0	12.8	2.39	2.39	2.39	4.83	-	12.00	3.4 ~ 14.4	2880	470 ~ 4150	14.1	13.0
	35 + 35 + 42 + 42	2.27	2.27	2.73	2.73	-	10.00	2.3 ~ 11.0	2910	350 ~ 3600	14.6	13.3	2.73	2.73	3.27	3.27	-	12.00	3.4 ~ 14.4	2920	400 ~ 4240	14.3	13.1
	35 + 35 + 42 + 50	2.16	2.16	2.59	3.09	-	10.00	2.3 ~ 11.2	2790	420 ~ 3530	14.0	12.8	2.59	2.59	3.12	3.70	-	12.00	3.4 ~ 14.4	2880	470 ~ 4160	14.1	13.0
	35 + 35 + 42 + 60	2.03	2.03	2.45	3.49	-	10.00	2.3 ~ 11.2	2790	420 ~ 3530	14.0	12.8	2.44	2.44	2.93	4.19	-	12.00	3.4 ~ 14.4	2880	470 ~ 4160	14.1	13.0
	35 + 35 + 42 + 71	1.91	1.91	2.30	3.88	-	10.00	2.3 ~ 11.2	2790	430 ~ 3460	14.0	12.8	2.30	2.30	2.75	4.65	-	12.00	3.4 ~ 14.4	2870	480 ~ 4140	14.1	12.9
	35 + 35 + 50 + 50	2.06	2.06	2.94	2.94	-	10.00	2.3 ~ 11.2	2730	470 ~ 3400	13.7	12.5	2.47	2.47	3.53	3.53	-	12.00	3.4 ~ 14.4	2890	550 ~ 4090	14.2	13.0
	35 + 35 + 50 + 60	1.94	1.94	2.79	3.33	-	10.00	2.3 ~ 11.2	2730	470 ~ 3400	13.7	12.5	2.33	2.33	3.33	4.01	-	12.00	3.4 ~ 14.4	2890	550 ~ 4090	14.2	13.0
	35 + 42 + 42 + 42	2.17	2.61	2.61	2.61	-	10.00	2.3 ~ 11.2	2910	350 ~ 3760	14.6	13.3	2.61	3.13	3.13	3.13	-	12.00	3.4 ~ 14.4	2910	400 ~ 4220	14.3	13.1
	35 + 42 + 42 + 50	2.07	2.49	2.49	2.49	-	10.00	2.3 ~ 11.2	2790	420 ~ 3540	14.0	12.8	2.49	2.98	2.98	3.55	-	12.00	3.4 ~ 14.4	2870	480 ~ 4140	14.1	12.9
	35 + 42 + 42 + 60	1.96	2.35	2.35	3.34	-	10.00	2.3 ~ 11.2	2790	420 ~ 3540	14.0	12.8	2.35	2.82	2.82	4.01	-	12.00	3.4 ~ 14.4	2870	480 ~ 4140	14.1	12.9
	35 + 42 + 50 + 50	1.99	2.37	2.82	2.82	-	10.00	2.3 ~ 11.2	2740	470 ~ 3400	13.7	12.6	2.37	2.85	3.39	3.39	-	12.00	3.4 ~ 14.4	2890	560 ~ 4080	14.2	13.0
42 + 42 + 42 + 42	2.50	2.50	2.50	2.50	-	10.00	2.3 ~ 11.2	2910	350 ~ 3680	14.6	13.3	3.00	3.00	3.00	3.00	-	12.00	3.4 ~ 14.4	2900	400 ~ 4210	14.2	13.1	
42 + 42 + 42 + 50	2.39	2.39	2.39	2.83	-	10.00	2.3 ~ 11.2	2790	420 ~ 3460	14.0	12.8	2.86	2.86	2.86	3.42	-	12.00	3.4 ~ 14.4	2860	480 ~ 4130	14.1	12.9	
5 Rooms	16 + 16 + 16 + 16 + 16	1.60	1.60	1.60	1.60	1.60	8.00	2.3 ~ 11.5	1990	390 ~ 3810	9.8	9.0	2.40	2.40	2.40	2.40	2.40	12.00	3.4 ~ 14.5	3050	540 ~ 4320	14.4	13.4
	16 + 16 + 16 + 16 + 20	1.60	1.60	1.60	1.60	2.00	8.40	2.3 ~ 11.5	2100	390 ~ 3810	10.3	9.5	2.29	2.29	2.29	2.29	2.84	12.00	3.4 ~ 14.5	3040	560 ~ 4310	14.4	13.3
	16 + 16 + 16 + 16 + 25	1.60	1.60	1.60	1.60	2.50	8.90	2.3 ~ 11.5	2270	390 ~ 3810	11.2	10.3	2.16	2.16	2.16	2.16	3.36	12.00	3.4 ~ 14.5	3040	560 ~ 4310	14.4	13.3
	16 + 16 + 16 + 16 + 35	1.60	1.60	1.60	1.60	3.50	9.90	2.3 ~ 11.5	2690	420 ~ 3740	13.2	12.2	1.94	1.94	1.94	1.94	4.24	12.00	3.4 ~ 14.5	3070	570 ~ 4270	14.5	13.4
	16 + 16 + 16 + 16 + 42	1.51	1.51	1.51	1.51	3.96	10.00	2.3 ~ 11.5	2750	430 ~ 3740	13.5	12.5	1.81	1.81	1.81	1.81	4.76	12.00	3.4 ~ 14.5	3060	580 ~ 4320	14.5	13.4
	16 + 16 + 16 + 16 + 50	1.40	1.40	1.40	1.40	4.40	10.00	2.3 ~ 11.5	2700	480 ~ 3600	13.3	12.3	1.68	1.68	1.68	1.68	5.28	12.00	3.4 ~ 14.5	3080	680 ~ 4250	14.6	13.5
	16 + 16 + 16 + 16 + 60	1.29	1.29	1.29	1.29	4.84	10.00	2.3 ~ 11.5	2700	480 ~ 3600	13.3	12.3	1.55	1.55	1.55	1.55	5.80	12.00	3.4 ~ 14.5	3080	680 ~ 4250	14.6	13.5
	16 + 16 + 16 + 16 + 71	1.19	1.19	1.19	1.19	5.24	10.00	2.3 ~ 11.5	2710	510 ~ 3530	13.3	12.3	1.42	1.42	1.42	1.42	6.32	12.00	3.4 ~ 14.5	3070	700 ~ 4240	14.5	13.4
	16 + 16 + 16 + 20 + 20	1.60	1.60	1.60	2.00	2.00	8.80	2.3 ~ 11.5	2270	420 ~ 3730	11.2	10.3	2.18	2.18	2.18	2.73	2.73	12.00	3.4 ~ 14.5	3040	560 ~ 4290	14.4	13.3
	16 + 16 + 16 + 20 + 25	1.60	1.60	1.60	2.00	2.50	9.30	2.3 ~ 11.5	2440	420 ~ 3730	12.0	11.1	2.06	2.06	2.06	2.59	3.23	12.00	3.4 ~ 14.5	3040	560 ~ 4290	14.4	13.3
	16 + 16 + 16 + 20 + 35	1.55	1.55	1.55	1.95	3.40	10.00	2.3 ~ 11.5	2750	430 ~ 3740	13.5	12.5	1.86	1.86	1.86	2.34	4.08	12.00	3.4 ~ 14.5	3060	580 ~ 4320	14.5	13.4
	16 + 16 + 16 + 20 + 42	1.45	1.45	1.45	1.83	3.82	10.00	2.3 ~ 11.5	2750	430 ~ 3740	13.5	12.5	1.75	1.75	1.75	2.18	4.57	12.00	3.4 ~ 14.5	3050	600 ~ 4310	14.4	13.4
	16 + 16 + 16 + 20 + 50	1.36	1.36	1.36	1.69	4.23	10.00	2.3 ~ 11.5	2710	510 ~ 3600	13.3	12.3	1.63	1.63	1.63	2.03	5.08	12.00	3.4 ~ 14.5	3070	700 ~ 4240	14.5	13.4
	16 + 16 + 16 + 20 + 60	1.25	1.25	1.25	1.56	4.69	10.00	2.3 ~ 11.5	2710	510 ~ 3600	13.3	12.3	1.50	1.50	1.50	1.88	5.62	12.00	3.4 ~ 14.5	3070	700 ~ 4240	14.5	13.4
	16 + 16 + 16 + 20 + 71	1.15	1.15	1.15	1.44	5.11	10.00	2.3 ~ 11.5	2710	520 ~ 3530	13.3	12.3	1.38	1.38	1.38	1.73	6.13	12.00	3.4 ~ 14.5	3060	710 ~ 4230	14.5	13.4
	16 + 16 + 16 + 25 + 25	1.60	1.60	1.60	2.50	2.50	9.80	2.3 ~ 11.5	2690	420 ~ 3730	13.2	12.2	1.96	1.96	1.96	3.06	3.06	12.00	3.4 ~ 14.5	3040	560 ~ 4290	14.4	13.3
	16 + 16 + 16 + 25 + 35	1.48	1.48	1.48	2.32	3.24	10.00	2.3 ~ 11.5	2750	430 ~ 3740	13.5	12.5	1.78	1.78	1.78	2.78	3.88	12.00	3.4 ~ 14.5	3060	580 ~ 4320	14.5	13.4
	16 + 16 + 16 + 25 + 42	1.39	1.39	1.39	2.18	3.65	10.00	2.3 ~ 11.5	2750	430 ~ 3740	13.5	12.5	1.67	1.67	1.67	2.61	4.38	12.00	3.4 ~ 14.5	3050	600 ~ 4310	14.4	13.4
	16 + 16 + 16 + 25 + 50	1.30	1.30	1.30	2.03	4.07	10.00	2.3 ~ 11.5	2710	510 ~ 3600	13.3	12.3	1.56	1.56	1.56	2.44	4.88	12.00	3.4 ~ 14.5	3070	700 ~ 4240	14.5	13.4
	16 + 16 + 16 + 25 + 60	1.20	1.20	1.20	1.89	4.51	10.00	2.3 ~ 11.5	2710	510 ~ 3600	13.3	12.3	1.44	1.44	1.44	2.27	5.41	12.00	3.4 ~ 14.5	3070	700 ~ 4240	14.5	13.4
	16 + 16 + 16 + 25 + 71	1.11	1.11	1.11	1.74	4.93	10.00	2.3 ~ 11.5	2710	520 ~ 3530	13.3	12.3	1.33	1.33	1.33	2.09	5.92	12.00	3.4 ~ 14.5	3060	710 ~ 4230	14.5	13.4
	16 + 16 + 16 + 35 + 35	1.36	1.36	1.36	2.96	2.96	10.00	2.3 ~ 11.5	2690	430 ~ 3660	13.2	12.2	1.62	1.62	1.62	3.57	3.57	12.00	3.4 ~ 14.5	3040	600 ~ 4290	14.4	13.3
	16 + 16 + 16 + 35 + 42	1.28	1.28	1.28	2.80	3.36	10.00	2.3 ~ 11.5	2690	430 ~ 3660	13.2	12.2	1.54	1.54	1.54	3.36	4.02	12.00	3.4 ~ 14.5	3040	610 ~ 4280	14.4	13.3
	16 + 16 + 16 + 35 + 50	1.20	1.20	1.20	2.64	3.76	10.00	2.3 ~ 11.5	2710	510 ~ 3530	13.3	12.3	1.44	1.44	1.44	3.17	4.51	12.00	3.4 ~ 14.5	3060	720 ~ 4270	14.5	13.4
	16 + 16 + 16 + 35 + 60	1.12	1.12	1.12	2.45	4.19	10.00	2.3 ~ 11.5	2710	510 ~ 3530	13.3	12.3	1.34	1.34	1.34	2.95	5.03	12.00	3.4 ~ 14.5	3060	720 ~ 4270	14.5	13.4
	16 + 16 + 16 + 35 + 71	1.04	1.04	1.04	2.27	4.61	10.00	2.3 ~ 11.5	2650	520 ~ 3530	13.0	12.0	1.25	1.25	1.25	2.73	5.52	12.00	3.4 ~ 14.5	3090	740 ~ 4260	14.6	13.5
	16 + 16 + 16 + 42 + 42	1.22	1.22	1.22	3.17	3.17	10.00	2.3 ~ 11.5	2690	430 ~ 3660	13.2	12.2	1.46	1.46	1.46	3.81	3.81	12.00	3.4 ~ 14.5	3030	630 ~ 4270	14.3	13.3
	16 + 16 + 16 + 42 + 50	1.14	1.14	1.14	3.01	3.57	10.00	2.3 ~ 11.5	2710	520 ~ 3530	13.3	12.3	1.37	1.37	1.37	3.60	4.29	12.00	3.4 ~ 14.5	3050	740 ~ 4260	14.4	13.4
	16 + 16 + 16 + 42 + 60	1.07	1.07	1.07	2.80	3.99	10.00	2.3 ~ 11.5	2710	520 ~ 3530	13.3	12.3	1.28	1.28	1.28	3.36	4.80	12.00	3.4 ~ 14.5	3050	740 ~ 4260	14.4	13.4
	16 + 16 + 16																						

CU-5Z100WBH-8: Free Multi Indoor Combination

Indoor unit capacity	COOLING OPERATION											HEATING OPERATION										
	Cooling Capacity (kW)						Input Power (W)		Current (A)			Heating Capacity (kW)						Input Power (W)		Current (A)		
	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V
16 + 16 + 20 + 25 + 35	1.43	1.43	1.79	2.23	3.12	10.00	2.3 ~ 11.5	2750	430 ~ 3740	13.5	12.5	1.71	1.71	2.15	2.68	3.75	12.00	3.4 ~ 14.5	3050	600 ~ 4310	14.4	13.4
16 + 16 + 20 + 25 + 42	1.34	1.34	1.69	2.10	3.53	10.00	2.3 ~ 11.5	2750	430 ~ 3660	13.5	12.5	1.61	1.61	2.02	2.52	4.24	12.00	3.4 ~ 14.5	3050	600 ~ 4300	14.4	13.4
16 + 16 + 20 + 25 + 50	1.26	1.26	1.57	1.97	3.94	10.00	2.3 ~ 11.5	2710	510 ~ 3530	13.3	12.3	1.51	1.51	1.90	2.36	4.72	12.00	3.4 ~ 14.5	3070	710 ~ 4230	14.5	13.4
16 + 16 + 20 + 25 + 60	1.17	1.17	1.46	1.82	4.38	10.00	2.3 ~ 11.5	2710	510 ~ 3530	13.3	12.3	1.40	1.40	1.75	2.19	5.26	12.00	3.4 ~ 14.5	3070	710 ~ 4230	14.5	13.4
16 + 16 + 20 + 25 + 71	1.08	1.08	1.35	1.69	4.80	10.00	2.3 ~ 11.5	2710	520 ~ 3530	13.3	12.3	1.30	1.30	1.62	2.03	5.75	12.00	3.4 ~ 14.5	3060	720 ~ 4220	14.5	13.4
16 + 16 + 20 + 35 + 35	1.31	1.31	1.64	2.87	2.87	10.00	2.3 ~ 11.5	2690	430 ~ 3660	13.2	12.2	1.57	1.57	1.98	3.44	3.44	12.00	3.4 ~ 14.5	3040	610 ~ 4280	14.4	13.3
16 + 16 + 20 + 35 + 42	1.24	1.24	1.55	2.71	3.26	10.00	2.3 ~ 11.5	2690	430 ~ 3660	13.2	12.2	1.49	1.49	1.86	3.26	3.90	12.00	3.4 ~ 14.5	3030	630 ~ 4270	14.3	13.3
16 + 16 + 20 + 35 + 50	1.17	1.17	1.46	2.55	3.65	10.00	2.3 ~ 11.5	2710	520 ~ 3530	13.3	12.3	1.40	1.40	1.75	3.07	4.38	12.00	3.4 ~ 14.5	3050	740 ~ 4260	14.4	13.4
16 + 16 + 20 + 35 + 60	1.09	1.09	1.36	2.38	4.08	10.00	2.3 ~ 11.5	2710	520 ~ 3530	13.3	12.3	1.31	1.31	1.63	2.86	4.89	12.00	3.4 ~ 14.5	3050	740 ~ 4260	14.4	13.4
16 + 16 + 20 + 35 + 71	1.01	1.01	1.27	2.22	4.49	10.00	2.3 ~ 11.5	2650	520 ~ 3540	13.0	12.0	1.22	1.22	1.52	2.66	5.38	12.00	3.4 ~ 14.5	3090	750 ~ 4250	14.6	13.5
16 + 16 + 20 + 42 + 42	1.18	1.18	1.46	3.09	3.09	10.00	2.3 ~ 11.5	2690	440 ~ 3670	13.2	12.2	1.41	1.41	1.76	3.71	3.71	12.00	3.4 ~ 14.5	3070	640 ~ 4260	14.5	13.4
16 + 16 + 20 + 42 + 50	1.11	1.11	1.39	2.92	3.47	10.00	2.3 ~ 11.5	2710	520 ~ 3530	13.3	12.3	1.33	1.33	1.67	3.50	4.17	12.00	3.4 ~ 14.5	3090	750 ~ 4250	14.6	13.5
16 + 16 + 20 + 42 + 60	1.04	1.04	1.30	2.73	3.89	10.00	2.3 ~ 11.5	2710	520 ~ 3530	13.3	12.3	1.25	1.25	1.56	3.27	4.67	12.00	3.4 ~ 14.5	3090	750 ~ 4250	14.6	13.5
16 + 16 + 20 + 42 + 71	0.97	0.97	1.21	2.55	4.30	10.00	2.3 ~ 11.5	2660	550 ~ 3540	13.1	12.1	1.17	1.17	1.45	3.05	5.16	12.00	3.4 ~ 14.5	3080	760 ~ 4240	14.6	13.5
16 + 16 + 20 + 50 + 50	1.05	1.05	1.32	3.29	3.29	10.00	2.3 ~ 11.5	2670	610 ~ 3480	13.1	12.1	1.26	1.26	1.58	3.95	3.95	12.00	3.4 ~ 14.5	3130	870 ~ 4270	14.8	13.7
16 + 16 + 20 + 50 + 60	0.99	0.99	1.23	3.09	3.70	10.00	2.3 ~ 11.5	2670	610 ~ 3480	13.1	12.1	1.19	1.19	1.48	3.70	4.44	12.00	3.4 ~ 14.5	3130	870 ~ 4270	14.8	13.7
16 + 16 + 20 + 50 + 71	0.92	0.92	1.17	2.89	4.10	10.00	2.3 ~ 11.5	2680	620 ~ 3490	13.2	12.2	1.11	1.11	1.39	3.47	4.92	12.00	3.4 ~ 14.5	3170	900 ~ 4310	15.0	13.9
16 + 16 + 20 + 60 + 60	0.93	0.93	1.16	3.49	3.49	10.00	2.3 ~ 11.5	2670	610 ~ 3480	13.1	12.1	1.12	1.12	1.40	4.18	4.18	12.00	3.4 ~ 14.5	3130	870 ~ 4270	14.8	13.7
16 + 16 + 20 + 60 + 71	0.87	0.87	1.10	3.28	3.88	10.00	2.3 ~ 11.5	2680	620 ~ 3490	13.2	12.2	1.05	1.05	1.31	3.93	4.66	12.00	3.4 ~ 14.5	3170	900 ~ 4310	15.0	13.9
16 + 16 + 25 + 25 + 25	1.49	1.49	2.34	2.34	2.34	10.00	2.3 ~ 11.5	2750	420 ~ 3740	13.5	12.5	1.80	1.80	2.80	2.80	2.80	12.00	3.4 ~ 14.5	3070	570 ~ 4280	14.5	13.4
16 + 16 + 25 + 25 + 35	1.37	1.37	2.14	2.14	2.98	10.00	2.3 ~ 11.5	2750	430 ~ 3740	13.5	12.5	1.64	1.64	2.56	2.56	3.60	12.00	3.4 ~ 14.5	3050	600 ~ 4310	14.4	13.4
16 + 16 + 25 + 25 + 42	1.29	1.29	2.02	2.02	3.38	10.00	2.3 ~ 11.5	2750	430 ~ 3660	13.5	12.5	1.55	1.55	2.42	2.42	4.06	12.00	3.4 ~ 14.5	3050	600 ~ 4300	14.4	13.4
16 + 16 + 25 + 25 + 50	1.21	1.21	1.89	1.89	3.80	10.00	2.3 ~ 11.5	2710	510 ~ 3530	13.3	12.3	1.45	1.45	2.27	2.27	4.56	12.00	3.4 ~ 14.5	3070	710 ~ 4230	14.5	13.4
16 + 16 + 25 + 25 + 60	1.13	1.13	1.76	1.76	4.22	10.00	2.3 ~ 11.5	2710	510 ~ 3530	13.3	12.3	1.35	1.35	2.11	2.11	5.08	12.00	3.4 ~ 14.5	3070	710 ~ 4230	14.5	13.4
16 + 16 + 25 + 25 + 71	1.05	1.05	1.63	1.63	4.64	10.00	2.3 ~ 11.5	2710	520 ~ 3530	13.3	12.3	1.25	1.25	1.96	1.96	5.58	12.00	3.4 ~ 14.5	3060	720 ~ 4220	14.5	13.4
16 + 16 + 25 + 35 + 35	1.26	1.26	1.96	2.76	2.76	10.00	2.3 ~ 11.5	2690	430 ~ 3660	13.2	12.2	1.51	1.51	2.36	3.31	3.31	12.00	3.4 ~ 14.5	3040	610 ~ 4280	14.4	13.3
16 + 16 + 25 + 35 + 42	1.19	1.19	1.88	2.61	3.13	10.00	2.3 ~ 11.5	2690	430 ~ 3660	13.2	12.2	1.43	1.43	2.25	3.13	3.76	12.00	3.4 ~ 14.5	3030	630 ~ 4270	14.3	13.3
16 + 16 + 25 + 35 + 50	1.13	1.13	1.76	2.46	3.52	10.00	2.3 ~ 11.5	2710	520 ~ 3530	13.3	12.3	1.35	1.35	2.11	2.96	4.23	12.00	3.4 ~ 14.5	3050	740 ~ 4260	14.4	13.4
16 + 16 + 25 + 35 + 60	1.05	1.05	1.65	2.30	3.95	10.00	2.3 ~ 11.5	2710	520 ~ 3530	13.3	12.3	1.26	1.26	1.98	2.76	4.74	12.00	3.4 ~ 14.5	3050	740 ~ 4260	14.4	13.4
16 + 16 + 25 + 35 + 71	0.98	0.98	1.53	2.15	4.36	10.00	2.3 ~ 11.5	2650	520 ~ 3540	13.0	12.0	1.18	1.18	1.84	2.58	5.22	12.00	3.4 ~ 14.5	3090	750 ~ 4250	14.6	13.5
16 + 16 + 25 + 42 + 42	1.13	1.13	1.78	2.98	2.98	10.00	2.3 ~ 11.5	2690	440 ~ 3670	13.2	12.2	1.36	1.36	2.14	3.57	3.57	12.00	3.4 ~ 14.5	3070	640 ~ 4260	14.5	13.4
16 + 16 + 25 + 42 + 50	1.07	1.07	1.68	2.82	3.36	10.00	2.3 ~ 11.5	2710	520 ~ 3530	13.3	12.3	1.29	1.29	2.01	3.38	4.03	12.00	3.4 ~ 14.5	3090	750 ~ 4250	14.6	13.5
16 + 16 + 25 + 42 + 60	1.01	1.01	1.57	2.64	3.77	10.00	2.3 ~ 11.5	2710	520 ~ 3530	13.3	12.3	1.21	1.21	1.89	3.17	4.52	12.00	3.4 ~ 14.5	3090	750 ~ 4250	14.6	13.5
16 + 16 + 25 + 42 + 71	0.94	0.94	1.47	2.47	4.18	10.00	2.3 ~ 11.5	2660	550 ~ 3540	13.1	12.1	1.13	1.13	1.77	2.96	5.01	12.00	3.4 ~ 14.5	3080	760 ~ 4240	14.6	13.5
16 + 16 + 25 + 50 + 50	1.02	1.02	1.60	3.18	3.18	10.00	2.3 ~ 11.5	2670	610 ~ 3480	13.1	12.1	1.22	1.22	1.92	3.82	3.82	12.00	3.4 ~ 14.5	3130	870 ~ 4270	14.8	13.7
16 + 16 + 25 + 50 + 60	0.96	0.96	1.50	2.99	3.59	10.00	2.3 ~ 11.5	2670	610 ~ 3480	13.1	12.1	1.15	1.15	1.80	3.59	4.31	12.00	3.4 ~ 14.5	3130	870 ~ 4270	14.8	13.7
16 + 16 + 25 + 50 + 71	0.90	0.90	1.40	2.81	3.99	10.00	2.3 ~ 11.5	2680	620 ~ 3490	13.2	12.2	1.08	1.08	1.69	3.37	4.78	12.00	3.4 ~ 14.5	3170	900 ~ 4310	15.0	13.9
16 + 16 + 25 + 60 + 60	0.90	0.90	1.42	3.39	3.39	10.00	2.3 ~ 11.5	2670	610 ~ 3480	13.1	12.1	1.08	1.08	1.70	4.07	4.07	12.00	3.4 ~ 14.5	3130	870 ~ 4270	14.8	13.7
16 + 16 + 35 + 35 + 35	1.16	1.16	2.56	2.56	2.56	10.00	2.3 ~ 11.5	2700	460 ~ 3670	13.3	12.3	1.41	1.41	3.06	3.06	3.06	12.00	3.4 ~ 14.5	3060	640 ~ 4250	14.5	13.4
16 + 16 + 35 + 35 + 42	1.11	1.11	2.43	2.43	2.92	10.00	2.3 ~ 11.5	2700	470 ~ 3670	13.3	12.3	1.33	1.33	2.92	2.92	3.50	12.00	3.4 ~ 14.5	3060	650 ~ 4240	14.5	13.4
16 + 16 + 35 + 35 + 50	1.05	1.05	2.30	2.30	3.30	10.00	2.3 ~ 11.5	2650	520 ~ 3530	13.0	12.0	1.26	1.26	2.76	2.76	3.96	12.00	3.4 ~ 14.5	3080	760 ~ 4240	14.6	13.5
16 + 16 + 35 + 35 + 60	0.99	0.99	2.16	2.16	3.70	10.00	2.3 ~ 11.5	2650	520 ~ 3530	13.0	12.0	1.19	1.19	2.59	2.59	4.44	12.00	3.4 ~ 14.5	3080	760 ~ 4240	14.6	13.5
16 + 16 + 35 + 35 + 71	0.93	0.93	2.02	2.02	4.10	10.00	2.3 ~ 11.5	2660	560 ~ 3540	13.1	12.1	1.11	1.11	2.43	2.43	4.92	12.00	3.4 ~ 14.5	3080	780 ~ 4230	14.6	13.5
16 + 16 + 35 + 42 + 42	1.06	1.06	2.32	2.78	2.78	10.00	2.3 ~ 11.5	2700	470 ~ 3590	13.3	12.3	1.27	1.27	2.78	3.34	3.34	12.00	3.4 ~ 14.5	3050	650 ~ 4280	14.4	13.4
16 + 16 + 35 + 42 + 50	1.01	1.01	2.20	2.64	3.14	10.00	2.3 ~ 11.5	2650	520 ~ 3540	13.0	12.0	1.21	1.21	2.64	3.17	3.77	12.00	3.4 ~ 14.5	3080	780 ~ 4230	14.6	13.5
16 + 16 + 35 + 42 + 60	0.95	0.95	2.07	2.49	3.54	10.00	2.3 ~ 11.5	2650	520 ~ 3540	13.0	12.0	1.14	1.14	2.49	2.98	4.25	12.00	3.4 ~ 14.5	3080	780 ~ 4230	14.6	13.5
16 + 16 + 35 + 42 + 71	0.89	0.89	1.95	2.33	3.94	10.00	2.3 ~ 11.5	2660	560 ~ 3540	13.1	12.1	1.07	1.07	2.33	2.80	4.73	12.00	3.4 ~ 14.5	3110	790 ~ 4270	14.7	13.6
16 + 16 + 35 + 50 + 50	0.96	0.96	2.10	2.99	2.99	10.00	2.3 ~ 11.5	2680	620 ~ 3490	13.2	12.2	1.15	1.15	2.52	3.59	3.59	12.00	3.4 ~ 14.5	3160	910 ~ 4300	14.9	13.8</

CU-5Z100WBH-8: Free Multi Indoor Combination

Indoor unit capacity	COOLING OPERATION												HEATING OPERATION											
	Cooling Capacity (kW)						Input Power (W)		Current (A)		Heating Capacity (kW)						Input Power (W)		Current (A)					
	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V		
16 + 20 + 20 + 20 + 60	1.18	1.47	1.47	4.41	10.00	2.3 ~ 11.5	2710	510 ~ 3530	13.3	12.3	1.42	1.76	1.76	1.76	5.30	12.00	3.4 ~ 14.5	3060	720 ~ 4220	14.5	13.4			
16 + 20 + 20 + 20 + 71	1.09	1.36	1.36	4.83	10.00	2.3 ~ 11.5	2650	520 ~ 3530	13.0	12.0	1.31	1.63	1.63	1.63	5.80	12.00	3.4 ~ 14.5	3050	730 ~ 4270	14.4	13.4			
16 + 20 + 20 + 25 + 25	1.50	1.89	1.89	2.36	2.36	10.00	2.3 ~ 11.5	2750	420 ~ 3740	13.5	12.5	1.82	2.26	2.26	2.83	2.83	12.00	3.4 ~ 14.5	3070	570 ~ 4330	14.5	13.4		
16 + 20 + 20 + 25 + 35	1.38	1.72	1.72	2.16	3.02	10.00	2.3 ~ 11.5	2750	430 ~ 3660	13.5	12.5	1.66	2.07	2.07	2.59	3.61	12.00	3.4 ~ 14.5	3050	600 ~ 4300	14.4	13.4		
16 + 20 + 20 + 25 + 42	1.30	1.63	1.63	2.03	3.41	10.00	2.3 ~ 11.5	2690	430 ~ 3660	13.2	12.2	1.56	1.95	1.95	2.44	4.10	12.00	3.4 ~ 14.5	3040	610 ~ 4290	14.4	13.3		
16 + 20 + 20 + 25 + 50	1.22	1.53	1.53	1.91	3.81	10.00	2.3 ~ 11.5	2710	510 ~ 3530	13.3	12.3	1.47	1.83	1.83	2.29	4.58	12.00	3.4 ~ 14.5	3060	720 ~ 4220	14.5	13.4		
16 + 20 + 20 + 25 + 60	1.13	1.42	1.42	1.77	4.26	10.00	2.3 ~ 11.5	2710	510 ~ 3530	13.3	12.3	1.36	1.70	1.70	2.13	5.11	12.00	3.4 ~ 14.5	3060	720 ~ 4220	14.5	13.4		
16 + 20 + 20 + 25 + 71	1.05	1.32	1.32	1.64	4.67	10.00	2.3 ~ 11.5	2650	520 ~ 3530	13.0	12.0	1.26	1.58	1.58	1.97	5.61	12.00	3.4 ~ 14.5	3050	730 ~ 4270	14.4	13.4		
16 + 20 + 20 + 35 + 35	1.26	1.59	1.59	2.78	2.78	10.00	2.3 ~ 11.5	2690	440 ~ 3660	13.2	12.2	1.52	1.90	1.90	3.34	3.34	12.00	3.4 ~ 14.5	3030	630 ~ 4270	14.3	13.3		
16 + 20 + 20 + 35 + 42	1.21	1.50	1.50	2.63	3.16	10.00	2.3 ~ 11.5	2690	440 ~ 3670	13.2	12.2	1.45	1.80	1.80	3.16	3.79	12.00	3.4 ~ 14.5	3070	640 ~ 4260	14.5	13.4		
16 + 20 + 20 + 35 + 50	1.13	1.42	1.42	2.48	3.55	10.00	2.3 ~ 11.5	2710	520 ~ 3530	13.3	12.3	1.36	1.70	1.70	2.98	4.26	12.00	3.4 ~ 14.5	3090	750 ~ 4250	14.6	13.5		
16 + 20 + 20 + 35 + 60	1.07	1.32	1.32	2.32	3.97	10.00	2.3 ~ 11.5	2710	520 ~ 3530	13.3	12.3	1.27	1.59	1.59	2.78	4.77	12.00	3.4 ~ 14.5	3090	750 ~ 4250	14.6	13.5		
16 + 20 + 20 + 35 + 71	1.00	1.23	1.23	2.16	4.38	10.00	2.3 ~ 11.5	2660	550 ~ 3540	13.1	12.1	1.19	1.48	1.48	2.59	5.26	12.00	3.4 ~ 14.5	3080	760 ~ 4240	14.6	13.5		
16 + 20 + 20 + 42 + 42	1.14	1.43	1.43	3.00	3.00	10.00	2.3 ~ 11.5	2700	460 ~ 3670	13.3	12.3	1.38	1.71	1.71	3.60	3.60	12.00	3.4 ~ 14.5	3060	640 ~ 4250	14.5	13.4		
16 + 20 + 20 + 42 + 50	1.08	1.35	1.35	2.84	3.38	10.00	2.3 ~ 11.5	2650	520 ~ 3530	13.0	12.0	1.30	1.62	1.62	3.41	4.05	12.00	3.4 ~ 14.5	3090	760 ~ 4250	14.6	13.5		
16 + 20 + 20 + 42 + 60	1.01	1.27	1.27	2.66	3.79	10.00	2.3 ~ 11.5	2650	520 ~ 3530	13.0	12.0	1.22	1.52	1.52	3.19	4.55	12.00	3.4 ~ 14.5	3090	760 ~ 4250	14.6	13.5		
16 + 20 + 20 + 42 + 71	0.95	1.18	1.18	2.49	4.20	10.00	2.3 ~ 11.5	2660	560 ~ 3540	13.1	12.1	1.14	1.42	1.42	2.98	5.04	12.00	3.4 ~ 14.5	3080	780 ~ 4230	14.6	13.5		
16 + 20 + 20 + 50 + 50	1.02	1.28	1.28	3.21	3.21	10.00	2.3 ~ 11.5	2680	610 ~ 3480	13.2	12.2	1.22	1.54	1.54	3.85	3.85	12.00	3.4 ~ 14.5	3170	890 ~ 4260	15.0	13.9		
16 + 20 + 20 + 50 + 60	0.96	1.21	1.21	3.01	3.61	10.00	2.3 ~ 11.5	2680	610 ~ 3480	13.2	12.2	1.16	1.45	1.45	3.61	4.33	12.00	3.4 ~ 14.5	3170	890 ~ 4260	15.0	13.9		
16 + 20 + 20 + 50 + 71	0.90	1.13	1.13	2.82	4.02	10.00	2.3 ~ 11.5	2680	650 ~ 3490	13.2	12.2	1.08	1.36	1.36	3.39	4.81	12.00	3.4 ~ 14.5	3160	900 ~ 4300	14.9	13.8		
16 + 20 + 20 + 60 + 60	0.90	1.14	1.14	3.41	3.41	10.00	2.3 ~ 11.5	2680	610 ~ 3480	13.2	12.2	1.10	1.36	1.36	4.09	4.09	12.00	3.4 ~ 14.5	3170	890 ~ 4260	15.0	13.9		
16 + 20 + 25 + 25 + 25	1.45	1.80	2.25	2.25	2.25	10.00	2.3 ~ 11.5	2750	420 ~ 3740	13.5	12.5	1.74	2.16	2.70	2.70	2.70	12.00	3.4 ~ 14.5	3070	570 ~ 4330	14.5	13.4		
16 + 20 + 25 + 25 + 35	1.32	1.65	2.07	2.07	2.89	10.00	2.3 ~ 11.5	2750	430 ~ 3660	13.5	12.5	1.59	1.98	2.48	2.48	3.47	12.00	3.4 ~ 14.5	3050	600 ~ 4300	14.4	13.4		
16 + 20 + 25 + 25 + 42	1.26	1.56	1.95	1.95	3.28	10.00	2.3 ~ 11.5	2690	430 ~ 3660	13.2	12.2	1.50	1.88	2.34	2.34	3.94	12.00	3.4 ~ 14.5	3040	610 ~ 4290	14.4	13.3		
16 + 20 + 25 + 25 + 50	1.18	1.47	1.84	1.84	3.67	10.00	2.3 ~ 11.5	2710	510 ~ 3530	13.3	12.3	1.41	1.76	2.21	2.21	4.41	12.00	3.4 ~ 14.5	3060	720 ~ 4220	14.5	13.4		
16 + 20 + 25 + 25 + 60	1.10	1.37	1.71	1.71	4.11	10.00	2.3 ~ 11.5	2710	510 ~ 3530	13.3	12.3	1.33	1.64	2.05	2.05	4.93	12.00	3.4 ~ 14.5	3060	720 ~ 4220	14.5	13.4		
16 + 20 + 25 + 25 + 71	1.03	1.27	1.59	1.59	4.52	10.00	2.3 ~ 11.5	2650	520 ~ 3530	13.0	12.0	1.22	1.53	1.91	1.91	5.43	12.00	3.4 ~ 14.5	3050	730 ~ 4270	14.4	13.4		
16 + 20 + 25 + 35 + 35	1.22	1.53	1.91	2.67	2.67	10.00	2.3 ~ 11.5	2690	440 ~ 3660	13.2	12.2	1.47	1.83	2.28	3.21	3.21	12.00	3.4 ~ 14.5	3030	630 ~ 4270	14.3	13.3		
16 + 20 + 25 + 35 + 42	1.16	1.45	1.81	2.54	3.04	10.00	2.3 ~ 11.5	2690	440 ~ 3670	13.2	12.2	1.40	1.74	2.17	3.04	3.65	12.00	3.4 ~ 14.5	3070	640 ~ 4260	14.5	13.4		
16 + 20 + 25 + 35 + 50	1.10	1.37	1.71	2.40	3.42	10.00	2.3 ~ 11.5	2710	520 ~ 3530	13.3	12.3	1.32	1.64	2.05	2.88	4.11	12.00	3.4 ~ 14.5	3090	750 ~ 4250	14.6	13.5		
16 + 20 + 25 + 35 + 60	1.03	1.28	1.60	2.24	3.85	10.00	2.3 ~ 11.5	2710	520 ~ 3530	13.3	12.3	1.23	1.54	1.92	2.69	4.62	12.00	3.4 ~ 14.5	3090	750 ~ 4250	14.6	13.5		
16 + 20 + 25 + 35 + 71	0.96	1.20	1.50	2.10	4.24	10.00	2.3 ~ 11.5	2660	550 ~ 3540	13.1	12.1	1.15	1.44	1.80	2.51	5.10	12.00	3.4 ~ 14.5	3080	760 ~ 4240	14.6	13.5		
16 + 20 + 25 + 42 + 42	1.10	1.38	1.72	2.90	2.90	10.00	2.3 ~ 11.5	2700	460 ~ 3670	13.3	12.3	1.32	1.66	2.06	3.48	3.48	12.00	3.4 ~ 14.5	3060	640 ~ 4250	14.5	13.4		
16 + 20 + 25 + 42 + 50	1.05	1.31	1.63	2.75	3.26	10.00	2.3 ~ 11.5	2650	520 ~ 3530	13.0	12.0	1.26	1.57	1.96	3.29	3.92	12.00	3.4 ~ 14.5	3090	760 ~ 4250	14.6	13.5		
16 + 20 + 25 + 42 + 60	0.98	1.23	1.53	2.58	3.68	10.00	2.3 ~ 11.5	2650	520 ~ 3530	13.0	12.0	1.18	1.47	1.84	3.09	4.42	12.00	3.4 ~ 14.5	3090	760 ~ 4250	14.6	13.5		
16 + 20 + 25 + 42 + 71	0.92	1.15	1.44	2.41	4.08	10.00	2.3 ~ 11.5	2660	560 ~ 3540	13.1	12.1	1.10	1.38	1.72	2.90	4.90	12.00	3.4 ~ 14.5	3080	780 ~ 4230	14.6	13.5		
16 + 20 + 25 + 50 + 50	0.99	1.24	1.55	3.11	3.11	10.00	2.3 ~ 11.5	2680	610 ~ 3480	13.2	12.2	1.19	1.49	1.86	3.73	3.73	12.00	3.4 ~ 14.5	3170	890 ~ 4260	15.0	13.9		
16 + 20 + 25 + 50 + 60	0.94	1.17	1.46	2.92	3.51	10.00	2.3 ~ 11.5	2680	610 ~ 3480	13.2	12.2	1.13	1.40	1.75	3.51	4.21	12.00	3.4 ~ 14.5	3170	890 ~ 4260	15.0	13.9		
16 + 20 + 25 + 50 + 71	0.88	1.10	1.37	2.75	3.90	10.00	2.3 ~ 11.5	2680	650 ~ 3490	13.2	12.2	1.05	1.32	1.65	3.30	4.68	12.00	3.4 ~ 14.5	3160	900 ~ 4300	14.9	13.8		
16 + 20 + 25 + 60 + 60	0.88	1.10	1.38	3.32	3.32	10.00	2.3 ~ 11.5	2680	610 ~ 3480	13.2	12.2	1.06	1.33	1.65	3.98	3.98	12.00	3.4 ~ 14.5	3170	890 ~ 4260	15.0	13.9		
16 + 20 + 35 + 35 + 35	1.14	1.42	2.48	2.48	2.48	10.00	2.3 ~ 11.5	2700	470 ~ 3590	13.3	12.3	1.36	1.70	2.98	2.98	2.98	12.00	3.4 ~ 14.5	3060	650 ~ 4240	14.5	13.4		
16 + 20 + 35 + 35 + 42	1.09	1.35	2.36	2.36	2.84	10.00	2.3 ~ 11.5	2700	470 ~ 3590	13.3	12.3	1.30	1.62	2.84	2.84	3.40	12.00	3.4 ~ 14.5	3050	650 ~ 4280	14.4	13.4		
16 + 20 + 35 + 35 + 50	1.03	1.28	2.24	2.24	3.21	10.00	2.3 ~ 11.5	2660	550 ~ 3540	13.1	12.1	1.23	1.54	2.69	2.69	3.85	12.00	3.4 ~ 14.5	3080	780 ~ 4230	14.6	13.5		
16 + 20 + 35 + 35 + 60	0.97	1.20	2.11	2.11	3.61	10.00	2.3 ~ 11.5	2660	550 ~ 3540	13.1	12.1	1.16	1.45	2.53	2.53	4.33	12.00	3.4 ~ 14.5	3080	780 ~ 4230	14.6	13.5		
16 + 20 + 35 + 35 + 71	0.90	1.13	1.98	1.98	4.01	10.00	2.3 ~ 11.5	2660	560 ~ 3540	13.1	12.1	1.09	1.36	2.37	3.47	4.81	12.00	3.4 ~ 14.5	3110	790 ~ 4270	14.7	13.6		
16 + 20 + 35 + 42 + 42	1.03	1.29	2.26	2.71	2.71	10.00	2.3 ~ 11.5	2700	470 ~ 3590	13.3	12.3	1.24	1.55	2.71	3.25	3.25	12.00	3.4 ~ 14.5	3040	670 ~ 4270	14.4	13.3		
16 + 20 + 35 + 42 + 50	0.98	1.23	2.15	2.58	3.06	10.00	2.3 ~ 11.5	2660	550 ~ 3540	13.1	12.1	1.18	1.47	2.58	3.09	3.68	12.00	3.4 ~ 14.5	3120	790 ~ 4280	14.8	13.7		
16 + 20 + 35 + 42 + 60	0.92	1.16	2.02	2.43	3.47	10.00	2.3 ~ 11.5	2660	550 ~ 3540	13.1	12.1	1.11	1.39	2.43	2.91	4.16	12.00	3.4 ~ 14.5	3120	790 ~ 4280	14.8	13.7		
16 + 20 + 35 + 50 + 50	0.94	1.17	2.05	2.92	2.92	10.0																		

CU-5Z100WBH-8: Free Multi Indoor Combination

Indoor unit capacity	COOLING OPERATION											HEATING OPERATION										
	Cooling Capacity (kW)						Input Power (W)		Current (A)			Heating Capacity (kW)						Input Power (W)		Current (A)		
	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V
16 + 25 + 25 + 25 + 71	1.00	1.54	1.54	1.54	4.38	10.00	2.3 ~ 11.5	2650	520 ~ 3530	13.0	12.0	1.19	1.85	1.85	1.85	5.26	12.00	3.4 ~ 14.5	3050	730 ~ 4270	14.4	13.4
16 + 25 + 25 + 35 + 35	1.18	1.84	1.84	2.57	2.57	10.00	2.3 ~ 11.5	2690	440 ~ 3660	13.2	12.2	1.40	2.21	2.21	3.09	3.09	12.00	3.4 ~ 14.5	3030	630 ~ 4270	14.3	13.3
16 + 25 + 25 + 35 + 42	1.12	1.75	1.75	2.45	2.93	10.00	2.3 ~ 11.5	2690	440 ~ 3670	13.2	12.2	1.34	2.10	2.10	2.94	3.52	12.00	3.4 ~ 14.5	3070	640 ~ 4260	14.5	13.4
16 + 25 + 25 + 35 + 50	1.06	1.66	1.66	2.32	3.30	10.00	2.3 ~ 11.5	2710	520 ~ 3530	13.3	12.3	1.27	1.99	1.99	2.78	3.97	12.00	3.4 ~ 14.5	3090	750 ~ 4250	14.6	13.5
16 + 25 + 25 + 35 + 60	1.00	1.55	1.55	2.17	3.73	10.00	2.3 ~ 11.5	2710	520 ~ 3530	13.3	12.3	1.20	1.86	1.86	2.61	4.47	12.00	3.4 ~ 14.5	3090	750 ~ 4250	14.6	13.5
16 + 25 + 25 + 35 + 71	0.94	1.45	1.45	2.03	4.13	10.00	2.3 ~ 11.5	2660	550 ~ 3540	13.1	12.1	1.13	1.74	1.74	2.44	4.95	12.00	3.4 ~ 14.5	3080	760 ~ 4240	14.6	13.5
16 + 25 + 25 + 42 + 42	1.06	1.67	1.67	2.80	2.80	10.00	2.3 ~ 11.5	2700	460 ~ 3670	13.3	12.3	1.28	2.00	2.00	3.36	3.36	12.00	3.4 ~ 14.5	3060	640 ~ 4250	14.5	13.4
16 + 25 + 25 + 42 + 50	1.02	1.58	1.58	2.66	3.16	10.00	2.3 ~ 11.5	2650	520 ~ 3530	13.0	12.0	1.22	1.90	1.90	3.19	3.79	12.00	3.4 ~ 14.5	3090	760 ~ 4250	14.6	13.5
16 + 25 + 25 + 42 + 60	0.95	1.49	1.49	2.50	3.57	10.00	2.3 ~ 11.5	2650	520 ~ 3530	13.0	12.0	1.14	1.79	1.79	3.00	4.28	12.00	3.4 ~ 14.5	3090	760 ~ 4250	14.6	13.5
16 + 25 + 25 + 42 + 71	0.89	1.40	1.40	2.35	3.96	10.00	2.3 ~ 11.5	2660	560 ~ 3540	13.1	12.1	1.07	1.68	1.68	2.82	4.75	12.00	3.4 ~ 14.5	3080	780 ~ 4230	14.6	13.5
16 + 25 + 25 + 50 + 50	0.96	1.51	1.51	3.01	3.01	10.00	2.3 ~ 11.5	2680	610 ~ 3480	13.2	12.2	1.16	1.81	1.81	3.61	3.61	12.00	3.4 ~ 14.5	3170	890 ~ 4260	15.0	13.9
16 + 25 + 25 + 50 + 60	0.91	1.42	1.42	2.84	3.41	10.00	2.3 ~ 11.5	2680	610 ~ 3480	13.2	12.2	1.10	1.70	1.70	3.41	4.09	12.00	3.4 ~ 14.5	3170	890 ~ 4260	15.0	13.9
16 + 25 + 35 + 35 + 35	1.10	1.70	2.40	2.40	2.40	10.00	2.3 ~ 11.5	2700	470 ~ 3590	13.3	12.3	1.32	2.04	2.88	2.88	2.88	12.00	3.4 ~ 14.5	3060	650 ~ 4240	14.5	13.4
16 + 25 + 35 + 35 + 42	1.05	1.63	2.29	2.29	2.74	10.00	2.3 ~ 11.5	2700	470 ~ 3590	13.3	12.3	1.25	1.96	2.75	2.75	3.29	12.00	3.4 ~ 14.5	3050	650 ~ 4280	14.4	13.4
16 + 25 + 35 + 35 + 50	1.00	1.55	2.17	2.17	3.11	10.00	2.3 ~ 11.5	2660	550 ~ 3540	13.1	12.1	1.19	1.86	2.61	2.61	3.73	12.00	3.4 ~ 14.5	3080	780 ~ 4230	14.6	13.5
16 + 25 + 35 + 35 + 60	0.94	1.46	2.05	2.05	3.50	10.00	2.3 ~ 11.5	2660	550 ~ 3540	13.1	12.1	1.12	1.75	2.46	2.46	4.21	12.00	3.4 ~ 14.5	3080	780 ~ 4230	14.6	13.5
16 + 25 + 35 + 35 + 71	0.89	1.37	1.92	1.92	3.90	10.00	2.3 ~ 11.5	2660	560 ~ 3540	13.1	12.1	1.05	1.65	2.31	2.31	4.68	12.00	3.4 ~ 14.5	3110	790 ~ 4270	14.7	13.6
16 + 25 + 35 + 42 + 42	1.00	1.56	2.18	2.63	2.63	10.00	2.3 ~ 11.5	2700	470 ~ 3590	13.3	12.3	1.20	1.88	2.62	3.15	3.15	12.00	3.4 ~ 14.5	3040	670 ~ 4270	14.4	13.3
16 + 25 + 35 + 42 + 50	0.95	1.49	2.08	2.50	2.98	10.00	2.3 ~ 11.5	2660	550 ~ 3540	13.1	12.1	1.14	1.79	2.50	3.00	3.57	12.00	3.4 ~ 14.5	3120	790 ~ 4280	14.8	13.7
16 + 25 + 35 + 42 + 60	0.90	1.40	1.97	2.36	3.37	10.00	2.3 ~ 11.5	2660	550 ~ 3540	13.1	12.1	1.08	1.69	2.36	2.83	4.04	12.00	3.4 ~ 14.5	3120	790 ~ 4280	14.8	13.7
16 + 25 + 35 + 50 + 50	0.91	1.42	1.99	2.84	2.84	10.00	2.3 ~ 11.5	2680	620 ~ 3490	13.2	12.2	1.09	1.70	2.39	3.41	3.41	12.00	3.4 ~ 14.5	3160	930 ~ 4290	14.9	13.8
16 + 25 + 42 + 42 + 42	0.97	1.50	2.51	2.51	2.51	10.00	2.3 ~ 11.5	2700	470 ~ 3590	13.3	12.3	1.15	1.79	3.02	3.02	3.02	12.00	3.4 ~ 14.5	3040	680 ~ 4260	14.4	13.3
16 + 25 + 42 + 42 + 50	0.91	1.43	2.40	2.40	2.86	10.00	2.3 ~ 11.5	2660	560 ~ 3540	13.1	12.1	1.10	1.71	2.88	2.88	3.43	12.00	3.4 ~ 14.5	3110	800 ~ 4270	14.7	13.6
16 + 25 + 42 + 50 + 50	0.87	1.37	2.30	2.73	2.73	10.00	2.3 ~ 11.5	2680	650 ~ 3490	13.2	12.2	1.05	1.64	2.75	3.28	3.28	12.00	3.4 ~ 14.5	3200	940 ~ 4290	15.1	14.0
16 + 35 + 35 + 35 + 35	1.04	2.24	2.24	2.24	2.24	10.00	2.3 ~ 11.5	2700	470 ~ 3600	13.3	12.3	1.24	2.69	2.69	2.69	2.69	12.00	3.4 ~ 14.5	3040	680 ~ 4270	14.4	13.3
16 + 35 + 35 + 35 + 42	0.98	2.15	2.15	2.15	2.57	10.00	2.3 ~ 11.5	2700	470 ~ 3600	13.3	12.3	1.18	2.58	2.58	2.58	3.08	12.00	3.4 ~ 14.5	3080	680 ~ 4260	14.6	13.5
16 + 35 + 35 + 35 + 50	0.94	2.05	2.05	2.05	2.91	10.00	2.3 ~ 11.5	2660	560 ~ 3540	13.1	12.1	1.12	2.46	2.46	2.46	3.50	12.00	3.4 ~ 14.5	3110	810 ~ 4260	14.7	13.6
16 + 35 + 35 + 35 + 60	0.88	1.94	1.94	1.94	3.30	10.00	2.3 ~ 11.5	2660	560 ~ 3540	13.1	12.1	1.06	2.32	2.32	2.32	3.98	12.00	3.4 ~ 14.5	3110	810 ~ 4260	14.7	13.6
16 + 35 + 35 + 42 + 42	0.94	2.06	2.06	2.47	2.47	10.00	2.3 ~ 11.5	2700	480 ~ 3600	13.3	12.3	1.14	2.47	2.47	2.96	2.96	12.00	3.4 ~ 14.5	3070	690 ~ 4250	14.5	13.4
16 + 35 + 35 + 42 + 50	0.90	1.97	1.97	2.36	2.80	10.00	2.3 ~ 11.5	2660	560 ~ 3540	13.1	12.1	1.08	2.36	2.36	2.83	3.37	12.00	3.4 ~ 14.5	3110	820 ~ 4250	14.7	13.6
16 + 35 + 42 + 42 + 42	0.91	1.98	2.37	2.37	2.37	10.00	2.3 ~ 11.5	2700	480 ~ 3600	13.3	12.3	1.08	2.37	2.85	2.85	2.85	12.00	3.4 ~ 14.5	3070	710 ~ 4240	14.5	13.4
20 + 20 + 20 + 20 + 20	2.00	2.00	2.00	2.00	2.00	10.00	2.3 ~ 11.5	2750	430 ~ 3740	13.5	12.5	2.40	2.40	2.40	2.40	2.40	12.00	3.4 ~ 14.5	3060	580 ~ 4320	14.5	13.4
20 + 20 + 20 + 20 + 25	1.90	1.90	1.90	1.90	2.40	10.00	2.3 ~ 11.5	2750	430 ~ 3740	13.5	12.5	2.29	2.29	2.29	2.29	2.84	12.00	3.4 ~ 14.5	3060	580 ~ 4320	14.5	13.4
20 + 20 + 20 + 20 + 35	1.74	1.74	1.74	1.74	3.04	10.00	2.3 ~ 11.5	2690	430 ~ 3660	13.2	12.2	2.09	2.09	2.09	2.09	3.64	12.00	3.4 ~ 14.5	3040	610 ~ 4290	14.4	13.3
20 + 20 + 20 + 20 + 42	1.64	1.64	1.64	1.64	3.44	10.00	2.3 ~ 11.5	2690	430 ~ 3660	13.2	12.2	1.97	1.97	1.97	1.97	4.12	12.00	3.4 ~ 14.5	3030	610 ~ 4280	14.3	13.3
20 + 20 + 20 + 20 + 50	1.54	1.54	1.54	1.54	3.84	10.00	2.3 ~ 11.5	2710	510 ~ 3530	13.3	12.3	1.85	1.85	1.85	1.85	4.60	12.00	3.4 ~ 14.5	3060	720 ~ 4270	14.5	13.4
20 + 20 + 20 + 20 + 60	1.43	1.43	1.43	1.43	4.28	10.00	2.3 ~ 11.5	2710	510 ~ 3530	13.3	12.3	1.71	1.71	1.71	1.71	5.16	12.00	3.4 ~ 14.5	3060	720 ~ 4270	14.5	13.4
20 + 20 + 20 + 20 + 71	1.32	1.32	1.32	1.32	4.72	10.00	2.3 ~ 11.5	2650	520 ~ 3530	13.0	12.0	1.59	1.59	1.59	1.59	5.64	12.00	3.4 ~ 14.5	3090	750 ~ 4260	14.6	13.5
20 + 20 + 20 + 25 + 25	1.82	1.82	1.82	2.27	2.27	10.00	2.3 ~ 11.5	2750	430 ~ 3740	13.5	12.5	2.18	2.18	2.18	2.73	2.73	12.00	3.4 ~ 14.5	3060	580 ~ 4320	14.5	13.4
20 + 20 + 20 + 25 + 35	1.67	1.67	1.67	2.08	2.91	10.00	2.3 ~ 11.5	2690	430 ~ 3660	13.2	12.2	2.00	2.00	2.00	2.50	3.50	12.00	3.4 ~ 14.5	3040	610 ~ 4290	14.4	13.3
20 + 20 + 20 + 25 + 42	1.57	1.57	1.57	1.98	3.31	10.00	2.3 ~ 11.5	2690	430 ~ 3660	13.2	12.2	1.89	1.89	1.89	2.36	3.97	12.00	3.4 ~ 14.5	3030	610 ~ 4280	14.3	13.3
20 + 20 + 20 + 25 + 50	1.48	1.48	1.48	1.86	3.70	10.00	2.3 ~ 11.5	2710	510 ~ 3530	13.3	12.3	1.78	1.78	1.78	2.22	4.44	12.00	3.4 ~ 14.5	3060	720 ~ 4270	14.5	13.4
20 + 20 + 20 + 25 + 60	1.38	1.38	1.38	1.72	4.14	10.00	2.3 ~ 11.5	2710	510 ~ 3530	13.3	12.3	1.66	1.66	1.66	2.06	4.96	12.00	3.4 ~ 14.5	3060	720 ~ 4270	14.5	13.4
20 + 20 + 20 + 25 + 71	1.28	1.28	1.28	1.61	4.55	10.00	2.3 ~ 11.5	2650	520 ~ 3530	13.0	12.0	1.54	1.54	1.54	1.92	5.46	12.00	3.4 ~ 14.5	3090	750 ~ 4260	14.6	13.5
20 + 20 + 20 + 35 + 35	1.54	1.54	1.54	2.69	2.69	10.00	2.3 ~ 11.5	2700	460 ~ 3670	13.3	12.3	1.84	1.84	1.84	3.24	3.24	12.00	3.4 ~ 14.5	3070	640 ~ 4260	14.5	13.4
20 + 20 + 20 + 35 + 42	1.46	1.46	1.46	2.55	3.07	10.00	2.3 ~ 11.5	2700	460 ~ 3670	13.3	12.3	1.75	1.75	1.75	3.07	3.68	12.00	3.4 ~ 14.5	3060	640 ~ 4250	14.5	13.4
20 + 20 + 20 + 35 + 50	1.38	1.38	1.38	2.41	3.45	10.00	2.3 ~ 11.5	2650	520 ~ 3530	13.0	12.0	1.66	1.66	1.66	2.89	4.13	12.00	3.4 ~ 14.5	3090	760 ~ 4250	14.6	13.5
20 + 20 + 20 + 35 + 60	1.29	1.29	1.29	2.26	3.87	10.00	2.3 ~ 11.5	2650	520 ~ 3530	13.0	12.0	1.55	1.55	1.55	2.71	4.64	12.00	3.4 ~ 14.5	3090	760 ~ 4250	14.6	13.5</

CU-5Z100WBH-8: Free Multi Indoor Combination

Indoor unit capacity	COOLING OPERATION												HEATING OPERATION											
	Cooling Capacity (kW)						Input Power (W)		Current (A)		Heating Capacity (kW)						Input Power (W)		Current (A)					
	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V		
20 + 20 + 25 + 25 + 42	1.52	1.52	1.89	1.89	3.18	10.00	2.3 ~ 11.5	2690	430 ~ 3660	13.2	12.2	1.82	1.82	2.27	2.27	3.82	12.00	3.4 ~ 14.5	3030	610 ~ 4280	14.3	13.3		
20 + 20 + 25 + 25 + 50	1.43	1.43	1.79	1.79	3.56	10.00	2.3 ~ 11.5	2710	510 ~ 3530	13.3	12.3	1.71	1.71	2.14	2.14	4.30	12.00	3.4 ~ 14.5	3060	720 ~ 4270	14.5	13.4		
20 + 20 + 25 + 25 + 60	1.33	1.33	1.67	1.67	4.00	10.00	2.3 ~ 11.5	2710	510 ~ 3530	13.3	12.3	1.60	1.60	2.00	2.00	4.80	12.00	3.4 ~ 14.5	3060	720 ~ 4270	14.5	13.4		
20 + 20 + 25 + 25 + 71	1.24	1.24	1.55	1.55	4.42	10.00	2.3 ~ 11.5	2650	520 ~ 3530	13.0	12.0	1.49	1.49	1.86	1.86	5.30	12.00	3.4 ~ 14.5	3090	750 ~ 4260	14.6	13.5		
20 + 20 + 25 + 35 + 35	1.48	1.48	1.86	2.59	2.59	10.00	2.3 ~ 11.5	2700	460 ~ 3670	13.3	12.3	1.78	1.78	2.22	3.11	3.11	12.00	3.4 ~ 14.5	3070	640 ~ 4260	14.5	13.4		
20 + 20 + 25 + 35 + 42	1.41	1.41	1.76	2.46	2.96	10.00	2.3 ~ 11.5	2700	460 ~ 3670	13.3	12.3	1.69	1.69	2.11	2.96	3.55	12.00	3.4 ~ 14.5	3060	640 ~ 4250	14.5	13.4		
20 + 20 + 25 + 35 + 50	1.33	1.33	1.68	2.33	3.33	10.00	2.3 ~ 11.5	2650	520 ~ 3530	13.0	12.0	1.60	1.60	2.00	2.80	4.00	12.00	3.4 ~ 14.5	3090	760 ~ 4250	14.6	13.5		
20 + 20 + 25 + 35 + 60	1.25	1.25	1.56	2.19	3.75	10.00	2.3 ~ 11.5	2650	520 ~ 3530	13.0	12.0	1.50	1.50	1.88	2.63	4.49	12.00	3.4 ~ 14.5	3090	760 ~ 4250	14.6	13.5		
20 + 20 + 25 + 35 + 71	1.17	1.17	1.46	2.05	4.15	10.00	2.3 ~ 11.5	2660	560 ~ 3540	13.1	12.1	1.40	1.40	1.76	2.46	4.98	12.00	3.4 ~ 14.5	3080	780 ~ 4230	14.6	13.5		
20 + 20 + 25 + 42 + 42	1.34	1.34	1.68	2.82	2.82	10.00	2.3 ~ 11.5	2700	470 ~ 3670	13.3	12.3	1.61	1.61	2.02	3.38	3.38	12.00	3.4 ~ 14.5	3060	650 ~ 4230	14.5	13.4		
20 + 20 + 25 + 42 + 50	1.27	1.27	1.60	2.68	3.18	10.00	2.3 ~ 11.5	2650	520 ~ 3530	13.0	12.0	1.53	1.53	1.91	3.21	3.82	12.00	3.4 ~ 14.5	3080	760 ~ 4240	14.6	13.5		
20 + 20 + 25 + 42 + 60	1.20	1.20	1.50	2.51	3.59	10.00	2.3 ~ 11.5	2650	520 ~ 3530	13.0	12.0	1.44	1.44	1.80	3.02	4.30	12.00	3.4 ~ 14.5	3080	760 ~ 4240	14.6	13.5		
20 + 20 + 25 + 42 + 71	1.12	1.12	1.41	2.36	3.99	10.00	2.3 ~ 11.5	2660	560 ~ 3540	13.1	12.1	1.35	1.35	1.69	2.83	4.78	12.00	3.4 ~ 14.5	3080	780 ~ 4280	14.6	13.5		
20 + 20 + 25 + 50 + 50	1.21	1.21	1.52	3.03	3.03	10.00	2.3 ~ 11.5	2680	610 ~ 3480	13.2	12.2	1.45	1.45	1.82	3.64	3.64	12.00	3.4 ~ 14.5	3170	900 ~ 4310	15.0	13.9		
20 + 20 + 25 + 50 + 60	1.14	1.14	1.43	2.86	3.43	10.00	2.3 ~ 11.5	2680	610 ~ 3480	13.2	12.2	1.37	1.37	1.72	3.43	4.11	12.00	3.4 ~ 14.5	3170	900 ~ 4310	15.0	13.9		
20 + 20 + 35 + 35 + 35	1.37	1.37	2.42	2.42	2.42	10.00	2.3 ~ 11.5	2700	470 ~ 3590	13.3	12.3	1.65	1.65	2.90	2.90	2.90	12.00	3.4 ~ 14.5	3050	650 ~ 4280	14.4	13.4		
20 + 20 + 35 + 35 + 42	1.32	1.32	2.30	2.30	2.76	10.00	2.3 ~ 11.5	2700	470 ~ 3590	13.3	12.3	1.58	1.58	2.76	2.76	3.32	12.00	3.4 ~ 14.5	3040	670 ~ 4270	14.4	13.3		
20 + 20 + 35 + 35 + 50	1.25	1.25	2.19	2.19	3.12	10.00	2.3 ~ 11.5	2660	550 ~ 3540	13.1	12.1	1.50	1.50	2.63	2.63	3.74	12.00	3.4 ~ 14.5	3120	790 ~ 4280	14.8	13.7		
20 + 20 + 35 + 35 + 60	1.18	1.18	2.06	2.06	3.52	10.00	2.3 ~ 11.5	2660	550 ~ 3540	13.1	12.1	1.41	1.41	2.47	2.47	4.24	12.00	3.4 ~ 14.5	3120	790 ~ 4280	14.8	13.7		
20 + 20 + 35 + 35 + 71	1.11	1.11	1.93	1.93	3.92	10.00	2.3 ~ 11.5	2660	560 ~ 3540	13.1	12.1	1.33	1.33	2.32	2.32	4.70	12.00	3.4 ~ 14.5	3110	800 ~ 4260	14.7	13.6		
20 + 20 + 35 + 42 + 42	1.26	1.26	2.20	2.64	2.64	10.00	2.3 ~ 11.5	2700	470 ~ 3600	13.3	12.3	1.51	1.51	2.64	3.17	3.17	12.00	3.4 ~ 14.5	3040	680 ~ 4260	14.4	13.3		
20 + 20 + 35 + 42 + 50	1.20	1.20	2.10	2.51	2.99	10.00	2.3 ~ 11.5	2660	560 ~ 3540	13.1	12.1	1.44	1.44	2.51	3.02	3.59	12.00	3.4 ~ 14.5	3110	800 ~ 4270	14.7	13.6		
20 + 20 + 35 + 42 + 60	1.13	1.13	1.98	2.37	3.39	10.00	2.3 ~ 11.5	2660	560 ~ 3540	13.1	12.1	1.36	1.36	2.37	2.85	4.06	12.00	3.4 ~ 14.5	3110	800 ~ 4270	14.7	13.6		
20 + 20 + 35 + 50 + 50	1.14	1.14	2.00	2.86	2.86	10.00	2.3 ~ 11.5	2690	650 ~ 3490	13.2	12.2	1.37	1.37	2.40	3.43	3.43	12.00	3.4 ~ 14.5	3200	940 ~ 4290	15.1	14.0		
20 + 20 + 42 + 42 + 42	1.19	1.19	2.54	2.54	2.54	10.00	2.3 ~ 11.5	2700	470 ~ 3600	13.3	12.3	1.44	1.44	3.04	3.04	3.04	12.00	3.4 ~ 14.5	3080	680 ~ 4250	14.6	13.5		
20 + 20 + 42 + 42 + 50	1.15	1.15	2.41	2.41	2.88	10.00	2.3 ~ 11.5	2660	560 ~ 3540	13.1	12.1	1.38	1.38	2.90	2.90	3.44	12.00	3.4 ~ 14.5	3110	810 ~ 4260	14.7	13.6		
20 + 20 + 42 + 50 + 50	1.10	1.10	2.30	2.75	2.75	10.00	2.3 ~ 11.5	2690	650 ~ 3490	13.2	12.2	1.32	1.32	2.76	3.30	3.30	12.00	3.4 ~ 14.5	3200	950 ~ 4330	15.1	14.0		
20 + 25 + 25 + 25 + 25	1.68	2.08	2.08	2.08	2.08	10.00	2.3 ~ 11.5	2750	430 ~ 3740	13.5	12.5	2.00	2.50	2.50	2.50	2.50	12.00	3.4 ~ 14.5	3060	580 ~ 4320	14.5	13.4		
20 + 25 + 25 + 25 + 35	1.55	1.92	1.92	1.92	2.69	10.00	2.3 ~ 11.5	2690	430 ~ 3660	13.2	12.2	1.85	2.31	2.31	2.31	3.22	12.00	3.4 ~ 14.5	3040	610 ~ 4290	14.4	13.3		
20 + 25 + 25 + 25 + 42	1.47	1.82	1.82	1.82	3.07	10.00	2.3 ~ 11.5	2690	430 ~ 3660	13.2	12.2	1.75	2.19	2.19	2.19	3.68	12.00	3.4 ~ 14.5	3030	610 ~ 4280	14.3	13.3		
20 + 25 + 25 + 25 + 50	1.39	1.72	1.72	1.72	3.45	10.00	2.3 ~ 11.5	2710	510 ~ 3530	13.3	12.3	1.66	2.07	2.07	2.07	4.13	12.00	3.4 ~ 14.5	3060	720 ~ 4270	14.5	13.4		
20 + 25 + 25 + 25 + 60	1.30	1.61	1.61	1.61	3.87	10.00	2.3 ~ 11.5	2710	510 ~ 3530	13.3	12.3	1.54	1.94	1.94	1.94	4.64	12.00	3.4 ~ 14.5	3060	720 ~ 4270	14.5	13.4		
20 + 25 + 25 + 25 + 71	1.20	1.51	1.51	1.51	4.27	10.00	2.3 ~ 11.5	2650	520 ~ 3530	13.0	12.0	1.45	1.81	1.81	1.81	5.12	12.00	3.4 ~ 14.5	3090	750 ~ 4260	14.6	13.5		
20 + 25 + 25 + 35 + 35	1.42	1.79	1.79	2.50	2.50	10.00	2.3 ~ 11.5	2700	460 ~ 3670	13.3	12.3	1.72	2.14	2.14	3.00	3.00	12.00	3.4 ~ 14.5	3070	640 ~ 4260	14.5	13.4		
20 + 25 + 25 + 35 + 42	1.36	1.70	1.70	2.38	2.86	10.00	2.3 ~ 11.5	2700	460 ~ 3670	13.3	12.3	1.63	2.04	2.04	2.86	3.43	12.00	3.4 ~ 14.5	3060	640 ~ 4250	14.5	13.4		
20 + 25 + 25 + 35 + 50	1.29	1.61	1.61	2.26	3.23	10.00	2.3 ~ 11.5	2650	520 ~ 3530	13.0	12.0	1.55	1.94	1.94	2.71	3.86	12.00	3.4 ~ 14.5	3090	760 ~ 4250	14.6	13.5		
20 + 25 + 25 + 35 + 60	1.21	1.52	1.52	2.12	3.63	10.00	2.3 ~ 11.5	2650	520 ~ 3530	13.0	12.0	1.45	1.82	1.82	2.55	4.36	12.00	3.4 ~ 14.5	3090	760 ~ 4250	14.6	13.5		
20 + 25 + 25 + 35 + 71	1.14	1.42	1.42	1.99	4.03	10.00	2.3 ~ 11.5	2660	560 ~ 3540	13.1	12.1	1.37	1.70	1.70	2.39	4.84	12.00	3.4 ~ 14.5	3080	780 ~ 4230	14.6	13.5		
20 + 25 + 25 + 42 + 42	1.30	1.62	1.62	2.73	2.73	10.00	2.3 ~ 11.5	2700	470 ~ 3670	13.3	12.3	1.56	1.95	1.95	3.27	3.27	12.00	3.4 ~ 14.5	3060	650 ~ 4230	14.5	13.4		
20 + 25 + 25 + 42 + 50	1.24	1.54	1.54	2.59	3.09	10.00	2.3 ~ 11.5	2650	520 ~ 3530	13.0	12.0	1.49	1.85	1.85	3.11	3.70	12.00	3.4 ~ 14.5	3080	760 ~ 4240	14.6	13.5		
20 + 25 + 25 + 42 + 60	1.17	1.45	1.45	2.44	3.49	10.00	2.3 ~ 11.5	2650	520 ~ 3530	13.0	12.0	1.40	1.74	1.74	2.93	4.19	12.00	3.4 ~ 14.5	3080	760 ~ 4240	14.6	13.5		
20 + 25 + 25 + 42 + 71	1.09	1.37	1.37	2.30	3.87	10.00	2.3 ~ 11.5	2660	560 ~ 3540	13.1	12.1	1.31	1.64	1.64	2.75	4.66	12.00	3.4 ~ 14.5	3080	780 ~ 4280	14.6	13.5		
20 + 25 + 25 + 50 + 50	1.18	1.47	1.47	2.94	2.94	10.00	2.3 ~ 11.5	2680	610 ~ 3480	13.2	12.2	1.42	1.76	1.76	3.53	3.53	12.00	3.4 ~ 14.5	3170	900 ~ 4310	15.0	13.9		
20 + 25 + 25 + 50 + 60	1.11	1.39	1.39	2.78	3.33	10.00	2.3 ~ 11.5	2680	610 ~ 3480	13.2	12.2	1.33	1.67	1.67	3.33	4.00	12.00	3.4 ~ 14.5	3170	900 ~ 4310	15.0	13.9		
20 + 25 + 35 + 35 + 35	1.34	1.67	2.33	2.33	2.33	10.00	2.3 ~ 11.5	2700	470 ~ 3590	13.3	12.3	1.60	2.00	2.80	2.80	2.80	12.00	3.4 ~ 14.5	3050	650 ~ 4280	14.4	13.4		
20 + 25 + 35 + 35 + 42	1.27	1.59	2.23	2.23	2.68	10.00	2.3 ~ 11.5	2700	470 ~ 3590	13.3	12.3	1.53	1.91	2.68	2.68	3.20	12.00	3.4 ~ 14.5	3040	670 ~ 4270	14.4	13.3		
20 + 25 + 35 + 35 + 50	1.21	1.52	2.12	2.12	3.03	10.00	2.3 ~ 11.5	2660	550 ~ 3540	13.1	12.1	1.45	1.82	2.55	2.55	3.63	12.00	3.4 ~ 14.5	3120	790 ~ 4280	14.8	13.7		
20 + 25 + 35 + 35 + 60	1.14	1.43	2.00	2.00	3.43	10.00	2.3 ~ 11.5	2660	550 ~ 3540	13.1	12.1	1.38	1.71	2.40	2.40	4.11	12.00	3.4 ~ 14.5	3120	790 ~ 4280	14.8	13.7		
20 + 25 + 35 + 42 + 42	1.23	1.52	2.13	2.56																				

CU-5Z100WBH-8: Free Multi Indoor Combination

Indoor unit capacity		COOLING OPERATION											HEATING OPERATION										
		Cooling Capacity (kW)						Input Power (W)		Current (A)			Heating Capacity (kW)						Input Power (W)		Current (A)		
		Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V	Room A	Room B	Room C	Room D	Room E	Total	min ~ max	Rated	min ~ max	220V	240V
5 Rooms	20 + 35 + 42 + 42 + 42	1.11	1.93	2.32	2.32	2.32	10.00	2.3 ~ 11.5	2700	480 ~ 3600	13.3	12.3	1.34	2.32	2.78	2.78	2.78	12.00	3.4 ~ 14.5	3060	710 ~ 4230	14.5	13.4
	25 + 25 + 25 + 25 + 25	2.00	2.00	2.00	2.00	2.00	10.00	2.3 ~ 11.5	2750	430 ~ 3740	13.5	12.5	2.40	2.40	2.40	2.40	2.40	12.00	3.4 ~ 14.5	3060	580 ~ 4320	14.5	13.4
	25 + 25 + 25 + 25 + 35	1.85	1.85	1.85	1.85	2.60	10.00	2.3 ~ 11.5	2690	430 ~ 3660	13.2	12.2	2.22	2.22	2.22	2.22	3.12	12.00	3.4 ~ 14.5	3040	610 ~ 4290	14.4	13.3
	25 + 25 + 25 + 25 + 42	1.76	1.76	1.76	1.76	2.96	10.00	2.3 ~ 11.5	2690	430 ~ 3660	13.2	12.2	2.11	2.11	2.11	2.11	3.56	12.00	3.4 ~ 14.5	3030	610 ~ 4280	14.3	13.3
	25 + 25 + 25 + 25 + 50	1.67	1.67	1.67	1.67	3.32	10.00	2.3 ~ 11.5	2710	510 ~ 3530	13.3	12.3	2.00	2.00	2.00	2.00	4.00	12.00	3.4 ~ 14.5	3060	720 ~ 4270	14.5	13.4
	25 + 25 + 25 + 25 + 60	1.56	1.56	1.56	1.56	3.76	10.00	2.3 ~ 11.5	2710	510 ~ 3530	13.3	12.3	1.88	1.88	1.88	1.88	4.48	12.00	3.4 ~ 14.5	3060	720 ~ 4270	14.5	13.4
	25 + 25 + 25 + 25 + 71	1.46	1.46	1.46	1.46	4.16	10.00	2.3 ~ 11.5	2650	520 ~ 3530	13.0	12.0	1.75	1.75	1.75	1.75	5.00	12.00	3.4 ~ 14.5	3090	750 ~ 4260	14.6	13.5
	25 + 25 + 25 + 35 + 35	1.72	1.72	1.72	2.42	2.42	10.00	2.3 ~ 11.5	2700	460 ~ 3670	13.3	12.3	2.06	2.06	2.06	2.91	2.91	12.00	3.4 ~ 14.5	3070	640 ~ 4260	14.5	13.4
	25 + 25 + 25 + 35 + 42	1.64	1.64	1.64	2.31	2.77	10.00	2.3 ~ 11.5	2700	460 ~ 3670	13.3	12.3	1.97	1.97	1.97	2.77	3.32	12.00	3.4 ~ 14.5	3060	640 ~ 4250	14.5	13.4
	25 + 25 + 25 + 35 + 50	1.56	1.56	1.56	2.19	3.13	10.00	2.3 ~ 11.5	2650	520 ~ 3530	13.0	12.0	1.88	1.88	1.88	2.62	3.74	12.00	3.4 ~ 14.5	3090	760 ~ 4250	14.6	13.5
	25 + 25 + 25 + 35 + 60	1.47	1.47	1.47	2.06	3.53	10.00	2.3 ~ 11.5	2650	520 ~ 3530	13.0	12.0	1.76	1.76	1.76	2.48	4.24	12.00	3.4 ~ 14.5	3090	760 ~ 4250	14.6	13.5
	25 + 25 + 25 + 35 + 71	1.38	1.38	1.38	1.93	3.93	10.00	2.3 ~ 11.5	2660	560 ~ 3540	13.1	12.1	1.66	1.66	1.66	2.32	4.70	12.00	3.4 ~ 14.5	3080	780 ~ 4230	14.6	13.5
	25 + 25 + 25 + 42 + 42	1.58	1.58	1.58	2.63	2.63	10.00	2.3 ~ 11.5	2700	470 ~ 3670	13.3	12.3	1.88	1.88	1.88	3.18	3.18	12.00	3.4 ~ 14.5	3060	650 ~ 4230	14.5	13.4
	25 + 25 + 25 + 42 + 50	1.50	1.50	1.50	2.51	2.99	10.00	2.3 ~ 11.5	2650	520 ~ 3530	13.0	12.0	1.80	1.80	1.80	3.02	3.58	12.00	3.4 ~ 14.5	3080	760 ~ 4240	14.6	13.5
	25 + 25 + 25 + 42 + 60	1.41	1.41	1.41	2.38	3.39	10.00	2.3 ~ 11.5	2650	520 ~ 3530	13.0	12.0	1.69	1.69	1.69	2.86	4.07	12.00	3.4 ~ 14.5	3080	760 ~ 4240	14.6	13.5
	25 + 25 + 25 + 50 + 50	1.42	1.42	1.42	2.87	2.87	10.00	2.3 ~ 11.5	2680	610 ~ 3480	13.2	12.2	1.72	1.72	1.72	3.42	3.42	12.00	3.4 ~ 14.5	3170	900 ~ 4310	15.0	13.9
	25 + 25 + 35 + 35 + 35	1.61	1.61	2.26	2.26	2.26	10.00	2.3 ~ 11.5	2700	470 ~ 3590	13.3	12.3	1.95	1.95	2.70	2.70	2.70	12.00	3.4 ~ 14.5	3050	650 ~ 4280	14.4	13.4
	25 + 25 + 35 + 35 + 42	1.54	1.54	2.16	2.16	2.60	10.00	2.3 ~ 11.5	2700	470 ~ 3590	13.3	12.3	1.85	1.85	2.59	2.59	3.12	12.00	3.4 ~ 14.5	3040	670 ~ 4270	14.4	13.3
	25 + 25 + 35 + 35 + 50	1.47	1.47	2.06	2.06	2.94	10.00	2.3 ~ 11.5	2660	550 ~ 3540	13.1	12.1	1.76	1.76	2.47	2.47	3.54	12.00	3.4 ~ 14.5	3120	790 ~ 4280	14.8	13.7
	25 + 25 + 35 + 35 + 60	1.39	1.39	1.94	1.94	3.34	10.00	2.3 ~ 11.5	2660	550 ~ 3540	13.1	12.1	1.67	1.67	2.33	2.33	4.00	12.00	3.4 ~ 14.5	3120	790 ~ 4280	14.8	13.7
	25 + 25 + 35 + 42 + 42	1.48	1.48	2.06	2.49	2.49	10.00	2.3 ~ 11.5	2700	470 ~ 3600	13.3	12.3	1.78	1.78	2.48	2.98	2.98	12.00	3.4 ~ 14.5	3040	680 ~ 4260	14.4	13.3
	25 + 25 + 35 + 42 + 50	1.41	1.41	1.99	2.37	2.82	10.00	2.3 ~ 11.5	2660	560 ~ 3540	13.1	12.1	1.69	1.69	2.37	2.85	3.40	12.00	3.4 ~ 14.5	3110	800 ~ 4270	14.7	13.6
	25 + 25 + 42 + 42 + 42	1.43	1.43	2.38	2.38	2.38	10.00	2.3 ~ 11.5	2700	470 ~ 3600	13.3	12.3	1.71	1.71	2.86	2.86	2.86	12.00	3.4 ~ 14.5	3080	680 ~ 4250	14.6	13.5
	25 + 35 + 35 + 35 + 35	1.52	2.12	2.12	2.12	2.12	10.00	2.3 ~ 11.5	2700	470 ~ 3600	13.3	12.3	1.80	2.55	2.55	2.55	2.55	12.00	3.4 ~ 14.5	3080	680 ~ 4260	14.6	13.5
	25 + 35 + 35 + 35 + 42	1.46	2.03	2.03	2.03	2.45	10.00	2.3 ~ 11.5	2700	480 ~ 3600	13.3	12.3	1.75	2.44	2.44	2.44	2.93	12.00	3.4 ~ 14.5	3070	690 ~ 4250	14.5	13.4
25 + 35 + 35 + 35 + 50	1.40	1.94	1.94	1.94	2.78	10.00	2.3 ~ 11.5	2660	560 ~ 3540	13.1	12.1	1.68	2.33	2.33	2.33	3.33	12.00	3.4 ~ 14.5	3110	820 ~ 4250	14.7	13.6	
25 + 35 + 35 + 42 + 42	1.40	1.96	1.96	2.34	2.34	10.00	2.3 ~ 11.5	2700	480 ~ 3600	13.3	12.3	1.68	2.35	2.35	2.81	2.81	12.00	3.4 ~ 14.5	3070	710 ~ 4240	14.5	13.4	
35 + 35 + 35 + 35 + 35	2.00	2.00	2.00	2.00	2.00	10.00	2.3 ~ 11.5	2700	510 ~ 3600	13.3	12.3	2.40	2.40	2.40	2.40	2.40	12.00	3.4 ~ 14.5	3060	710 ~ 4230	14.5	13.4	
35 + 35 + 35 + 35 + 42	1.92	1.92	1.92	1.92	2.32	10.00	2.3 ~ 11.5	2710	510 ~ 3600	13.3	12.3	2.31	2.31	2.31	2.31	2.76	12.00	3.4 ~ 14.5	3060	720 ~ 4280	14.5	13.4	

• Specification based on JIS C 9612 standard.
 • A minimum of 2 indoor units must be connected.