

**Panasonic
R32 Multi-Split
Air Conditioning
System Combination
Capacity Table**

R32 Multi-Split Air Conditioning System

CU-2U18YBZ

INDOOR UNIT COMBINATION		Total	Cooling Capacity (kW)					Input Power (W)		Current [50Hz] (A)			Moisture Removal Volume L/h	
			Room A	Room B	Room C	Room D	Total	min ~ max	Rated	min ~ max	220V	230V		240V
1 Room	Cooling													
	2.8	2.8	2.80				2.80	1.10 ~ 3.50	650	220 ~ 890	3.1	3.0	2.9	1.6
	3.5	3.5	3.50				3.50	1.10 ~ 4.20	890	220 ~ 1,370	4.2	4.0	3.9	2.0
	5.0	5.0	5.00				5.00	1.10 ~ 5.10	1,800	220 ~ 1,860	8.3	7.9	7.6	2.7
2 Rooms	2.8 + 2.8	5.6	2.50	2.50			5.00	1.50 ~ 5.90	1,270	260 ~ 1,900	5.9	5.7	5.5	1.5 + 1.5
	2.8 + 3.5	6.3	2.22	2.78			5.00	1.50 ~ 5.95	1,270	260 ~ 1,900	5.9	5.7	5.5	1.4 + 1.6
	2.8 + 5.0	7.8	1.81	3.24			5.05	1.50 ~ 6.05	1,290	250 ~ 1,900	6.0	5.7	5.5	1.2 + 1.8
	3.5 + 3.5	7.0	2.50	2.50			5.00	1.50 ~ 6.00	1,270	260 ~ 1,900	5.9	5.7	5.5	1.5 + 1.5
	3.5 + 5.0	8.5	2.10	3.00			5.10	1.50 ~ 6.10	1,310	250 ~ 1,900	6.1	5.8	5.6	1.4 + 1.7

CU-3U27YBZ

INDOOR UNIT COMBINATION		Total	Cooling Capacity (kW)					Input Power (W)		Current [50Hz] (A)			Moisture Removal Volume L/h	
			Room A	Room B	Room C	Room D	Total	min ~ max	Rated	min ~ max	220V	230V		240V
1 Room	Cooling													
	2.8	2.8	2.80				2.80	1.70 ~ 3.60	650	380 ~ 930	3.0	2.9	2.8	1.6
	3.5	3.5	3.50				3.50	1.70 ~ 4.60	890	380 ~ 1,470	4.2	4.0	3.9	2.0
	5.0	5.0	5.00				5.00	1.70 ~ 5.60	1,600	380 ~ 1,920	7.3	7.0	6.8	2.7
	6.0	6.0	6.00				6.00	1.90 ~ 7.30	1,780	400 ~ 2,830	8.1	7.8	7.5	3.3
	7.1	7.1	7.10				7.10	1.90 ~ 7.50	2,570	400 ~ 3,070	11.8	11.3	10.9	4.1
2 Rooms	2.8 + 2.8	5.6	2.80	2.80			5.60	1.70 ~ 7.35	1,580	380 ~ 2,690	7.5	7.1	6.9	1.6 + 1.6
	2.8 + 3.5	6.3	2.80	3.50			6.30	1.90 ~ 7.90	1,970	400 ~ 2,970	9.2	8.8	8.5	1.6 + 2.0
	2.8 + 5.0	7.8	2.30	4.10			6.40	2.60 ~ 7.95	2,030	540 ~ 3,000	9.5	9.1	8.7	1.5 + 2.3
	2.8 + 6.0	8.8	2.28	4.88			7.15	2.80 ~ 8.45	2,130	550 ~ 3,020	10.0	9.5	9.1	1.5 + 2.7
	2.8 + 7.1	9.9	2.04	5.16			7.20	2.80 ~ 8.50	2,160	550 ~ 3,020	10.1	9.7	9.3	1.3 + 2.8
	3.5 + 3.5	7.0	3.18	3.18			6.35	1.90 ~ 7.95	2,000	400 ~ 2,970	9.4	9.0	8.6	1.8 + 1.8
	3.5 + 5.0	8.5	2.66	3.79			6.45	2.60 ~ 8.00	2,060	540 ~ 3,000	9.6	9.2	8.8	1.6 + 2.2
	3.5 + 6.0	9.5	2.63	4.52			7.15	2.80 ~ 8.50	2,130	550 ~ 3,020	10.0	9.5	9.1	1.6 + 2.5
	3.5 + 7.1	10.6	2.38	4.82			7.20	2.80 ~ 8.55	2,160	550 ~ 3,020	10.1	9.7	9.3	1.5 + 2.6
	5.0 + 5.0	10.0	3.25	3.25			6.50	2.60 ~ 8.10	2,060	540 ~ 3,000	9.6	9.2	8.8	1.8 + 1.8
	5.0 + 6.0	11.0	3.27	3.93			7.20	2.80 ~ 8.55	2,130	550 ~ 3,020	10.0	9.5	9.1	1.9 + 2.3
	5.0 + 7.1	12.1	3.00	4.25			7.25	2.80 ~ 8.60	2,160	550 ~ 3,020	10.1	9.7	9.3	1.7 + 2.4
	6.0 + 6.0	12.0	3.73	3.73			7.45	2.80 ~ 9.20	2,320	550 ~ 3,220	10.9	10.4	10.0	2.2 + 2.2
	6.0 + 7.1	13.1	3.44	4.06			7.50	2.80 ~ 9.25	2,350	550 ~ 3,220	11.0	10.5	10.1	2.0 + 2.3
	7.1 + 7.1	14.2	3.75	3.75			7.50	2.80 ~ 9.30	2,350	550 ~ 3,220	11.0	10.5	10.1	2.2 + 2.2
3 Rooms	2.8 + 2.8 + 2.8	8.4	2.33	2.33	2.33		7.00	2.80 ~ 9.00	1,830	550 ~ 3,050	8.5	8.1	7.8	1.5 + 1.5 + 1.5
	2.8 + 2.8 + 3.5	9.1	2.15	2.15	2.69		7.00	2.80 ~ 9.05	1,830	550 ~ 3,050	8.5	8.1	7.8	1.4 + 1.4 + 1.6
	2.8 + 2.8 + 5.0	10.6	1.86	1.86	3.33		7.05	2.80 ~ 9.10	1,850	550 ~ 3,050	8.6	8.2	7.9	1.2 + 1.2 + 1.9
	2.8 + 2.8 + 6.0	11.6	1.73	1.73	3.70		7.15	2.80 ~ 9.25	1,860	540 ~ 3,030	8.6	8.3	7.9	1.1 + 1.1 + 2.2
	2.8 + 2.8 + 7.1	12.7	1.59	1.59	4.03		7.20	2.80 ~ 9.30	1,860	540 ~ 3,030	8.6	8.3	7.9	1.0 + 1.0 + 2.3
	2.8 + 3.5 + 3.5	9.8	2.00	2.50	2.50		7.00	2.80 ~ 9.10	1,830	550 ~ 3,050	8.5	8.1	7.8	1.3 + 1.5 + 1.5
	2.8 + 3.5 + 5.0	11.3	1.75	2.18	3.12		7.05	2.80 ~ 9.15	1,840	550 ~ 3,050	8.5	8.2	7.8	1.1 + 1.4 + 1.8
	2.8 + 3.5 + 6.0	12.3	1.63	2.03	3.49		7.15	2.80 ~ 9.30	1,850	540 ~ 3,030	8.6	8.2	7.9	1.0 + 1.3 + 2.0
	2.8 + 3.5 + 7.1	13.4	1.50	1.88	3.81		7.20	2.80 ~ 9.35	1,850	540 ~ 3,030	8.6	8.2	7.9	1.0 + 1.2 + 2.2
	2.8 + 5.0 + 5.0	12.8	1.58	2.81	2.81		7.20	2.80 ~ 9.20	1,890	550 ~ 3,050	8.8	8.4	8.0	1.0 + 1.6 + 1.6
	2.8 + 5.0 + 6.0	13.8	1.48	2.64	3.17		7.30	2.80 ~ 9.35	1,900	540 ~ 3,030	8.8	8.4	8.1	0.9 + 1.6 + 1.8
	2.8 + 6.0 + 6.0	14.8	1.42	3.04	3.04		7.50	2.80 ~ 9.50	1,980	540 ~ 2,740	9.2	8.8	8.4	0.9 + 1.7 + 1.7
	3.5 + 3.5 + 3.5	10.5	2.33	2.33	2.33		7.00	2.80 ~ 9.15	1,830	550 ~ 3,050	8.5	8.1	7.8	1.5 + 1.5 + 1.5
	3.5 + 3.5 + 5.0	12.0	2.06	2.06	2.94		7.05	2.80 ~ 9.20	1,840	550 ~ 3,050	8.5	8.2	7.8	1.3 + 1.3 + 1.7
	3.5 + 3.5 + 6.0	13.0	1.93	1.93	3.30		7.15	2.80 ~ 9.35	1,850	540 ~ 3,030	8.6	8.2	7.9	1.2 + 1.2 + 1.9
3.5 + 3.5 + 7.1	14.1	1.79	1.79	3.63		7.20	2.80 ~ 9.40	1,850	540 ~ 3,030	8.6	8.2	7.9	1.2 + 1.2 + 2.1	
3.5 + 5.0 + 5.0	13.5	1.87	2.67	2.67		7.20	2.80 ~ 9.25	1,890	550 ~ 3,050	8.8	8.4	8.0	1.2 + 1.6 + 1.6	
3.5 + 5.0 + 6.0	14.5	1.76	2.52	3.02		7.30	2.80 ~ 9.40	1,900	540 ~ 3,030	8.8	8.4	8.1	1.1 + 1.5 + 1.7	

R32 Multi-Split Air Conditioning System

CU-4U28YBZ

INDOOR UNIT COMBINATION	Total	Cooling Capacity (kW)						Input Power (W)		Current [50Hz] (A)			Moisture Removal Volume L/h	
		Room A	Room B	Room C	Room D	Total	min - max	Rated	min - max	220V	230V	240V		
1 Room	Cooling													
	2.8	2.8	2.80				2.80	1.70 - 3.60	650	380 - 930	3.0	2.9	2.8	1.6
	3.5	3.5	3.50				3.50	1.70 - 4.60	890	380 - 1,470	4.2	4.0	3.9	2.0
	5.0	5.0	5.00				5.00	1.70 - 5.60	1,600	380 - 1,920	7.3	7.0	6.8	2.7
	6.0	6.0	6.00				6.00	1.90 - 7.30	1,780	400 - 2,830	8.1	7.8	7.5	3.3
2 Rooms	7.1	7.1	7.10				7.10	1.90 - 7.50	2,570	400 - 3,070	11.8	11.3	10.9	4.1
	2.8+2.8	5.6	2.80	2.80			5.60	1.70 - 7.35	1,750	380 - 2,850	8.3	7.9	7.6	1.6 + 1.6
	2.8+3.5	6.3	2.80	3.50			6.30	1.90 - 7.90	2,150	400 - 3,100	10.2	9.7	9.3	1.6 + 2.0
	2.8+5.0	7.8	2.30	4.10			6.40	2.60 - 8.00	2,210	540 - 3,100	10.5	10.0	9.6	1.5 + 2.3
	2.8+6.0	8.8	2.28	4.88			7.15	2.80 - 8.45	2,240	550 - 3,210	10.6	10.1	9.7	1.5 + 2.7
	2.8+7.1	9.9	2.04	5.16			7.20	2.80 - 8.50	2,260	550 - 3,210	10.7	10.2	9.8	1.3 + 2.8
	3.5+3.5	7.0	3.18	3.18			6.35	1.90 - 7.95	2,150	400 - 3,100	10.2	9.7	9.3	1.8 + 1.8
	3.5+5.0	8.5	2.66	3.79			6.45	2.60 - 8.05	2,230	540 - 3,110	10.5	10.1	9.7	1.6 + 2.2
	3.5+6.0	9.5	2.63	4.52			7.15	2.80 - 8.50	2,240	550 - 3,210	10.6	10.1	9.7	1.6 + 2.5
	3.5+7.1	10.6	2.38	4.82			7.20	2.80 - 8.55	2,260	550 - 3,210	10.7	10.2	9.8	1.5 + 2.6
	5.0+5.0	10.0	3.25	3.25			6.50	2.60 - 8.10	2,250	540 - 3,110	10.6	10.2	9.8	1.8 + 1.8
	5.0+6.0	11.0	3.27	3.93			7.20	2.80 - 8.55	2,260	550 - 3,210	10.7	10.2	9.8	1.9 + 2.3
	5.0+7.1	12.1	3.00	4.25			7.25	2.80 - 8.60	2,280	550 - 3,210	10.8	10.3	9.9	1.7 + 2.4
	6.0+6.0	12.0	3.95	3.95			7.90	2.80 - 9.20	2,570	550 - 3,210	12.2	11.6	11.1	2.3 + 2.3
	6.0+7.1	13.1	3.64	4.31			7.95	2.80 - 9.25	2,590	550 - 3,210	12.2	11.7	11.2	2.1 + 2.4
7.1+7.1	14.2	4.00	4.00			8.00	2.80 - 9.30	2,610	550 - 3,210	12.3	11.8	11.3	2.3 + 2.3	
3 Rooms	2.8+2.8+2.8	8.4	2.33	2.33	2.33		7.00	2.80 - 9.00	2,080	550 - 3,180	9.8	9.4	9.0	1.5 + 1.5 + 1.5
	2.8+2.8+3.5	9.1	2.15	2.15	2.69		7.00	2.80 - 9.05	2,080	550 - 3,180	9.8	9.4	9.0	1.4 + 1.4 + 1.6
	2.8+2.8+5.0	10.6	1.86	1.86	3.33		7.05	2.80 - 9.10	2,100	550 - 3,180	9.9	9.5	9.1	1.2 + 1.2 + 1.9
	2.8+2.8+6.0	11.6	1.73	1.73	3.70		7.15	2.80 - 9.25	2,040	540 - 3,160	9.6	9.2	8.8	1.1 + 1.1 + 2.2
	2.8+2.8+7.1	12.7	1.59	1.59	4.03		7.20	2.80 - 9.30	2,060	540 - 3,160	9.7	9.3	8.9	1.0 + 1.0 + 2.3
	2.8+3.5+3.5	9.8	2.00	2.50	2.50		7.00	2.80 - 9.10	2,080	550 - 3,180	9.8	9.4	9.0	1.3 + 1.5 + 1.5
	2.8+3.5+5.0	11.3	1.75	2.18	3.12		7.05	2.80 - 9.15	2,100	550 - 3,180	9.9	9.5	9.1	1.1 + 1.4 + 1.8
	2.8+3.5+6.0	12.3	1.63	2.03	3.49		7.15	2.80 - 9.30	2,040	540 - 3,160	9.6	9.2	8.8	1.0 + 1.3 + 2.0
	2.8+3.5+7.1	13.4	1.50	1.88	3.81		7.20	2.80 - 9.35	2,060	540 - 3,160	9.7	9.3	8.9	1.0 + 1.2 + 2.2
	2.8+5.0+5.0	12.8	1.58	2.81	2.81		7.20	2.80 - 9.20	2,170	550 - 3,180	10.3	9.8	9.4	1.0 + 1.6 + 1.6
	2.8+5.0+6.0	13.8	1.48	2.64	3.17		7.30	2.80 - 9.35	2,110	540 - 3,160	10.0	9.5	9.1	0.9 + 1.6 + 1.8
	2.8+5.0+7.1	14.9	1.38	2.47	3.50		7.35	2.80 - 9.40	2,130	540 - 3,160	10.1	9.6	9.2	0.9 + 1.5 + 2.0
	2.8+6.0+6.0	14.8	1.50	3.22	3.22		7.95	2.80 - 9.55	2,280	540 - 3,210	10.8	10.3	9.9	1.0 + 1.8 + 1.8
	2.8+6.0+7.1	15.9	1.41	3.02	3.57		8.00	2.80 - 9.60	2,300	540 - 3,210	10.9	10.4	10.0	0.9 + 1.7 + 2.1
	3.5+3.5+3.5	10.5	2.33	2.33	2.33		7.00	2.80 - 9.15	2,080	550 - 3,180	9.8	9.4	9.0	1.5 + 1.5 + 1.5
	3.5+3.5+5.0	12.0	2.06	2.06	2.94		7.05	2.80 - 9.20	2,100	550 - 3,200	9.9	9.5	9.1	1.3 + 1.3 + 1.7
	3.5+3.5+6.0	13.0	1.93	1.93	3.30		7.15	2.80 - 9.35	2,040	540 - 3,160	9.6	9.2	8.8	1.2 + 1.2 + 1.9
	3.5+3.5+7.1	14.1	1.79	1.79	3.63		7.20	2.80 - 9.40	2,060	540 - 3,160	9.7	9.3	8.9	1.2 + 1.2 + 2.1
	3.5+5.0+5.0	13.5	1.87	2.67	2.67		7.20	2.80 - 9.25	2,170	550 - 3,180	10.3	9.8	9.4	1.2 + 1.6 + 1.6
	3.5+5.0+6.0	14.5	1.76	2.52	3.02		7.30	2.80 - 9.40	2,110	540 - 3,160	10.0	9.5	9.1	1.1 + 1.5 + 1.7
3.5+5.0+7.1	15.6	1.65	2.36	3.35		7.35	2.80 - 9.45	2,130	540 - 3,160	10.1	9.6	9.2	1.1 + 1.5 + 1.9	
3.5+6.0+6.0	15.5	1.81	3.10	3.10		8.00	2.80 - 9.60	2,300	540 - 3,210	10.9	10.4	10.0	1.2 + 1.7 + 1.7	
5.0+5.0+5.0	15.0	2.42	2.42	2.42		7.25	2.80 - 9.30	2,170	550 - 3,180	10.3	9.8	9.4	1.5 + 1.5 + 1.5	
5.0+5.0+6.0	16.0	2.30	2.30	2.76		7.35	2.80 - 9.45	2,130	540 - 3,160	10.1	9.6	9.2	1.5 + 1.5 + 1.6	

R32 Multi-Split Air Conditioning System

CU-4U28YBZ

INDOOR UNIT COMBINATION	Cooling	Total	Cooling Capacity (kW)					Input Power (W)		Current [50Hz] (A)			Moisture Removal Volume L/h	
			Room A	Room B	Room C	Room D	Total	min ~ max	Rated	min ~ max	220V	230V		240V
4 Rooms	2.8 + 2.8 + 2.8 + 2.8	11.2	1.88	1.88	1.88	1.88	7.50	2.80 ~ 9.40	1,850	550 ~ 3,380	8.7	8.3	7.9	1.2 + 1.2 + 1.2 + 1.2
	2.8 + 2.8 + 2.8 + 3.5	11.9	1.76	1.76	1.76	2.21	7.50	2.80 ~ 9.45	1,850	550 ~ 3,380	8.7	8.3	7.9	1.1 + 1.1 + 1.1 + 1.4
	2.8 + 2.8 + 2.8 + 5.0	13.4	1.58	1.58	1.58	2.82	7.55	2.80 ~ 9.50	1,840	550 ~ 3,380	8.6	8.2	7.9	1.0 + 1.0 + 1.0 + 1.7
	2.8 + 2.8 + 2.8 + 6.0	14.4	1.52	1.52	1.52	3.25	7.80	2.80 ~ 10.00	1,910	540 ~ 3,200	8.9	8.6	8.2	1.0 + 1.0 + 1.0 + 1.8
	2.8 + 2.8 + 2.8 + 7.1	15.5	1.42	1.42	1.42	3.60	7.85	2.80 ~ 10.10	1,940	540 ~ 3,200	9.1	8.7	8.3	0.9 + 0.9 + 0.9 + 2.1
	2.8 + 2.8 + 3.5 + 3.5	12.6	1.67	1.67	2.08	2.08	7.50	2.80 ~ 9.50	1,850	550 ~ 3,440	8.7	8.3	7.9	1.1 + 1.1 + 1.3 + 1.3
	2.8 + 2.8 + 3.5 + 5.0	14.1	1.50	1.50	1.87	2.68	7.55	2.80 ~ 9.55	1,840	550 ~ 3,380	8.6	8.2	7.9	1.0 + 1.0 + 1.2 + 1.6
	2.8 + 2.8 + 3.5 + 6.0	15.1	1.46	1.46	1.83	3.14	7.90	2.80 ~ 10.10	1,960	540 ~ 3,200	9.2	8.8	8.4	0.9 + 0.9 + 1.2 + 1.8
	2.8 + 2.8 + 3.5 + 7.1	16.2	1.38	1.38	1.73	3.51	8.00	2.80 ~ 10.20	2,000	540 ~ 3,200	9.4	9.0	8.6	0.9 + 0.9 + 1.1 + 2.0
	2.8 + 2.8 + 5.0 + 5.0	15.6	1.36	1.36	2.44	2.44	7.60	2.80 ~ 9.60	1,890	550 ~ 3,380	8.9	8.5	8.1	0.9 + 0.9 + 1.5 + 1.5
	2.8 + 3.5 + 3.5 + 3.5	13.3	1.59	1.99	1.99	1.99	7.55	2.80 ~ 9.55	1,850	550 ~ 3,440	8.7	8.3	7.9	1.0 + 1.3 + 1.3 + 1.3
	2.8 + 3.5 + 3.5 + 5.0	14.8	1.44	1.80	1.80	2.57	7.60	2.80 ~ 9.60	1,890	550 ~ 3,380	8.9	8.5	8.1	0.9 + 1.2 + 1.2 + 1.6
	2.8 + 3.5 + 3.5 + 6.0	15.8	1.40	1.75	1.75	3.00	7.90	2.80 ~ 10.10	1,960	540 ~ 3,200	9.2	8.8	8.4	0.9 + 1.1 + 1.1 + 1.7
	3.5 + 3.5 + 3.5 + 3.5	14.0	1.89	1.89	1.89	1.89	7.55	2.80 ~ 9.60	1,850	550 ~ 3,380	8.7	8.3	7.9	1.2 + 1.2 + 1.2 + 1.2
3.5 + 3.5 + 3.5 + 5.0	15.5	1.72	1.72	1.72	2.45	7.60	2.80 ~ 9.65	1,890	550 ~ 3,380	8.9	8.5	8.1	1.1 + 1.1 + 1.1 + 1.5	

CU-4U34YBZ

INDOOR UNIT COMBINATION	Cooling	Total	Cooling Capacity (kW)					Input Power (W)		Current [50Hz] (A)			Moisture Removal Volume L/h	
			Room A	Room B	Room C	Room D	Total	min ~ max	Rated	min ~ max	220V	230V		240V
1 Room	2.8	2.8	2.80				2.80	1.70 ~ 3.60	650	380 ~ 930	3.0	2.9	2.8	1.6
	3.5	3.5	3.50				3.50	1.70 ~ 4.60	890	380 ~ 1,470	4.2	4.0	3.9	2.0
	5.0	5.0	5.00				5.00	1.70 ~ 5.60	1,600	380 ~ 1,920	7.3	7.0	6.8	2.7
	6.0	6.0	6.00				6.00	1.90 ~ 7.57	1,460	400 ~ 2,510	6.7	6.4	6.2	3.3
	7.1	7.1	7.10				7.10	1.90 ~ 8.03	2,250	400 ~ 2,850	10.3	9.9	9.5	4.1
2 Rooms	2.8 + 2.8	5.6	2.80	2.80			5.60	1.70 ~ 8.20	1,380	380 ~ 2,310	6.5	6.2	6.0	1.6 + 1.6
	2.8 + 3.5	6.3	2.80	3.50			6.30	1.90 ~ 8.55	1,600	400 ~ 2,550	7.6	7.2	7.0	1.6 + 2.0
	2.8 + 5.0	7.8	2.80	5.00			7.80	2.90 ~ 8.95	2,420	570 ~ 2,950	11.3	10.8	10.5	1.6 + 2.7
	2.8 + 6.0	8.8	2.74	5.86			8.60	2.90 ~ 9.80	2,460	560 ~ 3,040	11.5	11.0	10.7	1.6 + 3.2
	2.8 + 7.1	9.9	2.45	6.20			8.65	2.90 ~ 9.90	2,480	560 ~ 3,040	11.6	11.1	10.8	1.5 + 3.5
	3.5 + 3.5	7.0	3.50	3.50			7.00	1.90 ~ 8.60	1,800	400 ~ 2,550	8.4	8.1	7.8	2.0 + 2.0
	3.5 + 5.0	8.5	3.27	4.68			7.95	2.90 ~ 9.00	2,460	570 ~ 2,950	11.5	11.0	10.7	1.9 + 2.5
	3.5 + 6.0	9.5	3.19	5.46			8.65	2.90 ~ 9.90	2,480	560 ~ 3,040	11.6	11.1	10.8	1.8 + 3.0
	3.5 + 7.1	10.6	2.87	5.83			8.70	2.90 ~ 10.00	2,500	560 ~ 3,040	11.7	11.2	10.8	1.7 + 3.2
	5.0 + 5.0	10.0	4.05	4.05			8.10	2.90 ~ 9.20	2,500	570 ~ 2,950	11.7	11.2	10.8	2.3 + 2.3
	5.0 + 6.0	11.0	3.98	4.77			8.75	2.90 ~ 10.20	2,500	560 ~ 3,040	11.7	11.2	10.8	2.3 + 2.6
	5.0 + 7.1	12.1	3.64	5.16			8.80	2.90 ~ 10.30	2,520	560 ~ 3,040	11.8	11.3	10.9	2.1 + 2.8
	6.0 + 6.0	12.0	4.70	4.70			9.40	2.90 ~ 10.40	2,810	560 ~ 3,140	13.2	12.6	12.2	2.5 + 2.5
6.0 + 7.1	13.1	4.33	5.12			9.45	2.90 ~ 10.45	2,830	560 ~ 3,140	13.3	12.7	12.3	2.4 + 2.8	
7.1 + 7.1	14.2	4.75	4.75			9.50	2.90 ~ 10.50	2,850	560 ~ 3,160	13.3	12.8	12.4	2.6 + 2.6	

R32 Multi-Split Air Conditioning System

CU-4U34YBZ

INDOOR UNIT COMBINATION		Total	Cooling Capacity (kW)					Input Power (W)		Current [50Hz] (A)			Moisture Removal Volume L/h	
Cooling			Room A	Room B	Room C	Room D	Total	min ~ max	Rated	min ~ max	220V	230V		240V
3 Rooms	2.8+2.8+2.8	8.4	2.80	2.80	2.80		8.40	2.90 ~ 10.00	2,110	570 ~ 2,810	9.9	9.5	9.1	1.6+1.6+1.6
	2.8+2.8+3.5	9.1	2.65	2.65	3.31		8.60	2.90 ~ 10.10	2,210	570 ~ 2,810	10.3	9.9	9.6	1.6+1.6+1.9
	2.8+2.8+5.0	10.6	2.30	2.30	4.10		8.70	2.90 ~ 10.20	2,250	570 ~ 2,810	10.5	10.1	9.8	1.5+1.5+2.3
	2.8+2.8+6.0	11.6	2.20	2.20	4.71		9.10	2.90 ~ 10.60	2,520	560 ~ 3,100	11.8	11.3	10.9	1.4+1.4+2.5
	2.8+2.8+7.1	12.7	2.02	2.02	5.12		9.15	2.90 ~ 10.70	2,540	560 ~ 3,100	11.9	11.4	11.0	1.3+1.3+2.8
	2.8+3.5+3.5	9.8	2.47	3.09	3.09		8.65	2.90 ~ 10.15	2,230	570 ~ 2,810	10.4	10.0	9.7	1.5+1.7+1.7
	2.8+3.5+5.0	11.3	2.17	2.71	3.87		8.75	2.90 ~ 10.25	2,270	570 ~ 2,810	10.6	10.2	9.8	1.4+1.6+2.3
	2.8+3.5+6.0	12.3	2.08	2.60	4.46		9.15	2.90 ~ 10.70	2,540	560 ~ 3,100	11.9	11.4	11.0	1.3+1.6+2.5
	2.8+3.5+7.1	13.4	1.92	2.40	4.87		9.20	2.90 ~ 10.80	2,560	560 ~ 3,100	12.0	11.5	11.1	1.2+1.5+2.7
	2.8+5.0+5.0	12.8	1.96	3.50	3.50		8.95	2.90 ~ 10.50	2,450	570 ~ 2,960	11.5	11.0	10.6	1.3+2.0+2.0
	2.8+5.0+6.0	13.8	1.88	3.35	4.02		9.25	2.90 ~ 10.80	2,520	560 ~ 3,100	11.8	11.3	10.9	1.2+1.9+2.3
	2.8+5.0+7.1	14.9	1.75	3.12	4.43		9.30	2.90 ~ 10.90	2,540	560 ~ 3,100	11.9	11.4	11.0	1.1+1.8+2.5
	2.8+6.0+6.0	14.8	1.78	3.81	3.81		9.40	2.90 ~ 11.05	2,540	560 ~ 3,120	11.9	11.4	11.0	1.1+2.2+2.2
	2.8+6.0+7.1	15.9	1.66	3.57	4.22		9.45	2.90 ~ 11.10	2,560	560 ~ 3,120	12.0	11.5	11.1	1.1+2.1+2.4
	2.8+7.1+7.1	17.0	1.56	3.97	3.97		9.50	2.90 ~ 11.15	2,580	560 ~ 3,120	12.1	11.6	11.2	1.0+2.3+2.3
	3.5+3.5+3.5	10.5	2.90	2.90	2.90		8.70	2.90 ~ 10.20	2,250	570 ~ 2,810	10.5	10.1	9.8	1.7+1.7+1.7
	3.5+3.5+5.0	12.0	2.57	2.57	3.67		8.80	2.90 ~ 10.30	2,290	570 ~ 2,810	10.7	10.3	9.9	1.6+1.6+2.1
	3.5+3.5+6.0	13.0	2.48	2.48	4.25		9.20	2.90 ~ 10.80	2,560	560 ~ 3,100	12.0	11.5	11.1	1.5+1.5+2.4
	3.5+3.5+7.1	14.1	2.30	2.30	4.66		9.25	2.90 ~ 10.90	2,580	560 ~ 3,100	12.1	11.6	11.2	1.5+1.5+2.5
	3.5+5.0+5.0	13.5	2.33	3.33	3.33		9.00	2.90 ~ 10.55	2,470	570 ~ 2,960	11.6	11.1	10.7	1.5+1.9+1.9
3.5+5.0+6.0	14.5	2.24	3.21	3.85		9.30	2.90 ~ 10.90	2,540	560 ~ 3,100	11.9	11.4	11.0	1.5+1.8+2.3	
3.5+5.0+7.1	15.6	2.10	3.00	4.26		9.35	2.90 ~ 11.00	2,560	560 ~ 3,100	12.0	11.5	11.1	1.4+1.7+2.4	
3.5+6.0+6.0	15.5	2.12	3.64	3.64		9.40	2.90 ~ 11.10	2,540	560 ~ 3,120	11.9	11.4	11.0	1.4+2.1+2.1	
3.5+6.0+7.1	16.6	1.99	3.42	4.04		9.45	2.90 ~ 11.15	2,560	560 ~ 3,120	12.0	11.5	11.1	1.3+2.0+2.3	
5.0+5.0+5.0	15.0	3.03	3.03	3.03		9.10	2.90 ~ 10.60	2,470	570 ~ 2,960	11.6	11.1	10.7	1.7+1.7+1.7	
5.0+5.0+6.0	16.0	2.94	2.94	3.53		9.40	2.90 ~ 11.00	2,580	560 ~ 3,100	12.1	11.6	11.2	1.7+1.7+2.0	
5.0+5.0+7.1	17.1	2.76	2.76	3.92		9.45	2.90 ~ 11.10	2,600	560 ~ 3,100	12.2	11.6	11.3	1.6+1.6+2.3	
5.0+6.0+6.0	17.0	2.79	3.35	3.35		9.50	2.90 ~ 11.20	2,580	560 ~ 3,120	12.1	11.6	11.2	1.6+1.9+1.9	
4 Rooms	2.8+2.8+2.8+2.8	11.2	2.25	2.25	2.25	2.25	9.00	2.90 ~ 10.85	2,270	570 ~ 3,100	10.5	10.1	9.7	1.5+1.5+1.5+1.5
	2.8+2.8+2.8+3.5	11.9	2.12	2.12	2.12	2.65	9.00	2.90 ~ 10.90	2,270	570 ~ 3,100	10.5	10.1	9.7	1.4+1.4+1.4+1.6
	2.8+2.8+2.8+5.0	13.4	1.89	1.89	1.89	3.38	9.05	2.90 ~ 10.95	2,290	570 ~ 3,100	10.6	10.2	9.8	1.2+1.2+1.2+1.9
	2.8+2.8+2.8+6.0	14.4	1.78	1.78	1.78	3.81	9.15	2.90 ~ 11.10	2,320	560 ~ 3,040	10.8	10.3	10.0	1.1+1.1+1.1+2.2
	2.8+2.8+2.8+7.1	15.5	1.66	1.66	1.66	4.21	9.20	2.90 ~ 11.15	2,330	560 ~ 3,040	10.8	10.3	10.0	1.1+1.1+1.1+2.4
	2.8+2.8+3.5+3.5	12.6	2.00	2.00	2.50	2.50	9.00	2.90 ~ 10.95	2,270	570 ~ 3,100	10.5	10.1	9.7	1.3+1.3+1.5+1.5
	2.8+2.8+3.5+5.0	14.1	1.80	1.80	2.25	3.21	9.05	2.90 ~ 11.00	2,290	570 ~ 3,100	10.6	10.2	9.8	1.2+1.2+1.5+1.8
	2.8+2.8+3.5+6.0	15.1	1.70	1.70	2.12	3.64	9.15	2.90 ~ 11.15	2,320	560 ~ 3,040	10.8	10.3	10.0	1.1+1.1+1.4+2.1
	2.8+2.8+3.5+7.1	16.2	1.59	1.59	1.99	4.03	9.20	2.90 ~ 11.20	2,330	560 ~ 3,040	10.8	10.3	10.0	1.0+1.0+1.3+2.3
	2.8+2.8+5.0+5.0	15.6	1.63	1.63	2.92	2.92	9.10	2.90 ~ 11.10	2,290	570 ~ 3,100	10.6	10.2	9.8	1.0+1.0+1.7+1.7
	2.8+2.8+5.0+6.0	16.6	1.55	1.55	2.77	3.33	9.20	2.90 ~ 11.25	2,320	560 ~ 3,040	10.8	10.3	10.0	1.0+1.0+1.6+1.9
	2.8+2.8+6.0+6.0	17.6	1.51	1.51	3.24	3.24	9.50	2.90 ~ 11.50	2,430	560 ~ 3,100	11.3	10.8	10.4	1.0+1.0+1.8+1.8
	2.8+3.5+3.5+3.5	13.3	1.91	2.38	2.38	2.38	9.05	2.90 ~ 11.00	2,290	570 ~ 3,100	10.6	10.2	9.8	1.2+1.5+1.5+1.5
	2.8+3.5+3.5+5.0	14.8	1.72	2.15	2.15	3.07	9.10	2.90 ~ 11.05	2,290	570 ~ 3,100	10.6	10.2	9.8	1.1+1.4+1.4+1.7
	2.8+3.5+3.5+6.0	15.8	1.63	2.04	2.04	3.49	9.20	2.90 ~ 11.25	2,230	560 ~ 3,040	10.8	10.3	10.0	1.0+1.3+1.3+2.0
	2.8+3.5+3.5+7.1	16.9	1.53	1.92	1.92	3.89	9.25	2.90 ~ 11.30	2,340	560 ~ 3,040	10.9	10.4	10.0	1.0+1.2+1.2+2.3
	2.8+3.5+5.0+5.0	16.3	1.56	1.95	2.79	2.79	9.10	2.90 ~ 11.15	2,290	570 ~ 3,100	10.6	10.2	9.8	1.0+1.3+1.6+1.6
	2.8+3.5+5.0+6.0	17.3	1.49	1.86	2.66	3.19	9.20	2.90 ~ 11.35	2,320	560 ~ 3,040	10.8	10.3	10.0	0.9+1.2+1.6+1.8
	3.5+3.5+3.5+3.5	14.0	2.26	2.26	2.26	2.26	9.05	2.90 ~ 11.05	2,290	570 ~ 3,100	10.6	10.2	9.8	1.5+1.5+1.5+1.5
	3.5+3.5+3.5+5.0	15.5	2.05	2.05	2.05	2.94	9.10	2.90 ~ 11.10	2,290	570 ~ 3,100	10.6	10.2	9.8	1.3+1.3+1.3+1.7
3.5+3.5+3.5+6.0	16.5	1.95	1.95	1.95	3.35	9.20	2.90 ~ 11.35	2,330	560 ~ 3,040	10.8	10.3	10.0	1.3+1.3+1.3+1.9	
3.5+3.5+3.5+7.1	17.6	1.84	1.84	1.84	3.73	9.25	2.90 ~ 11.40	2,340	560 ~ 3,040	10.9	10.4	10.0	1.2+1.2+1.2+2.2	
3.5+3.5+5.0+5.0	17.0	1.87	1.87	2.68	2.68	9.10	2.90 ~ 11.20	2,290	570 ~ 3,100	10.6	10.2	9.8	1.2+1.2+1.6+1.6	